

**ELIXIRLIDOFast RAPID RELIEF- glycerin, lidocaine, petrolatum, and phenylephrine hydrochloride cream**  
**ELIXIR HEALTHCARE USA, LLC.**

-----  
***ElixirLidoFast Drug Facts***

***Active Ingredients***

Glycerin 14.4%

Lidocaine 5%

Phenylephrine HCl 0.25%

White petrolatum 15%

**Purposes**

Protectant

Local anesthetic

Vasoconstrictor

Protectant

***Uses***

- for temporary relief of pain, soreness and burning
- helps relieve the local itching and discomfort associated with hemorrhoids
- temporarily shrinks hemorrhoidal tissue
- temporarily provides a coating for relief of anorectal discomforts
- temporarily protects the inflamed irritated anorectal surface to help make bowel movements less painful

***Warnings***

**For external use only**

Ask a doctor before use if you have heart disease high blood pressure thyroid disease diabetes difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are** presently taking a prescription drug for high blood pressure or depression.

**When using this product**

- do not exceed the recommended daily dosage unless directed by a doctor
- do not put into the rectum by using fingers or any mechanical device or applicator

**Stop use and ask a doctor if**

- bleeding occurs
- condition worsens or does not improve within 7 days
- an allergic reaction develops
- the symptom being treated does not subside or if redness, irritation, swelling, pain,

or other symptoms develop or increase

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe. Gently dry by patting or blotting with a tissue or a soft cloth before applying this cream.
- apply externally to the affected area up to 4 times daily, especially at night, in the morning or after each bowel movement
- children under 12 years of age: ask a doctor

***Other information***

store at 20-25°C (68-77°F)

***Inactive ingredients***

Aloe vera leaf, anhydrous citric acid, butylated hydroxyanisole, carboxymethylcellulose sodium, cetyl alcohol, citric acid monohydrate, dexpanthenol, edetate disodium, glyceryl monostearate, methyl paraben, mineral oil, laureth 23, steareth 2, steareth 20, propyl gallate, propylene glycol, propyl paraben, sodium benzoate, stearyl alcohol, tocopherol, alpha-tocopherol acetate, xanthan gum, purified water.

**PRINCIPAL DISPLAY PANEL**

TO OPEN PUSH DOWN ON CAP WHILE

TURNING COUNTERCLOCKWISE

Elixir

HEMORRHOIDAL CREAM

RAPID RELIEF WITH LIDOCAINE, 5% HIGHEST STRENGTH LIDOCAINE AVAILABLE

RAPID NUMBING RELIEF OF PAIN, LATCHING & BURNING

REDUCES SWELLING & PROVIDES A SOOTHING PROTECTIVE LAYER.

Lidocaine, Phenylephrine HCL, Glycerin, White Petrolatum

4 oz|113g

Child Resistant Packaging

SIZE : L180 X W42 X H42



## ELIXIRLIDOFAST RAPID RELIEF

glycerin, lidocaine, petrolatum, and phenylephrine hydrochloride cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84546-0006
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>PETROLATUM</b> (UNII: 4T6H12BN9U) (PETROLATUM - UNII:4T6H12BN9U)	PETROLATUM	150 mg in 1 g
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	2.5 mg in 1 g
<b>GLYCERIN</b> (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	144 mg in 1 g
<b>LIDOCAINE</b> (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	50 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>BUTYLATED HYDROXYANISOLE</b> (UNII: REK4960K2U)	
<b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED</b> (UNII: K679OBS311)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>DEXPANTHENOL</b> (UNII: 1O6C93RI7Z)	

<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>LAURETH-23</b> (UNII: N72LMW566G)	
<b>STEARETH-2</b> (UNII: V56DFE46J5)	
<b>STEARETH-20</b> (UNII: L0Q8IK9E08)	
<b>PROPYL GALLATE</b> (UNII: 8D4SNN7V92)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>STEARYL ALCOHOL</b> (UNII: 2KR89I4H1Y)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84546-0006-1	1 in 1 CARTON	12/01/2025	
1		113 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M015	12/01/2025	

**Labeler** - ELIXIR HEALTHCARE USA, LLC. (084920892)

**Registrant** - ELIXIR HEALTHCARE USA, LLC. (084920892)

### Establishment

Name	Address	ID/FEI	Business Operations
Yash Pharma Laboratories Pvt Ltd		871409551	manufacture(84546-0006)