TENSION HEADACHE ASPIRIN FREE- acetaminophen, caffeine tablet, film coated CVS Pharmacy

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

CVS 44-428

Active ingredients (in each caplet)

Acetaminophen 500 mg (formulated with 65 mg caffeine)

Purpose

Pain reliever

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - muscular aches

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- blisters
- rash
- skin reddening

If a skin reaction occurs, stop use and seek medical help right away.

Caffeine warning: The recommended dose of this product contains about as much caffeine as a cup of coffee. Limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heart beat.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen

Ask a doctor before use if you have

liver disease.

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts for more than 10 days
- new symptoms occur
- fever gets worse or lasts for more than 3 days
- painful area is red or swollen

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not use more than directed
- adults and children 12 years and over: take 2 caplets every 6 hours. Do not take more than 6 caplets in 24 hours.
- children under 12 years: ask a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

Inactive ingredients

corn starch, crospovidone, D&C red #27 aluminum lake, FD&C blue #2 aluminum lake, FD&C yellow #6 aluminium lake, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, sodium starch glycolate, stearic acid, talc, titanium dioxide

Questions or comments?

1-800-426-9391

Principal Display Panel

♥ CVS Health_{TM}

Compare to the active ingredients in Excedrin® Tension Headache*

Coated Caplets

Aspirin-Free Tension Headache

ACETAMINOPHEN & CAFFEINE Pain reliever 100 CAPLETS


Actual Size

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

*This product is not manufactured or distributed by GSK Consumer Healthcare S.A., owner of the registered trademark Excedrin® Tension Headache.

ORG111942812

Distributed by: CVS Pharmacy, Inc.One CVS Drive, Woonsocket, RI 02895
© 2020 CVS/pharmacy CVS.com®
1-800-SHOP CVS V-11112



Drug Facts (continued)

Allergy alert: Acetaminophen may cause severe If a skin reaction occurs, stop use and seek skin reactions. Symptoms may include: ■ blisters ■ rash ■ skin reddening medical help right away.

medications, foods, or beverages while taking this Caffeine warning: The recommended dose of this product contains about as much caffeine as a cup product because too much caffeine may cause of coffee. Limit the use of caffeine-containing nervousness, irritability, sleeplessness, and, occasionally, rapid heart beat.

(prescription or nonprescription). If you are not with any other drug containing acetaminophen sure whether a drug contains acetaminophen

Ask a doctor before use if you have liver disease ■ if you are allergic to acetaminophen ask a doctor or pharmacist.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin Stop use and ask a doctor if

painful area is red or swollen

■ pain gets worse or lasts for more than 10 days

Poison Control Center right away. Prompt medica accidental overdose, get medical help or contact ■ fever gets worse or lasts for more than 3 days f pregnant or breast-feeding, ask a health attention is critical for adults as well as for hese could be signs of a serious condition Keep out of reach of children. In case of professional before use

children even if you do not notice any signs or

CVS 44-428

crospovidone, D&C red #27 aluminum lake, FD&C blue #2 aluminum lake, FD&C yellow #6

Inactive ingredients corn starch,

store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Other information

■ use by expiration date on package

children under 12 years: ask a doctor

than 6 caplets in 24 hours.

microcrystalline cellulose, polyethylene glycol

aluminum lake, magnesium stearate,

glycolate, stearic acid, talc, titanium dioxide polyvinyl alcohol, povidone, sodium starch

Questions or comments:

1-800-426-9391

TENSION HEADACHE ASPIRIN FREE

do not take more than directedadults and children 12 years and over: take 2 caplets every 6 hours. Do not take more

acetaminophen, caffeine tablet, film coated

STOP PEELING

Orug Facts (continued)

Jirections

Pro	oduct Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59779-824
Roi	ite of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
ACETAMINO PHEN (UNII: 36209 ITL9 D) (ACETAMINO PHEN - UNII: 36209 ITL9 D)	ACETAMINOPHEN	500 mg		
CAFFEINE (UNII: 3G6 A5W338 E) (CAFFEINE - UNII:3G6 A5W338 E)	CAFFEINE	65 mg		

Inactive Ingredients				
Ingredient Name	Strength			
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)				
TALC (UNII: 7SEV7J4R1U)				
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)				
STARCH, CORN (UNII: O8232NY3SJ)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)				
CROSPOVIDONE (UNII: 2S7830E561)				
FD&C BLUE NO. 2ALUMINUM LAKE (UNII: 4AQJ3LG584)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
MICRO CRYSTALLINE CELLULO SE (UNII: OP1R32D61U)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)				
PO VIDONE, UNSPECIFIED (UNII: FZ989GH94E)				
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)				

Product Characteristics					
Color	RED	Score	no score		
Shape	OVAL	Size	17mm		
Flavor		Imprint Code	44;428		
Contains					

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:59779-824- 12	1 in 1 CARTON	01/17/2007	0 2/11/20 18	
1		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product			
2	NDC:59779-824- 08	1 in 1 CARTON	01/17/2007		
2		24 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product			
3	NDC:59779-824- 06	200 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/17/2007		
4	NDC:59779-824- 21	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/17/2007		

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
OTC MONOGRAPH NOT FINAL	part343	01/17/2007				

Labeler - CVS Pharmacy (062312574)

Establishment					
Name	Address	ID/FEI	Business Operations		
LNK International, Inc.		038154464	PACK(59779-824)		

Establishment					
Name	Address	ID/FEI	Business Operations		
LNK International, Inc.		832867894	MANUFACTURE(59779-824)		

Establishment					
Name	Address	ID/FEI	Business Operations		
LNK International, Inc.		868734088	PACK(59779-824)		

Establishment					
Name	Address	ID/FEI	Business Operations		
LNK International, Inc.		967626305	PACK(59779-824)		

Revised: 3/2020 CVS Pharmacy