

SUNS OUT FUNS OUT- avobenzone, homosalate, octisalate, octocrylene
Koco Life LLC

Sun's Out, Fun's Out Kit

84130-001-10 Sun Shield Body Glow SPF50 DX

Active ingredients

Avobenzone 3%

Homosalate 10%

Octocrylene 10%

Octisalate 5%

Purpose

Avobenzone 3%Sunscreen

Homosalate 10%.....Sunscreen

Octocrylene 10%Sunscreen

Octisalate 5%Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sunprotection measures (see Directions),decreases the risk of skin cancer and earlyskin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply generously & evenly 15 minutesbefore sun exposure.

REAPPLY: After 40 minutes of swimming or sweating. • Immediately after towel drying. • At least every 2 hours

Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a

Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.- 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months: Ask a doctor

Inactive ingredients

Octyldodecanol, C12-15 Alkyl Benzoate, Polyamide-3, Butyloctyl Salicylate, Octyldodecyl Neopentanoate, Fragrance (Parfum), Persea Gratissima (Avocado) Oil, Hibiscus Sabdariffa Seed Oil, Cocos Nucifera (Coconut) Oil, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Aleurites Moluccana Seed Oil, Tocopheryl Acetate, Macadamia Ternifolia Seed Oil, Benzyl Salicylate, Hexyl Cinnamal, Linalool, Mica (CI 77019), Titanium Dioxide (CI 77891), Iron Oxides (CI 77491)

Other information

Protect the product in this container from excessive heat and direct sun

Questions or comments?

Call (858) 252-0099

84130-000-20 Sunglaze Sheer Body Mist Sunscreen SPF 42

Active ingredients

Avobenzone 3 %
Homosalate 0.5 %
Octisalate 5%
Octocrylene 10%

Purpose

Avobenzone 3 %.....Sunscreen
Homosalate 0.5 %.....Sunscreen
Octisalate 5%.....Sunscreen
Octocrylene 10%.....Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer & early skin aging caused by the sun.

Warnings

For external use only

Do not use on damaged or broken skin

Do not spray in eyes. If contact occurs, rinse well with water. If irritation persists, consult a doctor.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right

away.

Directions

- Shake well before dispensing. Spray directly onto skin. For Sunscreen use: Apply generously and evenly 15 minutes before sun exposure. **Reapply**
- After 80 minutes of swimming or sweating. Immediately after towel drying.
- At least every 2 hours

Sun Protection Measures:

Spending time in the sun increases your risk of skin cancer & early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher & other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. - 2 p.m
- Wear long-sleeved shirts, pants, hats and sunglasses
- Children under 6 months: Ask a doctor

Inactive ingredients

Alcohol Denat., C12-15 Alkyl Benzoate, Butyloctyl Salicylate, Diisopropyl Adipate, Sodium Hyaluronate, Tocopherol, Hydrogenated Castor Oil, Tetrahexyldecyl Ascorbate, Ricinus Communis (Castor) Seed Oil, Dicaprylyl Carbonate, VA/Butyl Maleate/Isobornyl Acrylate Copolymer, Fragrance (Parfum), Mica, T-Butyl Alcohol, Tin Oxide, Hexyl Cinnamal, Benzyl Salicylate, Linalool, CI 77891 (Titanium Dioxide), CI 77491 (Iron Oxides)

Other information

Protect the product in this container from excessive heat and direct sun

Call (858) 252-0099

84130-004-10 Sun Shield On-the-Glow Sheer Stick SPF40

Active ingredients

Avobenzone 3%, Homosalate 10%, Octocrylene 10%, Octisalate 5%

Purpose

Avobenzone 3%, Homosalate 10%, Octocrylene 10%, Octisalate 5%.....Sunscreen

Uses

• Helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer & early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Glide onto body, neck and face 15 minutes before sun exposure for invisible protection.

Reapply: After 40 minutes of swimming or sweating. • Immediately after towel drying. • At least every 2 hours

Sun Protection Measures: Spending time in the sun increases your risk of skin cancer & early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher & other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeved shirts, pants, hats and sunglasses • Children under 6 months: Ask a doctor

Inactive ingredients

C12-15 Alkyl Benzoate, Octyldodecanol, Butyloctyl Salicylate, Octyldodecyl Neopentanoate, Isostearyl Linoleate, Dibutyl Lauroyl Glutamide, Polyester-8, Dibutyl Ethylhexanoyl Glutamide, Silica Silylate, Zingiber Officinale (Ginger) Root Extract, Tocopherol, Cocos Nucifera (Coconut) Oil, Helianthus Annuus (Sunflower) Seed Oil, Aloe Barbadensis Leaf Extract, Glycine Soja (Soybean) Oil, Bisabolol, Fragrance (Parfum), Synthetic Fluorphlogopite, Silica, Hexyl Cinnamal, Benzyl Salicylate, Linalool, Farnesol, Citral, CI 77491 (Iron Oxides)

Other information

Protect the product in this container from excessive heat and direct sun

Questions/Comments

Call (858) 252-0099

Kopari

Sun's Out

Fun's Out

Full Size



SUN'S OUT FUN'S OUT

FULL SIZE

KOPARI

SUN SHIELD
BODY GLOW SPF 50

BROAD SPECTRUM
UVA-UVB 40-MINUTE SWEAT &
WATER RESISTANT PABA-FREE

ÉCRAN SOLAIRE
EFFET BRILLANT FPS 50

UVA-UVB RÉSISTANCE DE 40 MINUTES
À LA TRANSPIRATION ET À L'EAU
SANS PABA

1 FL. OZ. | 30 mL

KOPARI

SUNGLAZE
SHEER BODY MIST
SUNSCREEN SPF 42

BROAD SPECTRUM UVA-UVB
80-MINUTE SWEAT &
WATER RESISTANT

BRUME SOLAIRE LÉGÈRE SUNGLAZE FPS 42
POUR LE CORPS UVA-UVB
RÉSISTANCE DE 80 MINUTES À LA
TRANSPIRATION ET À L'EAU

7.5 FL. OZ. | 60 ML

KOPAR

SUN SHIELD
ON-THE-GLOW
SHEER STICK
SPF 40

BÂTON SOLAIRE
ON-THE-GLOW FPS 40
1 OZ. | 30 g

Sun's Out, Fun's Out SPF Kit

Sun's out, glow's on. This travel-friendly SPF trio is designed to keep your body radiant and protected, wherever the day takes you. Smooth on Sun Shield Body Glow SPF 50 for moisturized skin, spray Sunglaze Sheer Body Mist SPF 42 for effortless reapplication, and swipe Sun Shield On-The-Glow Stick SPF 40 for glow on the go. All wrapped in our signature sweet coconut milk scent - for effortless protection and that juicy, sun-kissed glow.

SUN SHIELD BODY GLOW SUNSCREEN SPF 50

1 FL. OZ. | 30 ML

Drug Facts	
Active Ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 10%	Sunscreen
Octocrylene 10%	Sunscreen
Ocitalate 5%	Sunscreen
Uses	
<ul style="list-style-type: none"> Helps prevent sunburn If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun 	
Warnings	
For external use only	
Do not use on damaged or broken skin	
When using this product keep out of eyes.	
Rinse with water to remove	
Stop use and ask a doctor if rash occurs	
Keep out of reach of children	
If product is swallowed, get medical help or contact a Poison Control Center right away	
Directions	
<ul style="list-style-type: none"> Apply generously & evenly 15 minutes before sun exposure. REAPPLY: After 40 minutes of swimming or sweating. Immediately after towel drying. • At least every 2 hours <p>Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m.- 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses. • Children under 6 months: Ask doctor</p>	
Inactive Ingredients	
Octyldodecanol, C12-15 Alkyl Benzoate, Polyamide-3, Butyloctyl Salicylate, Octyldodecyl Neopentanoate, Fragrance (Parfum), Persea Gratissima (Avocado) Oil, Hibiscus Sabdariffa Seed Oil, Cocos Nucifera (Coconut) Oil, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Aleurites Moluccana Seed Oil, Tocopheryl Acetate, Macadamia Ternifolia Seed Oil, Benzyl Salicylate, Hexyl Cinnamal, Linalool, Mica (CI 77019), Titanium Dioxide (CI 77891), Iron Oxides (CI 77491).	
Other Information	Questions or comments?
Protect the product in this container from excessive heat and direct sun	Call (858) 252-0099

SUNGLAZE SHEER BODY MIST SUNSCREEN SPF 42

2 FL. OZ. | 60 ML

Drug Facts	
Active Ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 0.5%	Sunscreen
Ocitalate 5%	Sunscreen
Octocrylene 10%	Sunscreen
Uses	
<ul style="list-style-type: none"> Helps prevent sunburn If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun 	
Warnings	
For external use only	
Do not use on damaged or broken skin	
Do not spray in eyes. If contact occurs, rinse well with water. If irritation persists, consult a doctor.	
Keep out of reach of children	
If product is swallowed, get medical help or contact a Poison Control Center right away	
Directions	
<ul style="list-style-type: none"> Shake well before dispensing. Spray directly onto skin. For Sunscreen Use: Apply generously and evenly 15 minutes before sun exposure. REAPPLY: After 80 minutes of swimming or sweating. Immediately after towel drying. • At least every 2 hours <p>Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m.- 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses. • Children under 6 months: Ask doctor</p>	
Inactive Ingredients	
Alcohol Denat., C12-15 Alkyl Benzoate, Butyloctyl Salicylate, Diisopropyl Adipate, Sodium Hyaluronate, Tocopherol, Hydrogenated Castor Oil, Tetrahydroxyethyl Ascorbate, Ricinus Communis (Castor) Seed Oil, Dicaprylyl Carbonate, VA/Butyl Maleate/Isobornyl Acrylate Copolymer, Fragrance (Parfum), Mica, T-Butyl Alcohol, Tin Oxide, Hexyl Cinnamal, Benzyl Salicylate, Linalool, CI 77891 (Titanium Dioxide), CI 77491 (Iron Oxides).	
Other Information	Questions or comments?
Protect the product in this container from excessive heat and direct sun	Call (858) 252-0099

FULL SIZE SUN SHIELD ON-THE-GLOW SHEER STICK SUNSCREEN SPF 40

1 FL. OZ. | 30 ML

Drug Facts	
Active Ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 10%	Sunscreen
Octocrylene 10%	Sunscreen
Ocitalate 5%	Sunscreen
Uses	
<ul style="list-style-type: none"> Helps prevent sunburn If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun 	
Warnings	
For external use only	
Do not use on damaged or broken skin	
When using this product keep out of eyes.	
Rinse with water to remove	
Stop use and ask a doctor if rash occurs	
Keep out of reach of children	
If product is swallowed, get medical help or contact a Poison Control Center right away	
Directions	
<ul style="list-style-type: none"> Glide onto body, neck and face 15 minutes before sun exposure for invisible protection. REAPPLY: After 40 minutes of swimming or sweating. Immediately after towel drying. • At least every 2 hours <p>Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m.- 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses. • Children under 6 months: Ask doctor</p>	
Inactive Ingredients	
C12-15 Alkyl Benzoate, Octyldodecanol, Butyloctyl Salicylate, Octyldodecyl Neopentanoate, Isostearyl Linoleate, Dibutyl Lauryl Glutamate, Polyester-8, Dibutyl Ethylhexanol Glutamate, Silica Silylate, Cocos Nucifera (Coconut) Oil, Tocopherol, Glycine Soja (Soybean) Oil, Bisabolol, Zingiber Officinale (Ginger) Root Extract, Helianthus Annuus (Sunflower) Seed Oil, Aloe Barbadensis Leaf Extract, Fragrance (Parfum) Benzyl Salicylate, Hexyl Cinnamal, Linalool, Synthetic Fluorophlogopite, Silica, Iron Oxides (CI 77489), (CI 77491).	
Other Information	Questions or comments?
Protect the product in this container from excessive heat and direct sun	Call (858) 252-0099

FLAMMABLE: KEEP
AWAY FROM HEAT AND
OPEN FLAMES.



DIST: KOCO LIFE LLC, LA JOLLA, CA 92037

MADE IN THE USA OF GLOBALLY SOURCED INGREDIENTS

koparibeauty.com



SUNS OUT FUNS OUT

avobenzone, homosalate, octisalate, octocrylene kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84130-024
--------------	----------------	--------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84130-024-96	1 in 1 KIT; Type 0: Not a Combination Product	12/12/2025	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 CONTAINER	30 g
Part 2	1 BOTTLE, PUMP	60 mL
Part 3	1 BOTTLE, PUMP	30 mL

Part 1 of 3

SUN SHIELD ON-THE-GLOW SHEER STICK SPF40

avobenzone, homosalate, octocrylene, octisalate stick

Product Information

Item Code (Source) NDC:84130-004

Route of Administration TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength
CITRAL (UNII: T7EU0O9VPP)	
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)	
DIBUTYL ETHYLHEXANOYL GLUTAMIDE (UNII: 0IAF2L30VS)	
BENZYL SALICYLATE (UNII: WAO5MNK9TU)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
LINALOOL, (+)- (UNII: F4VNO44C09)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
GINGER (UNII: C5529G5JPQ)	
ISOSTEARYL LINOLEATE (UNII: 4778M3HR0N)	
SOYBEAN OIL (UNII: 241ATL177A)	
TOCOPHEROL (UNII: R0ZB2556P8)	
COCONUT OIL (UNII: Q9L0O73W7L)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
POLYESTER-8 (1400 MW, CYANODIPHENYLPROPENOYL CAPPED) (UNII: T9296U138P)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
LEVOMENOL (UNII: 24WE03BX2T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
FARNESOL (UNII: EB41QIU6JL)	
DIBUTYL LAUROYL GLUTAMIDE (UNII: 3V7K3IA58X)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84130-004-10	30 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/12/2025	

Part 2 of 3

KOPARI SUNGLAZE SHEER BODY MIST SUNSCREEN SPF42

avobenzone, homosalate, octisalate, octocrylene spray

Product Information

Item Code (Source)	NDC:84130-000
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	5 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
TERT-BUTYL ALCOHOL (UNII: MD83SFE959)	
BENZYL SALICYLATE (UNII: WAO5MNK9TU)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)	
HYDROGENATED CASTOR OIL (UNII: Z F94AP8MEY)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
CASTOR OIL (UNII: D5340Y2I9G)	
ALCOHOL (UNII: 3K9958V90M)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
TOCOPHEROL (UNII: R0ZB2556P8)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
DIBUTYL MALEATE (UNII: 4X371TMK9K)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84130-000-20	60 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/12/2025	

Part 3 of 3

SUN SHIELD BODY GLOW SPF50

homosalate, octocrylene, octisalate, avobenzone gel

Product Information

Item Code (Source)	NDC:84130-001
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 mL
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BENZYL SALICYLATE (UNII: WAO5MNMK9TU)	
AVOCADO OIL (UNII: 6VNO72PFC1)	
HIBISCUS SABDARIFFA SEED OIL (UNII: G2X0304IX1)	
KUKUI NUT OIL (UNII: TP11QR7B8R)	
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
COCONUT OIL (UNII: Q9L0O73W7L)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
MICA (UNII: V8A1AW0880)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
MACADAMIA OIL (UNII: 515610SU8C)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
POLYAMIDE-3 (12000 MW) (UNII: L7P3YWF22X)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84130-001-10	30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/12/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/12/2025	

Labeler - Koco Life LLC (046650159)

Establishment

Name	Address	ID/FEI	Business Operations
Biogenesis Inc.		069117328	manufacture(84130-024, 84130-004, 84130-001)

Establishment

Name	Address	ID/FEI	Business Operations
PhytogenX, Inc.		624386772	manufacture(84130-000)

Revised: 12/2025

Koco Life LLC