

**PAIN AND FEVER CHILDRENS- acetaminophen tablet, chewable**  
**Wal-Mart Stores Inc**

-----  
**Equate 44-449-childrens**

***Active ingredient (in each chewable tablet)***

Acetaminophen 160 mg

***Purpose***

Pain reliever/fever reducer

***Uses***

- temporarily relieves minor aches and pains due to:
  - headache
  - sore throat
  - flu
  - toothache
  - the common cold
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

**Ask a doctor before use if your child has**

liver disease.

**Ask a doctor or pharmacist before use if your child is**

taking the blood thinning drug warfarin.

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- any new symptoms appear

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **this product does not contain directions or complete warnings for adult use**
- **do not give more than directed**
- find the right dose on chart below. If possible, use weight to dose; otherwise, use age.
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

<b>Weight (lb)</b>	<b>Age (yr)</b>	<b>Dose (chewable tablets)*</b>
Under 24	Under 2	Ask a doctor
24-35	2-3	1 tablet
36-47	4-5	1 1/2 tablets
48-59	6-8	2 tablets
60-71	9-10	2 1/2 tablets
72-95	11	3 tablets

\*or as directed by a doctor

**Other information**

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- avoid high humidity
- see end flap for expiration date and lot number

**Inactive ingredients**

citric acid, crospovidone, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrans hydrated, ethylcellulose, FD&C blue #1 aluminum lake, flavors, magnesium stearate, mannitol, polyethylene, stearic acid, sucralose

***Questions or comments?***

**1-888-287-1915**

***Principal display panel***

***equate™***

NDC 49035-455-08

Compare to  
Children's Tylenol®  
Chewables active  
ingredient†

**children's**

**PAIN & FEVER**

**Acetaminophen** 160 mg

Chewable Tablets

■ Pain Reliever / Fever Reducer

2-11 YEARS

■ Aspirin Free

■ Ibuprofen Free

Grape Flavor

**24 Chewable Tablets**

Actual Size

Chew or crush  
tablets completely  
before swallowing.

**TAMPER EVIDENT: DO NOT USE  
IF PACKAGE IS OPENED OR IF  
BLISTER UNIT IS TORN,  
BROKEN OR SHOWS ANY  
SIGNS OF TAMPERING**

Satisfaction guaranteed – Or we'll  
replace it or give you your money  
back. For questions or comments  
please call **1-888-287-1915**.

**DISTRIBUTED BY: Walmart Inc.,  
Bentonville, AR 72716**

†This product is not manufactured or distributed

by Kenvue Inc., owner of the registered trademark Children's Tylenol® Chewables.

50844 REV0424C44908

**equate™**  
**children's**  
**PAIN & FEVER**  
**Acetaminophen 160 mg**  
Chewable Tablets  
Grape Flavor

Compare to Children's Tylenol® Chewables active ingredient!

TAMPER EVIDENT: DO NOT USE IF PACKAGING IS OPENED OR IF BLOWER UNIT IS TORN. BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

**Drug Facts** KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

**Active ingredient** Acetaminophen 160 mg **Purpose** Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - headache
  - toothache
  - sore throat
  - the common cold
  - flu
- temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- skin rash
- blisters
- itching

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Drug Facts (continued)**

Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if your child has liver disease.

Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- any new symptoms appear

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- this product does not contain directions or complete warnings for adult use
- do not give more than directed

**Drug Facts (continued)**

- find the right dose on chart below. If possible, use weight to dose; otherwise, use age.
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

Weight (lb)	Age (yr)	Dose (chewable tablets)*
Under 24	Under 2	Ask a doctor
24-35	2-3	1 tablet
36-47	4-5	1 1/2 tablets
48-59	6-8	2 tablets
60-71	9-10	2 1/2 tablets
72-95	11	3 tablets

\*or as directed by a doctor

**Other information**

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLOWER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- avoid high humidity
- see end flap for expiration date and lot number

**Drug Facts (continued)**

**Inactive ingredients**

citric acid, croscopolone, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrans hydrated, ethylcellulose, FD&C blue #1 aluminum lake, flavors, magnesium stearate, mannitol, polyethylene, stearic acid, sucralose

**Questions or comments?**  
1-888-287-1915

Satisfaction guaranteed - Or we'll replace it or give you your money back. For questions or comments please call 1-888-287-1915.

**DISTRIBUTED BY:** Walmart Inc., Bentonville, AR 72716  
\*This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark Children's Tylenol® Chewables. 50844 REV0424C44908

72565  
6 81131 15008 8

B-2203-449-08-R  
REV0424C44908

NDC 49035-455-08

**equate™**  
**children's**  
**PAIN & FEVER**  
**Acetaminophen 160 mg**  
Chewable Tablets

Compare to Children's Tylenol® Chewables active ingredient!

Pain Reliever / Fever Reducer

**2-11 YEARS**

Aspirin Free  
Ibuprofen Free

**Grape Flavor**  
**24 Chewable Tablets**

Actual Size

Chew or crush tablets completely before swallowing.

No print/No varnish  
Lot & Exp date

Equate 44-449

## PAIN AND FEVER CHILDRENS

acetaminophen tablet, chewable

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49035-455
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>CROSPROVIDONE, UNSPECIFIED</b> (UNII: 2S7830E561)	
<b>D&amp;C RED NO. 27 ALUMINUM LAKE</b> (UNII: ZK64F7XSTX)	
<b>D&amp;C RED NO. 30 ALUMINUM LAKE</b> (UNII: GE75M6YV5W)	
<b>DEXTROSE MONOHYDRATE</b> (UNII: LX22YL083G)	
<b>ETHYLCELLULOSE, UNSPECIFIED</b> (UNII: 7Z8S9VYZ4B)	
<b>FD&amp;C BLUE NO. 1 ALUMINUM LAKE</b> (UNII: J9EQA3S2JM)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MANNITOL</b> (UNII: 3OWL53L36A)	
<b>HIGH DENSITY POLYETHYLENE</b> (UNII: UG00KM4WR7)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	

## Product Characteristics

<b>Color</b>	purple	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND	<b>Size</b>	16mm
<b>Flavor</b>	GRAPE	<b>Imprint Code</b>	44;449
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-455-08	4 in 1 CARTON	01/28/2005	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:49035-455-39	6 in 1 BLISTER PACK; Type 0: Not a Combination Product	01/28/2005	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	01/28/2005	

**Labeler** - Wal-Mart Stores Inc (051957769)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(49035-455)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(49035-455) , pack(49035-455)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(49035-455)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(49035-455)

Revised: 9/2025

Wal-Mart Stores Inc