

# LIDOCAINE- lidocaine, menthol patch

## Vive Health LLC

<b>Drug Facts</b>				
<b>Active ingredient</b>	<b>Purpose</b>	<b>Do not use</b> <ul style="list-style-type: none"> <li>• more than 1 patch at a time</li> <li>• on wounds or damaged skin</li> <li>• with a heating pad</li> <li>• if you are allergic to any ingredients of this product</li> <li>• if pouch is damaged or opened</li> </ul> When using this product <ul style="list-style-type: none"> <li>• Do not microwave</li> <li>• Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.</li> </ul> <b>Use only as directed</b> <ul style="list-style-type: none"> <li>• Read and follow all directions and warnings on this carton tightly or apply local heat (such as heating pads) to the area of use.</li> </ul>	<b>Stop use and consult a doctor if</b> <ul style="list-style-type: none"> <li>• Condition worsens</li> <li>• Redness is present</li> <li>• Irritation develops injury, such as pain, swelling or blistering where the product was applied.</li> </ul>	
Lidocaine 4%.....	Topical anesthetic		<b>Uses</b> Use for the temporary relief of pain	<b>If pregnant or breastfeeding,</b> ask a health professional before use.
Menthol 1% .....	Topical anesthetic			
<b>Warnings</b> For external use only				
<b>Directions</b> Adults and children 12 years of age and over: Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Use one patch for up to 8 hours. Discard patch after single use. Children under 12 years of age: consult a physician.			<b>Keep out of reach of children and pets.</b> If swallowed, get medical help or contact a Poison Control Center 1-800-222-1222 right away.	
<b>Inactive Ingredients</b> Glycerin, propylene glycol, sodium polyacrylate, Carboxymethylcellulose sodium, DihydroxyaluminiumAminoacetate, kaolin, Ethyl Alcohol, water, tartaric acid, polyvinylpyrrolidone 90, glydant, disodium Ethylenediaminetetraacetic acid, Polysorbate 80.			<b>Other Information</b> Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.	

### FAST-ACTING AND LONG-LASTING


The patches start working quickly upon application, providing immediate relief. The combination of ingredients ensures sustained relief over an extended period.

### TARGETED PAIN MANAGEMENT

The patches can be applied directly to the affected area for focused relief, making them suitable for back pain, arthritis and muscle soreness.

### EFFECTIVE PAIN RELIEF

The combination of lidocaine and menthol provides numbing pain relief and a cooling sensation that soothes the skin.



For Easy removal of embossed backing



**vive**  
**health**

8955 Fontana Del Sol Way  
Naples, FL 34109  
1-800-487-3808  
www.vivehealth.com  
Made in China



Lidocaine Patches  
RHB3041CT5



(01)00810113579115(241)RHB3041CT5

## Drug Facts

### Active ingredient Purpose

Lidocaine 4%.....Topical anesthetic  
Menthol 1% .....Topical anesthetic

### Uses

Use for the temporary relief of pain

### Warnings

For external use only

### Directions

Adults and children 12 years of age and over: Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Use one patch for up to 8 hours. Discard patch after single use. Children under 12 years of age: consult a physician.

### Do not use

- more than 1 patch at a time
- on wounds or damaged skin
- with a heating pad
- if you are allergic to any ingredients of this product
- if pouch is damaged or opened
- When using this product
- Do not microwave
- Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

### Use only as directed

- Read and follow all directions and warnings on this carton tightly or apply local heat (such as heating pads) to the area of use.

### Stop use and consult a doctor if

- Condition worsens
- Redness is present
- Irritation develops injury, such as pain, swelling or blistering where the product was applied.

**If pregnant or breastfeeding,** ask a health professional before use.

**Keep out of reach of children and pets.** If swallowed, get medical help or contact a Poison Control Center 1-800-222-1222 right away.

### Other Information

Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

### Inactive Ingredients

Glycerin, propylene glycol, sodium polyacrylate, Carboxymethylcellulose sodium, DihydroxyaluminiumAminoacetate, kaolin, Ethyl Alcohol, water, tartaric acid, polyvinylpyrrolidone 90, glydant, disodium Ethylenediaminetetraacetic acid, Polysorbate 80.

### FAST-ACTING AND LONG-LASTING


The patches start working quickly upon application, providing immediate relief. The combination of ingredients ensures sustained relief over an extended period.

### TARGETED PAIN MANAGEMENT

The patches can be applied directly to the affected area for focused relief, making them suitable for back pain, arthritis and muscle soreness.

### EFFECTIVE PAIN RELIEF

The combination of lidocaine and menthol provides numbing pain relief and a cooling sensation that soothes the skin.



For Easy removal of embossed backing



**vive  
health**

8955 Fontana Del Sol Way  
Naples, FL 34109  
1-800-487-3808  
www.vivehealth.com  
Made in China



Lidocaine Patches  
RHB3041CT5



(01)00810113579115(241)RHB3041CT5

## Drug Facts

Active ingredient	Purpose
Lidocaine 4%.....	Topical anesthetic
Menthol 1% .....	Topical anesthetic

**Uses**  
Use for the temporary relief of pain

**Warnings**  
For external use only

**Directions**  
Adults and children 12 years of age and over: Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Use one patch for up to 8 hours. Discard patch after single use. Children under 12 years of age: consult a physician.

**Do not use**

- more than 1 patch at a time
- on wounds or damaged skin
- with a heating pad
- if you are allergic to any ingredients of this product
- if pouch is damaged or opened

When using this product

- Do not microwave
- Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

**Use only as directed**

- Read and follow all directions and warnings on this carton tightly or apply local heat (such as heating pads) to the area of use.

**Stop use and consult a doctor if**

- Condition worsens
- Redness is present
- Irritation develops injury, such as pain, swelling or blistering where the product was applied.

**If pregnant or breastfeeding,** ask a health professional before use.

**Keep out of reach of children and pets.** If swallowed, get medical help or contact a Poison Control Center 1-800-222-1222 right away.

**Other Information**  
Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

## Inactive Ingredients

Glycerin, propylene glycol, sodium polyacrylate, Carboxymethylcellulose sodium, DihydroxyaluminiumAminoacetate, kaolin, Ethyl Alcohol, water, tartaric acid, polyvinylpyrrolidone 90, glaydant, disodium Ethylenediaminetetraacetic acid, Polysorbate 80.

### FAST-ACTING AND LONG-LASTING


The patches start working quickly upon application, providing immediate relief. The combination of ingredients ensures sustained relief over an extended period.

### TARGETED PAIN MANAGEMENT

The patches can be applied directly to the affected area for focused relief, making them suitable for back pain, arthritis and muscle soreness.

### EFFECTIVE PAIN RELIEF

The combination of lidocaine and menthol provides numbing pain relief and a cooling sensation that soothes the skin.



For Easy removal of embossed backing

**vive  
health**

8955 Fontana Del Sol Way  
Naples, FL 34109  
1-800-487-3808  
www.vivehealth.com  
Made in China



Lidocaine Patches  
RHB3041CT5



<b>Drug Facts</b>			
<b>Active ingredient</b>	<b>Purpose</b>	<b>Do not use</b> <ul style="list-style-type: none"> <li>• more than 1 patch at a time</li> <li>• on wounds or damaged skin</li> <li>• with a heating pad</li> <li>• if you are allergic to any ingredients of this product</li> <li>• if pouch is damaged or opened</li> <li>• When using this product</li> <li>• Do not microwave</li> <li>• Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.</li> </ul> <b>Use only as directed</b> <ul style="list-style-type: none"> <li>• Read and follow all directions and warnings on this carton tightly or apply local heat (such as heating pads) to the area of use.</li> </ul>	<b>Stop use and consult a doctor if</b> <ul style="list-style-type: none"> <li>• Condition worsens</li> <li>• Redness is present</li> <li>• Irritation develops injury, such as pain, swelling or blistering where the product was applied.</li> </ul>
Lidocaine 4%.....	Topical anesthetic		<b>If pregnant or breastfeeding,</b> ask a health professional before use.
Menthol 1% .....	Topical anesthetic		
<b>Uses</b> Use for the temporary relief of pain			
<b>Warnings</b> For external use only		<b>Keep out of reach of children and pets.</b> If swallowed, get medical help or contact a Poison Control Center 1-800-222-1222 right away.	
<b>Directions</b> Adults and children 12 years of age and over: Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Use one patch for up to 8 hours. Discard patch after single use. <b>Children under 12 years of age:</b> consult a physician.			
<b>Inactive Ingredients</b> Glycerin, propylene glycol, sodium polyacrylate, Carboxymethylcellulose sodium, DihydroxyaluminiumAminoacetate, kaolin, Ethyl Alcohol, water, tartaric acid, polyvinylpyrrolidone 90, glydant, disodium Ethylenediaminetetraacetic acid, Polysorbate 80.		<b>Other Information</b> Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.	

**FAST-ACTING AND LONG-LASTING**


The patches start working quickly upon application, providing immediate relief. The combination of ingredients ensures sustained relief over an extended period.

**TARGETED PAIN MANAGEMENT**

The patches can be applied directly to the affected area for focused relief, making them suitable for back pain, arthritis and muscle soreness.

**EFFECTIVE PAIN RELIEF**

The combination of lidocaine and menthol provides numbing pain relief and a cooling sensation that soothes the skin.



For Easy removal of embossed backing



**vive health**  
8955 Fontana Del Sol Way  
Naples, FL 34109  
1-800-487-3808  
www.vivehealth.com



Lidocaine Patches  
RHB3041CT5



Made in China



### Drug Facts

Active ingredient	Purpose
Lidocaine 4%.....	Topical anesthetic
Menthol 1% .....	Topical anesthetic

**Uses**  
Use for the temporary relief of pain

**Warnings**  
For external use only

**Directions**  
Adults and children 12 years of age and over: Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Use one patch for up to 8 hours. Discard patch after single use. **Children under 12 years of age:** consult a physician.

**Do not use**

- more than 1 patch at a time
- on wounds or damaged skin
- with a heating pad
- if you are allergic to any ingredients of this product
- if pouch is damaged or opened

When using this product

- Do not microwave
- Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

**Use only as directed**

- Read and follow all directions and warnings on this carton tightly or apply local heat (such as heating pads) to the area of use.

**Stop use and consult a doctor if**

- Condition worsens
- Redness is present
- Irritation develops injury, such as pain, swelling or blistering where the product was applied.

**If pregnant or breastfeeding,** ask a health professional before use.

**Keep out of reach of children and pets.** If swallowed, get medical help or contact a Poison Control Center 1-800-222-1222 right away.

**Other Information**  
Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

### Inactive Ingredients

Glycerin, propylene glycol, sodium polyacrylate, Carboxymethylcellulose sodium, DihydroxyaluminiumAminoacetate, kaolin, Ethyl Alcohol, water, tartaric acid, polyvinylpyrrolidone 90, glycydant, disodium Ethylenediaminetetraacetic acid, Polysorbate 80.

### FAST-ACTING AND LONG-LASTING


The patches start working quickly upon application, providing immediate relief. The combination of ingredients ensures sustained relief over an extended period.

### TARGETED PAIN MANAGEMENT

The patches can be applied directly to the affected area for focused relief, making them suitable for back pain, arthritis and muscle soreness.

### EFFECTIVE PAIN RELIEF

The combination of lidocaine and menthol provides numbing pain relief and a cooling sensation that soothes the skin.



For Easy removal of embossed backing



Lidocaine Patches  
RHB3041CT5



8955 Fontana Del Sol Way  
Naples, FL 34109  
1-800-487-3808



(01)00810113579115(241)RHB3041CT5

**Drug Facts**

**Active ingredient Purpose**  
Lidocaine 4%.....Topical anesthetic  
Menthol 1% .....Topical anesthetic

**Uses**  
Use for the temporary relief of pain

**Warnings**  
For external use only

**Directions**  
Adults and children 12 years of age and over: Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Use one patch for up to 8 hours. Discard patch after single use. **Children under 12 years of age:** consult a physician.

**Do not use**

- more than 1 patch at a time
- on wounds or damaged skin
- with a heating pad
- if you are allergic to any ingredients of this product
- if pouch is damaged or opened

When using this product

- Do not microwave
- Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

**Use only as directed**

- Read and follow all directions and warnings on this carton tightly or apply local heat (such as heating pads) to the area of use.

**Stop use and consult a doctor if**

- Condition worsens
- Redness is present
- Irritation develops injury, such as pain, swelling or blistering where the product was applied.

**If pregnant or breastfeeding,** ask a health professional before use.

**Keep out of reach of children and pets.** If swallowed, get medical help or contact a Poison Control Center 1-800-222-1222 right away.

**Other Information**  
Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

**Inactive Ingredients**

Glycerin, propylene glycol, sodium polyacrylate, Carboxymethylcellulose sodium, DihydroxyaluminiumAminoacetate, kaolin, Ethyl Alcohol, water, tartaric acid, polyvinylpyrrolidone 90, glaydant, disodium Ethylenediaminetetraacetic acid, Polysorbate 80.

**FAST-ACTING AND LONG-LASTING**


The patches start working quickly upon application, providing immediate relief. The combination of ingredients ensures sustained relief over an extended period.

**TARGETED PAIN MANAGEMENT**

The patches can be applied directly to the affected area for focused relief, making them suitable for back pain, arthritis and muscle soreness.

**EFFECTIVE PAIN RELIEF**

The combination of lidocaine and menthol provides numbing pain relief and a cooling sensation that soothes the skin.



For Easy removal of embossed backing



8 10113 57911 5

Lidocaine Patches  
RHB3041CT5



Naples, FL 34109  
 1-800-487-3808  
 www.vivehealth.com  
 Made in China



(01)00810113579115(241)RHB3041CT5

## Drug Facts

Active ingredient	Purpose
Lidocaine 4%.....	Topical anesthetic
Menthol 1% .....	Topical anesthetic

**Uses**  
 Use for the temporary relief of pain

**Warnings**  
 For external use only

**Directions**  
 Adults and children 12 years of age and over: Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Use one patch for up to 8 hours. Discard patch after single use. **Children under 12 years of age:** consult a physician.

**Do not use**

- more than 1 patch at a time
- on wounds or damaged skin
- with a heating pad
- if you are allergic to any ingredients of this product
- if pouch is damaged or opened

When using this product

- Do not microwave
- Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

**Use only as directed**

- Read and follow all directions and warnings on this carton tightly or apply local heat (such as heating pads) to the area of use.

**Stop use and consult a doctor if**

- Condition worsens
- Redness is present
- Irritation develops injury, such as pain, swelling or blistering where the product was applied.

**If pregnant or breastfeeding,** ask a health professional before use.

**Keep out of reach of children and pets.** If swallowed, get medical help or contact a Poison Control Center 1-800-222-1222 right away.

**Other Information**  
 Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

## Inactive Ingredients

Glycerin, propylene glycol, sodium polyacrylate, Carboxymethylcellulose sodium, DihydroxyaluminiumAminoacetate, kaolin, Ethyl Alcohol, water, tartaric acid, polyvinylpyrrolidone 90, glydant, disodium Ethylenediaminetetraacetic acid, Polysorbate 80.

### FAST-ACTING AND LONG-LASTING


The patches start working quickly upon application, providing immediate relief. The combination of ingredients ensures sustained relief over an extended period.

### TARGETED PAIN MANAGEMENT

The patches can be applied directly to the affected area for focused relief, making them suitable for back pain, arthritis and muscle soreness.

### EFFECTIVE PAIN RELIEF

The combination of lidocaine and menthol provides numbing pain relief and a cooling sensation that soothes the skin.



For Easy removal of embossed backing



8 10113 57911 5

Lidocaine Patches

**vive  
health**

8955 Fontana Del Sol Way  
Naples, FL 34109  
1-800-487-3808  
www.vivehealth.com  
Made in China

RHB3041CT5



(01)00810113579115(241)RHB3041CT5

ORIGINAL FORMULA  
**DR. PAT'S**  
***LIDOCAINE***  
***PATCHES***

**MAXIMUM STRENGTH RELIEF**

INSTANT & SOOTHING COLD

**4% LIDOCAINE**

**PLUS 1% MENTHOL**





# 5 PATCHES

5.5" x 4" / 14 x 10 cm



## Drug Facts

Active ingredient	Purpose
Lidocaine 4%.....	Topical anesthetic
Menthol 1% .....	Topical anesthetic

### Uses

Use for the temporary relief of pain

### Warnings

For external use only

### Directions

Adults and children 12 years of age and over: Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Use one patch for up to 8 hours. Discard patch after single use. Children under 12 years of age: consult a physician.

### Do not use

- more than 1 patch at a time
- on wounds or damaged skin
- with a heating pad
- if you are allergic to any ingredients of this product
- if pouch is damaged or opened
- When using this product
- Do not microwave
- Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

### Use only as directed

- Read and follow all directions and warnings on this carton tightly or apply local heat (such as heating pads) to the area of use.

### Stop use and consult a doctor if

- Condition worsens
- Redness is present
- Irritation develops injury, such as pain, swelling or blistering where the product was applied.

**If pregnant or breastfeeding,** ask a health professional before use.

**Keep out of reach of children and pets.** If swallowed, get medical help or contact a Poison Control Center 1-800-222-1222 right away.

### Other Information

Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

### Inactive Ingredients

Glycerin, propylene glycol, sodium polyacrylate, Carboxymethylcellulose sodium, DihydroxyaluminiumAminoacetate, kaolin, Ethyl Alcohol, water, tartaric acid, polyvinylpyrrolidone 90, glydant, disodium Ethylenediaminetetraacetic acid, Polysorbate 80.

## FAST-ACTING AND LONG-LASTING


The patches start working quickly upon application, providing immediate relief. The combination of ingredients ensures sustained relief over an extended period.

## TARGETED PAIN MANAGEMENT

The patches can be applied directly to the affected area for focused relief, making them suitable for back pain, arthritis and muscle soreness.

## EFFECTIVE PAIN RELIEF

The combination of lidocaine and menthol provides numbing pain relief and a cooling sensation that soothes the skin.



For Easy removal of embossed backing



8 10113 57911 5



8955 Fontana Del Sol Way  
Naples, FL 34109  
1-800-487-3808  
www.vivehealth.com  
Made in China

Lidocaine Patches  
RHB3041CT5



(01)00810113579115(241)RHB3041CT5

## LIDOCAINE

lidocaine, menthol patch

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:84722-3072
<b>Route of Administration</b>	TRANSDERMAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	0.1 g in 10 g
<b>LIDOCAINE</b> (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.4 g in 10 g

### Inactive Ingredients

Ingredient Name	Strength
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84722-3072-0	5 g in 1 PACKET; Type 0: Not a Combination Product	12/17/2025	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	12/17/2025	

**Labeler** - Vive Health LLC (047025993)

