

**SUNSCREEN LOTION118ML- zinc oxide 12%, titanium dioxide 6%, homosalate 14%, octisalate 5% lotion**  
**Foshan Sugar Max Cosmetics CO.,Ltd**

-----  
**84938-013 Sunscreen Lotion**

Zinc Oxide 15%,Titanium Dioxide 6%,Homosalate 5%, Octisalate 4%

Sunscreen

Uses helps prevent sunburn if used as directed with other sun protection measures(see Directions) decreases the risk of skin cancer and early skin aging caused by the sun.

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed get medical help or contact a Poison Control Center right away.

May stain some fabrics

Directions apply liberally 15 minutes before sun exposure m reapply: after 80 minutes of swimming or sweating "Immediately after towel drying "at least every 2 hours m Sun Protection Measures. Spending time in the sun increases your risk of skin cancer andearly skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and othersun protection measures including:"limit time in the sun.especially from 10 a.m.-2 p.m..wear long-sleeved shirts pants, hats,and sunglasses children under 6 months Ask a doctor

Aqua (Water)  
Caprylic/Capric Triglyceride  
C12-15 Alkyl Benzoate  
Coco-Caprylate/Caprates  
Polyhydroxystearic Acid  
Glyceryl Stearate Citrate  
Cetearyl Alcohol  
Polyglyceryl-6 Distearate  
Glycerin  
Sodium PCA  
Tocopherol (Vitamin E)  
Caprylyl Glycol  
Phenylpropanol  
Xanthan Gum



PANTONE 2287 C



PANTONE 254 C



PANTONE 3955 C



PANTONE 225 C



PANTONE 661 C



PANTONE 2995 C

weight on ml may vary\*

## SUNSCREEN LOTION 118ML

zinc oxide 12%, titanium dioxide 6%, homosalate 14%, octisalate 5% lotion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84938-013
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.06 g in 1 mL

<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	0.04 g in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.15 g in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	0.05 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>COCO-CAPRYLATE/CAPRATE</b> (UNII: 8D9H4QU99H)	
<b>GLYCERYL STEARATE CITRATE</b> (UNII: WH8T92A065)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>CAPRYLIC/CAPRIC TRIGLYCERIDE</b> (UNII: C9H2L21V7U)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>POLYGLYCERYL-6 DISTEARATE</b> (UNII: Z35I17EQOP)	
<b>CETEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>SODIUM PCA</b> (UNII: 469OTG57A2)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>PHENYLPROPANOL</b> (UNII: 0F897O3O4M)	
<b>AQUA</b> (UNII: 059QF0KO0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84938-013-01	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/18/2025	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/18/2025	

**Labeler -** Foshan Sugar Max Cosmetics CO.,Ltd (700689935)

### Establishment

Name	Address	ID/FEI	Business Operations
Foshan Sugar Max Cosmetics CO.,Ltd		700689935	manufacture(84938-013)