

**CLE DE PEAU BEAUTE SYNACTIF DAYTIME MOISTURIZER ENRICHED N (REFILL)-
avobenzone, octinoxate, and octocrylene emulsion
SHISEIDO AMERICAS CORPORATION**

clé de peau BEAUTÉ SYNACTIF DAYTIME MOISTURIZER ENRICHED n (Refill)

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
AVOBENZONE 2.5%	Sunscreen
OCTINOXATE 7.4%	Sunscreen
OCTOCRYLENE 2.0%	Sunscreen

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

WATER•GLYCERIN•BUTYLENE GLYCOL•DIPROPYLENE GLYCOL•PENTAERYTHRITYL

TETRAETHYLHEXANOATE•DIPHENYLSILOXY PHENYL TRIMETHICONE•BEHENYL ALCOHOL•GLYCERYL DIISOSTEARATE•BEHENETH-20•XYLITOL•SILICA•BETAINE•DIMETHICONE•SD ALCOHOL 40-B•PEG/PPG-14/7 DIMETHYL ETHER•XANTHAN GUM•TOCOPHERYL ACETATE•POLYQUATERNIUM-51•DIPEPTIDE-15•ERYTHRITOL•PEG/PPG-17/4 DIMETHYL ETHER•LAURYL BETAINE•CENTAUREA CYANUS FLOWER EXTRACT•LAMIUM ALBUM FLOWER/LEAF/STEM EXTRACT•MORUS ALBA ROOT EXTRACT•SODIUM ACETYLATED HYALURONATE•SODIUM HYALURONATE•MELISSA OFFICINALIS LEAF EXTRACT•LECITHIN•NUPHAR JAPONICUM ROOT EXTRACT•ZINGIBER AROMATICUS EXTRACT•PANAX GINSENG ROOT EXTRACT•CAMELLIA SINENSIS LEAF EXTRACT•GINKGO BILOBA LEAF EXTRACT•BUPLEURUM FALCATUM ROOT EXTRACT•PPG-17•STEARYL ALCOHOL•MYRISTYL MYRISTATE•ALCOHOL•CARBOMER•POTASSIUM HYDROXIDE•ISOSTEARIC ACID•SODIUM METAPHOSPHATE•DISODIUM EDTA•BHT•SODIUM METABISULFITE•CINNAMOMUM CASSIA BARK EXTRACT•TOCOPHEROL•PHENOXYETHANOL•METHYLPARABEN•SODIUM BENZOATE•FRAGRANCE•IRON OXIDES

Other information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

PRINCIPAL DISPLAY PANEL - 20 mL Bottle Carton

SYNACTIF

Daytime
moisturizer
enriched

BROAD SPECTRUM
SPF 19
SUNSCREEN

clé de peau
BEAUTÉ

20mL NET WT. .7 OZ.



CLÉ DE PEAU
BEAUTÉ
SYNACTIF
DAYTIME MOISTURIZER ENRICHED N

Drug Facts

Active Ingredients Purpose
AVOBENZONE 2.5% Sunscreen
OCTINOXATE 7.4% Sunscreen
OCTOCRYLENE 2.0% ... Sunscreen

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

QRコード

<http://cpb1982.com/16300CP>
See our website
for more information.

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
GLO. 16300
www.cledepeau-beaute.com

Drug Facts (continued)

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

DAYTIME MOISTURIZER ENRICHED N



SYNACTIF

Daytime
moisturizer
enriched

BROAD SPECTRUM
SPF 19
SUNSCREEN

clé de peau
BEAUTÉ

20mL NET WT. .7 OZ.

Drug Facts (continued)

Inactive ingredients

WATER · GLYCERIN · BUTYLENE GLYCOL · DIPROPYLENE GLYCOL · PENTAERYTHRITOL · TETRAETHYLHEXANOATE · DIPHENYLSILOXY PHENYL TRIMETHICONE · BEHENYL ALCOHOL · GLYCERYL DIISOSTEARATE · BEHENETH-20 · XYLITOL · SILICA · BETAINE · DIMETHICONE · SD ALCOHOL 40-8 · PEG/PPG-14/7 DIMETHYL ETHER · XANTHAN GUM · TOCOPHERYL ACETATE · POLYQUATERNIUM-51 · DIPEPTIDE-15 · ERYTHRITOL · PEG/PPG-17/4 DIMETHYL ETHER · LAURYL BETAINE · CENTAUREA CYANUS FLOWER EXTRACT · LAMIAM ALBUM FLOWER/LEAF/STEM EXTRACT · MORUS ALBA ROOT EXTRACT · SODIUM ACETYLATED HYALURONATE · SODIUM HYALURONATE · MELISSA OFFICINALIS LEAF EXTRACT · LECITHIN · NUPHAR JAPONICUM ROOT EXTRACT · ZINGIBER AROMATICUS EXTRACT · PANAX GINSENG ROOT EXTRACT · CAMELIA SINENSIS LEAF EXTRACT · GINKGO BILOBA LEAF EXTRACT · BUPLEURUM FALCATUM ROOT EXTRACT · PPG-17-STEARYL ALCOHOL · MYRISTYL MYRISTATE · ALCOHOL · CARBOMER · POTASSIUM HYDROXIDE · ISOSTEARIC ACID · SODIUM METAPHOSPHATE · DISODIUM EDTA · BHT · SODIUM METABISULFITE · CINNAMOMUM CASSIA BARK EXTRACT · TOCOPHEROL · PHENOXYETHANOL · METHYLPARABEN · SODIUM BENZOATE · FRAGRANCE · IRON OXIDES

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

縮小サイズ0.85倍 6mm/バー
12mm + 7mm X 33mm

7 30852 16300 3



2次元
コード

16300-41-5010



CLE DE PEAU BEAUTE SYNACTIF DAYTIME MOISTURIZER ENRICHED N (REFILL)

avobenzone, octinoxate, and octocrylene emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-890
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	5 mg in 200 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	14.8 mg in 200 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	4 mg in 200 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
PENTAERYTHRITYL TETRAETHYLHEXANOATE (UNII: XJ7052W897)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
DOCOSANOL (UNII: 9G1OE216XY)	
GLYCERYL DIISOSTEARATE (UNII: 68BAV42LRC)	
BEHENETH-20 (UNII: BJ4GP2IFLN)	
XYLITOL (UNII: VCQ006KQ1E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BETAINE (UNII: 3SCV180C9W)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ALCOHOL (UNII: 3K9958V90M)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
XANTHAN GUM (UNII: TTV12P4NEE)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96j)	
DIGLYCINE (UNII: 10525P22U0)	
ERYTHRITOL (UNII: RA96B954X6)	
PEG/PPG-17/4 DIMETHYL ETHER (UNII: 4ET18WJG5K)	
LAURYL BETAINE (UNII: Y4P927Q133)	
CENTAUREA CYANUS FLOWER (UNII: QZ 239038YC)	
LAMIUM ALBUM FLOWER (UNII: 62IB9494JA)	
MORUS ALBA ROOT (UNII: CST1G9BZGD)	

SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
MELISSA OFFICINALIS LEAF (UNII: 50D2ZE9219)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
NUPHAR JAPONICA ROOT (UNII: 3OPM78C6RQ)	
GINGER (UNII: C5529G5JPQ)	
ASIAN GINSENG (UNII: CUQ3A77YXI)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
GINKGO (UNII: 19FUJ2C58T)	
BUPLEURUM FALCATUM ROOT (UNII: X04E310LUY)	
PPG-17 (UNII: OV0Q322E0U)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
MYRISTYL MYRISTATE (UNII: 4042ZC00DY)	
CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
SODIUM METAPHOSPHATE (UNII: 532IUT7IRV)	
DISODIUM EDTA-COPPER (UNII: 6V475AX06U)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
CHINESE CINNAMON (UNII: WS4CQ062KM)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
FRAGRANCE 13576 (UNII: 5EM498GW35)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-890-20	20 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2024	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/01/2024	

Labeler - SHISEIDO AMERICAS CORPORATION (193691821)

Establishment			
Name	Address	ID/FEI	Business Operations

Shiseido America Inc.		782677132	analysis(58411-890) , manufacture(58411-890)
-----------------------	--	-----------	--

Revised: 1/2026

SHISEIDO AMERICAS CORPORATION