

**VICKS SINEX SEVERE CONGESTION ORIGINAL ULTRA FINE MIST-  
oxymetazoline hydrochloride spray  
Procter & Gamble Manufacturing GmbH,**

-----  
**Vicks<sup>®</sup> Sinex<sup>™</sup> SEVERE CONGESTION  
ULTRA FINE MIST, Original**

***Drug Facts***

**Active ingredient**

Oxymetazoline HCl 0.05%

**Purpose**

Nasal decongestant

**Uses**

temporarily relieves

- nasal congestion due to a cold, hay fever, or other upper respiratory allergies
- sinus congestion and pressure

**Warnings**

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to enlarged prostate gland

**When using this product**

- **do not exceed recommended dosage**
- do not use this product for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen
- temporary discomfort such as burning, stinging, sneezing, or increased nasal discharge may occur
- use of this container by more than one person may spread infection

**Stop use and ask a doctor if**

- symptoms persist

**If pregnant or breast-feeding,**

ask a health professional before use.

## Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away

## Directions

Remove protective cap. Before using for the first time, prime the pump by firmly depressing its rim several times. Hold container with thumb at base and nozzle between first and second fingers. Without tilting your head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and inhale deeply.

adults & children 6 yrs. & older (with adult supervision)	2 or 3 sprays in each nostril, not more often than every 10 to 12 hours. Do not exceed 2 doses in 24 hours.
children 2 to under 6 yrs.	ask a doctor
children under 2 yrs.	do not use

## Other information

- store at no greater than 25°C

## Inactive ingredients

benzalkonium chloride, benzyl alcohol, citric acid anhydrous, edetate disodium, fragrance, polysorbate 80, purified water, sodium citrate, sorbitol

## Questions?

**1-800-873-8276**

**Only selected information is listed on the bottle label. Keep this carton for future reference.**

**TAMPER EVIDENT:**CARTON DEALED FOR YOUR PROTECTION.

**MADE IN GERMANY**

**DIST. BY PROCTER & GAMBLE**

**CINCINNATI OH 45202**

**PRINCIPAL DISPLAY PANEL - 15 mL Bottle Carton**

**VICKS® Sinex™**

**SEVERE CONGESTION**

Oxymetazoline HCl Nasal Decongestant

## ULTRA FINE MIST

### ORIGINAL

- Fast Relief for Sinus & Nasal Congestion
- Sinus Pressure
- Allergy Nasal Congestion

### 12 HOUR RELIEF

0.5 FL OZ  
(15 ml)

**VICKS Sinex™ SEVERE CONGESTION**  
ULTRA FINE MIST ORIGINAL

**VICKS Sinex™ SEVERE CONGESTION**  
Oxymetazoline HCl | Nasal Decongestant  
ULTRA FINE MIST ORIGINAL

- Fast Relief for Sinus & Nasal Congestion
- Sinus Pressure
- Allergy Nasal Congestion

**12 HOUR RELIEF**

0.5 FL OZ (15 mL)

Child Resistant Cap

**VICKS Sinex™ SEVERE CONGESTION**  
Oxymetazoline HCl | Nasal Decongestant  
ULTRA FINE MIST ORIGINAL

- Sinus & Nasal Congestion
- Sinus Pressure

0.5 FL OZ (15 mL)

Actual Size

TAMPER EVIDENT: CARTON SEALED FOR YOUR PROTECTION.

Drug Facts	
<b>Active ingredient</b>	<b>Purpose</b>
Oxymetazoline HCl 0.05% .....	Nasal decongestant
<b>Uses</b> temporarily relieves	
• nasal congestion due to a cold, hay fever, or other upper respiratory allergies • sinus congestion and pressure	
<b>Warnings</b>	
Ask a doctor before use if you have • heart disease	
• thyroid disease • diabetes • high blood pressure	
• trouble urinating due to enlarged prostate gland	
<b>When using this product</b>	
• do not exceed recommended dosage	
• do not use this product for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen	
• temporary discomfort such as burning, stinging, sneezing, or increased nasal discharge may occur	
• use of this container by more than one person may spread infection	
<b>Stop use and ask a doctor if</b> • symptoms persist	
<b>If pregnant or breast-feeding</b> , ask a health professional before use. <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away	
<b>Directions</b> Remove protective cap. Before using for the first time, prime the pump by firmly depressing its rim several times. Hold container with thumb at base and nozzle between first and second fingers. Without tilting your head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and inhale deeply.	
adults & children 6 years & older (with adult supervision)	2 or 3 sprays in each nostril, not more often than every 10 to 12 hours. Do not exceed 2 doses in 24 hours.
children 2 to under 6 years	ask a doctor
children under 2 years	do not use
<b>Other information</b> • store at no greater than 25°C	
<b>Inactive ingredients</b> benzalkonium chloride, benzyl alcohol, citric acid anhydrous, edetate disodium, fragrance, polysorbate 80, purified water, sodium citrate, sorbitol	
<b>Questions?</b> 1-800-873-8276	

**OPEN: Squeeze & turn cap**

**Click to Close**

Only selected information is listed on the bottle label. Keep this carton for future reference.

**P&G**  
MADE IN GERMANY  
DIST. BY: PROCTER & GAMBLE,  
CINCINNATI, OH 45202

Patents: [www.pg.com/patents](http://www.pg.com/patents)

3 23900 02325 3

EXP:

LOT:

21289510



# VICKS SINEX SEVERE CONGESTION ORIGINAL ULTRA FINE MIST

oxymetazoline hydrochloride spray

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:64336-003
<b>Route of Administration</b>	NASAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OXYMETAZOLINE HYDROCHLORIDE</b> (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)	OXYMETAZOLINE HYDROCHLORIDE	0.0005 g in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>SORBITOL</b> (UNII: 506T60A25R)	

## Product Characteristics

<b>Color</b>	white (Clear)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:64336-003-01	1 in 1 CARTON	02/27/2026	
1		15 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/27/2026	

Revised: 12/2025

Procter & Gamble Manufacturing GmbH,