

SINSINPAS AREX PAIN RELIEVING PATCH, MEDIUM- camphor, menthol, methyl

salicylate patch

Sinsin Pharmaceutical Co., Ltd.

DL-Camphor 17.05 mg

L-Menthol 45.45 mg

Methyl Salicylate 45.45 mg

Topical Analgesic

For temporary relief of minor aches and pains of muscles and joints associated with:
arthritis

simple backache

strains

bruises

sprains

For external use only

on wounds or damaged skin

if you are allergic to aspirin or salicylates

with a heating pad

with, or at the same time as, other external analgesic products.

If pregnant and/or breast feeding, ask a health professional before use

Stop use and ask a doctor if

Rash, itching, or excessive skin irritation develops

Condition worsens

Symptoms persist for longer than 7 days

Symptoms clear up and reoccur within a few days

When using this product

Do not use other than directed

Avoid contact with eyes, mucous membranes, and rashes

This product contains natural rubber which may cause allergic reactions.

Adults and children 12 years of age and over:

Clean and dry affected area

Remove patch from film.

Apply to affected area not more than 3 to 4 times daily for 7 days.

Remove patch from skin after at most 8 hours application.

Children under 12 years of age:

Consult a doctor.

- avoid storing product in direct sunlight

- protect from excessive moisture

Mentha Oil, Zinc Oxide, Benzyl Nicothinamide, Butylated Hydroxytoluene, Calcium Carbonate, Glyceryl Rosinate, Natural Rubber, Polyisobutylene, Polybutene, Quintone,

Vanillyl Nonylamide, YSResin.

Manufactured by:

SINSIN PHARM. CO., LTD.

Keep out of reach of children

SINSINPAS®

AREX

INSTANT PAIN RELIEF

Cut open pouch
Reseal pouch after opening

- JOINT PAIN
- MUSCLE PAIN
- SPRAINS
- BACKACHE

Cool & Hot Pain Relieving Patch

10
PATCHES

M
3.93inX2.75in

Maximum
Strength

STRETCH

Cooling & Heating Effect •
Adheres and stays flexible for maximum movement •
Topical Analgesic •
Long-lasting pain relief • Mess-free. No sticky residue.



Reseal pouch after opening

LOT :
EXP :

SINSINPAS®
AREX

cool
hot

Drug Facts

Active ingredients

DL-Camphor 17.05mg Topical Analgesic
L-Menthol 45.45mg Topical Analgesic
Methyl Salicylate 45.45mg Topical Analgesic

Purpose

Stop use and ask a doctor if

■ Rash, itching, or excessive skin irritation develops
■ Condition worsens
■ Symptoms persist for longer than 7 days
■ Symptoms clear up and reoccur within a few days

If pregnant or breast-feeding, ask a health professional before use

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Uses

For temporary relief of minor aches and pains of muscles and joints associated with: ■ Arthritis ■ Simple backache ■ Strains ■ Bruises ■ Sprains

Warnings

For external use only

Do not use

■ On wounds or damaged skin
■ If you are allergic to aspirin or salicylates
■ With a heating pad
■ With, or at the same time as other external analgesic products

Ask a doctor before use if you are allergic to any ingredients in this product.

When using this product

■ Do not use other than directed
■ Avoid contact with eyes, mucous membranes, and rashes

Directions

Adults and children 12 years of age and over:

■ Clean and dry affected area ■ Remove patch from film
■ Apply to affected area no more than 3 to 4 times daily for 7 days
■ Remove patch from skin after at most 8 hours of application
■ Children under 12 years of age: Consult a doctor

Other information

■ Avoid storing product in direct sunlight ■ Protect from excessive moisture

Inactive ingredients

Benzyl Nicotinate, Butylated Hydroxytoluene, Calcium Carbonate, Glycerol Rosinate, Natural Rubber, Polyisobutylene, Polybutene, Quintone, Vanillyl Nonylamine, YS Resin, Mentha Oil, Zinc Oxide

Distributed by: SINSIN PHARM AMERICA
Brea, CA 92821
www.sinsinpas.us

Made in Korea

FDA NDC No. :
55264-020-10

KGMP

usa0130pp / CN250908

6 85522 00004 4



SINSINPAS AREX PAIN RELIEVING PATCH, MEDIUM

camphor, menthol, methyl salicylate patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55264-022
Route of Administration	TRANSDERMAL, TOPICAL, CUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LEVOMENTHOL (UNII: BZ1R15MTK7) (LEVOMENTHOL - UNII:BZ1R15MTK7)	LEVOMENTHOL	45.45 mg
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	45.45 mg
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET)	CAMPHOR (SYNTHETIC)	17.05 mg

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C00X)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
POLYISOBUTYLENE (200000 MW) (UNII: Z6Y02I0591)	
ROSIN (UNII: 88S87KL877)	
CALCIUM CARBONATE (UNII: H0G9379FGK)	
PEPPERMINT OIL (UNII: AV092KU4JH)	
NONIVAMIDE (UNII: S846B891OR)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
BENZYL NICOTINAMIDE (UNII: HF1W0213QP)	
NATURAL LATEX RUBBER (UNII: 2LQ0UUW8IN)	
POLYBUTENE (1400 MW) (UNII: 1NA5AO9GH7)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55264-022-11	1 in 1 CARTON	02/01/2025	
1		10 in 1 POUCH; Type 0: Not a Combination Product		



Drug Facts	Purpose
Active ingredients DL-Camphor 17.05mg L-Menthol 45.45mg Methyl Salicylate 45.45mg	Topical Analgesic Topical Analgesic Topical Analgesic
Uses For temporary relief of minor aches and pains of muscles and joints associated with : ■ Arthritis ■ Simple backache ■ Strains ■ Bruises ■ Sprains	
Warnings	
For external use only ■ On wounds or damaged skin ■ If you are allergic to aspirin or salicylates ■ With a heating pad ■ With, or at the same time as other external analgesic products Ask a doctor before use if you are allergic to any ingredients in this product. When using this product ■ Do not use other than directed ■ Avoid contact with eyes, mucous membranes, and rashes	
Directions Adults and children 12 years of age and over: ■ Clean and dry affected area ■ Remove patch from film ■ Apply to affected area no more than 3 to 4 times daily for 7 days ■ Remove patch from skin after at most 8 hours of application Children under 12 years of age: Consult a doctor	
Other information ■ Avoid storing product in direct sunlight ■ Protect from excessive moisture	
Inactive ingredients Benzyl Nicotinate, Butylated Hydroxytoluene, Calcium Carbonate, Glycerol Rosinate, Natural Rubber, Polyisobutylene, Polybutene, Quintone, Vanillyl Nonylamine, YS Resin, Mentha Oil, Zinc Oxide	

Distributed by: SINSIN PHARM AMERICA

Brea, CA 92821
www.sinsinpas.us

Made in Korea

FDA NDC No.:
55264-020-10

KGMP

usa0130pp / CN250908



6 85522 00004 4

Marketing Information

Marketing

Application Number or Monograph

Marketing Start

Marketing End

Category	Citation	Date	Date
OTC Monograph Drug	M017	02/01/2025	

Labeler - Sinsin Pharmaceutical Co., Ltd. (823149161)

Registrant - Sinsin Pharmaceutical Co., Ltd. (823149161)

Revised: 12/2025

Sinsin Pharmaceutical Co., Ltd.