

NIGHTTIME COUGH- dextromethorphan hbr, doxylamine succinate liquid Walgreens

Drug Facts

Active ingredients (in each 30 mL)

Dextromethorphan HBr 30 mg

Doxylamine succinate 12.5 mg

Purposes

Cough suppressant

Antihistamine

Uses

- temporarily relieves cold symptoms
 - cough due to minor throat and bronchial irritation
 - runny nose and sneezing

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis, or emphysema
- trouble urinating due to enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking

- sedatives or tranquilizers

When using this product

- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives and tranquilizers may increase drowsiness

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache.

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 4 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- mL= milliliter
- keep dosing cup with product
- take only as directed
- adults and children 12 years and over: 30 mL every 6 hours
- children under 12 years of age: do not use

Other information

- **each 30 mL contains:** sodium 29 mg
- store between 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients

alcohol, citric acid, FD&C blue #1, FD&C red #40, flavor, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, saccharin sodium, sodium citrate

Questions or comments?

Call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

Principal Display Panel**NIGHTTIME****COUGH**

DEXTROMETHORPHAN HBr / COUGH

DOXYLAMINE SUCCINATE /

SNEEZING / RUNNY NOSE

Cough Suppressant

Antihistamine

- ALCOHOL 10%
- Ages 12 years & older

Cherry flavor

FL OZ (mL)

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND DOSAGE CUP OR UNDER CAP IS BROKEN OR MISSING

DISTRIBUTED BY WALGREENS CO.

DEERFIELD, IL 60016

Product Label

Walgreens

NIGHTTIME Cough

DEXTROMETHORPHAN HBr / COUGH
DOXYLAMINE SUCCINATE / SNEEZING / RUNNY NOSE

Cough Suppressant
Antihistamine

- ALCOHOL 10%
- Ages 12 years & older

Cherry flavor

12 FL OZ (355 mL)

Drug Facts

Active ingredients (in each 30 mL)

Active ingredients	Purposes
Dextromethorphan HBr 30 mg	Cough suppressant
Doxylamine succinate 12.5 mg	Antihistamine

Uses

- temporarily relieve cold symptoms
- cough due to irritate throat and bronchial irritation
- runny nose and sneezing

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND DOSAGE CUP OR UNDER CAP IS BROKEN OR MISSING

Walgreens Pharmacist Recommended. Our pharmacists recommend the Walgreens brand.

NDC 0383-4990-12

PARENTS:
Learn about how to use this drug.
www.StopMedicineHarm.org

PLASTIC SOLE PLASTIC CUP

DISTRIBUTED BY: WALGREEN CO.
DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com
©2024 Walgreen Co.

ITEM 256681 W00000-0000-0

3 11917 05058 4

PLD-A108 LB10140 W30RG0924-F

PEEL CORNER FOR MORE DRUG FACTS

Drug Facts (continued)

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- glaucoma
- cough that occurs with too much phlegm (trachea)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis or emphysema
- trouble urinating due to enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product

- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Drug Facts (continued)

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.
In case of overdose, get medical help or contact a Poison Control Center (1-800-322-1222) right away.

Directions

- do not take more than 4 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- take only as directed
- mL = milliliter
- adults and children 12 years and over: 30 mL every 6 hours
- children under 12 years of age: do not use

Other information

- each 30 mL contains: sodium 29 mg
- store between 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients alcohol, citric acid, FD&C blue #1, FD&C red #40, flavors, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, saccharin sodium, sodium citrate

Questions or comments?
Call 1-877-753-0835 Monday-Friday 9AM-5PM EST

WALGREENS Nighttime Cough Cherry Flavor

NIGHTTIME COUGH

dextromethorphan hbr, doxylamine succinate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-4990
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg in 30 mL
DOXYLAMINE SUCCINATE (UNII: V9B19B5Y12) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	12.5 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-4990-12	355 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/01/2024	03/01/2027

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/01/2024	03/01/2027

Labeler - Walgreens (008965063)

