

BACTINE MAX DRY- lidocaine hydrochloride spray
WellSpring Pharmaceutical Corporation

Bactine® Max Pain Relieving Cleansing Spray

Drug Facts

Active Ingredients

Lidocaine 4%

Purpose

Pain Relieving Spray

Uses

For the temporary relief of pain and itching associated with minor burns, sunburn, minor cuts, scrapes, insect bites or minor skin irritations.

Warnings

For external use only

Do not Use

- in large quantities, particularly over raw surfaces or blister areas
- on puncture wounds
- in or near the eyes
- longer than 1 week unless directed by a doctor

When using this product

- use only as directed. Read and follow all directions and warnings on this label.
- do not allow contact with the eyes and mucous membranes
- avoid spraying on face
- avoid inhalation of spray
- do not bandage or apply local heat (such as heating pads) or a medicated patch to area of use
- do not use at the same time as other topical analgesics

Stop use and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days, or clear up and occur again within a few days

Extremely Flammable

- do not use near heat or flame or while smoking
- avoid long term storage above 104°F (40°C)
- do not puncture or incinerate. Contents under pressure.
- do not store at temperatures above 120°F (49°C)

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children over 12 years:
- spray affected area every 6 to 8 hours, not to exceed 3 to 4 applications in a 24 hour period
- product will dry quickly on its own, and does not need to be rubbed in
- children 12 years or younger: ask a doctor

Child-resistant packaging. Replace cap after each use

Inactive ingredients

alcohol denat. (28 %)

anthemis nobilis flower oil

aqua

arnica montana flower extract

calendula officinalis flower extract

Caprylic/Capric Triglyceride

glycerin

isobutane

propylene glycol

Questions?

1-844-241-5454 or www.bactine.com

Distributed by:

WellSpring Pharmaceutical Corporation

Sarasota, FL 34243

©2022 WellSpring

Pharmaceutical Corporation

MONEYBACK GUARANTEE

Bactine max is FSA/HSA eligible

DOT 2Q M5706

Extremely Flammable

PRINCIPAL DISPLAY PANEL

NEW

NDC 65197-815-04

Bactine MAX

LIDOCAINE Dry Spray

Anesthetic

NUMBS AWAY PAIN AND ITCH

MAX RELIEF FOR Minor Cuts & Scrapes, Burns, Bug bites & Sunburn

QUICK-DRY

4oz (113g)

NDC 65197-815-04

New & Improved
SPRAYER

Drug Facts (continued)

If pregnant or breast-feeding
ask a health professional before use.

Keep out of reach of children
If swallowed, get medical help or contact a
Poison Control Center right away.

Directions
adults and children over 12 years: ■ shake
well ■ spray affected area every 6 to 8
hours, not to exceed 3 to 4 applications in a
24 hour period ■ product will dry quickly on
its own, and does not need to be rubbed in
■ children 12 years or younger: ask a doctor

Inactive Ingredients
alcohol denat. (28%), anthemis nobilis
flower oil, aqua, arnica montana flower
extract, calendula officinalis flower extract,
Caprylic/Capric Triglyceride, glycerin,
isobutane, propylene glycol

Questions?
1-844-241-5454 or www.Bactine.com

Child-resistant packaging.

Distributed by: WellSpring
Pharmaceutical Corporation
Sarasota, FL 34243

©2024 WellSpring
Pharmaceutical Corporation

MONEY BACK GUARANTEE
Bactine Max is FSA/HSA eligible

L81504C DOT 2Q M5706



Bactine[™]
ANESTHETIC
MAX



**NUMBS AWAY
PAIN AND ITCH**

**MAX RELIEF FOR
Minor Cuts & Scrapes,
Burns, Bug Bites & Sunburn**

QUICK-DRY

NET WT
4 OZ (113 g)

Drug Facts

Active Ingredients Purpose
Lidocaine 4% Pain Relieving Spray

Uses
For the temporary relief of pain and itching
associated with minor burns, sunburn,
minor cuts, scrapes, insect bites or minor
skin irritations.

Warnings
For external use only.
Do not Use ■ in large quantities,
particularly over raw surfaces or blister
areas ■ on puncture wounds
■ in or near the eyes ■ longer than 1 week
unless directed by a doctor

When using this product ■ use only as
directed. Read and follow all directions and
warnings on this label ■ do not allow
contact with the eyes and mucous
membranes ■ avoid spraying on face
■ avoid inhalation of spray ■ do not
bandage or apply local heat (such as
heating pads) or a medicated patch to area
of use ■ do not use at the same time as
other topical analgesics

Stop use and ask a doctor if ■ condition
worsens ■ symptoms persist for more than
7 days or clear up and occur again within a
few days

Extremely Flammable ■ do not use near
heat or flame or while smoking ■ avoid
long term storage above 104°F (40°C)
■ do not puncture or incinerate. Contents
under pressure ■ do not store at
temperatures above 120°F (49°C)

Bactine Dry Spray 113g

BACTINE MAX DRY

lidocaine hydrochloride spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:65197-815
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
CHAMAEMELUM NOBILE FLOWER OIL (UNII: UB27587839)	
ARNICA MONTANA FLOWER (UNII: OZ0E5Y15PZ)	
CALENDULA OFFICINALIS FLOWER (UNII: P0M7O4Y7YD)	
WATER (UNII: 059QF0KO0R)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
GLYCERIN (UNII: PDC6A3C0OX)	

ISOBUTANE (UNII: BXR49TP611)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALCOHOL (UNII: 3K9958V90M)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65197-815-04	113 g in 1 CAN; Type 0: Not a Combination Product	01/31/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	01/31/2023	

Labeler - WellSpring Pharmaceutical Corporation (110999054)

Revised: 12/2022

WellSpring Pharmaceutical Corporation