SINUS PAIN AND CONGESTION- acetaminophen, phenylephrine hcl tablet, film coated CVS Pharmacy

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

CVS Pharmacy, Inc. Sinus Pain & Congestion Drug Facts

Active ingredients (in each caplet)

Acetaminophen 325 mg Phenylephrine HCl 5 mg

Purpose

Pain reliever/fever reducer

Nasal decongestant

Uses

- temporarily relieves these symptoms associated with hay fever or other upper respiratory allergies, and the common cold:
- headache
- sinus congestion and pressure
- nasal congestion
- minor aches and pains
- helps decongest sinus openings and passages
- promotes sinus drainage
- helps clear nasal passages
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

When using this product

do not exceed recommended dosage

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

• do not take more than directed (see overdose warning)

adults and children		
12 years and over	•	take 2 caplets every 4 hours
	•	swallow whole – do not crush, chew or dissolve

	• do not take more than 10 caplets in 24 hours
children under 12	ask a doctor
years	

Inactive ingredients

acesulfame potassium, carnauba wax, crospovidone, D&C yellow #10 aluminum lake, FD&C blue #1 aluminum lake, FD&C red #40 aluminum lake, flavor, lecithin, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, stearic acid, talc, titanium dioxide

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to the active ingredients in Tylenol[®] Sinus + Headache Daytime Non-Drowsy Sinus Pain & Congestion ACETAMINOPHEN – Pain reliever; Fever reducer PHENYLEPHRINE HCl – Nasal decongestant For adults Relieves: Sinus headache & pressure Nasal congestion 24 CAPLETS Actual Size Distributed by: CV5 Ph armacy, Inc. One CV5 Drive, Woorsocker, RI0 2895 © 2018 CV5/pharmacy CV5.com* 1-800-5HOP CV5 V-16430 V-16430 V Money Back Guannes

D O NOT USE IF BLIBTER UNITIS BROKEN OR TO RU



CVSHealth.

Compare to the active ingredients in Tylenol® Sinus + Headache*

Daytime

NDC 69842-673-62

Non-Drowsy Sinus Pain & Congestion

ACETAMINOPHEN - Pain reliever; Fever reducer PHENYLEPHRINE HCI - Nasal decongestant

For adults

Relieves:

- Sinus headache & pressure
- Nasal congestion



24 CAPLETS

N	Important:Read all product information before	using. Keep this box for important information.	교훈등
27 262	Drug Facts	Drug Facts (continued)	Jencia
62 17 C2	Active ingredients (in each caplet) Purpose Acetaminophen 325 mg. Pain reliever/fever reducer Phenylephrine HCI 5 mg. Nas ald econgestant Uses temporarily relieves these symptoms associated with hay fever or other upper respirabry allergies, and the common cold: ■ beadache beadache	 if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkins on's disease) or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. if you have ever had an allergic reaction to this product or any of its ingredients 	*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Tylenol® Sinus + Headache.
	■ sinus congestion and pressure ■ n æ al congestion ■ minoraches and pains ■ helps dec ongest sinus openings and passages	Ask a doctor before use if you have ■ liver disease ■ heart disease ■ high blood pressure ■ thyroid disease ■ diabetes ■ trouble urinating due to an enlarged prostate gland	
	 promotes sin us drainage helps clear nasal pass ages temporarily reduces fever 	Ask a doctor or pham acist before use if you are taking the blood thin ning drug warfarin	19-92
	Waminas	W hen u sing this product d o not exce ed rec omme nd ed do sa ge	00-1
	Liver warring: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 2.4 hours with other drugs containing acetaminophen 3 or more alcoholic drinks every day while using this product Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: wiskin red dening bisters rash	Stop use and ask a doctor if nervousness, diz ziness, or sleeplessness occur pain or nasal congestion gets worse or lads more than 7 days fever gets worse or lads more than 3 days redness ors welling is present new symp boms occur These could be signs of a serious condition.	<i>Drug Facts</i> (continued) <i>Questions or comments</i> 71-800-719-9260 bea at 20-25°C (68-77° F).
	If a skin reaction occurs, s top use and seek medical help right away. Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask adoctor or pharmacist.	If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. Overdo se warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1 222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.	Drug Facts (continued) <u>Questions or commen</u> Store at 20-25°C (68-77° F).
	Drug Facts (continued)	Drug Facts (continued)	
	Directions ■ do not take more than directed (see overdose warning) adults and children 12 years and over 12 years and over 12 years and over 12 overdose warning) ■ take 2 caplets every 4 hous ■ swallow whole – do not crush, che wor dissolve ■ do not take more than 10 caplets in 24 hours	Inactive ingredients acesultame potassium, carauba wax, crospovidone, D&C yellow #1 0 aluminum lake, FD&C blue #1 aluminum lake, FD&C red # 40 aluminum lake, flavor, lecithin, microcrystalline cellulose, polyethylene glycol, polyvinyl alcoh d,	
	children under 12 years ask a cb ctor	povidone, pregelatini zed starch, stearic a cid, talc, 1 tani um di oxide 🛛 🕨	

Product Informa	tion						
Product T ype		HUMAN OTC DRUG	Item Cod	e (Source)	NDC:69842	-673	
Route of Administra	tion	ORAL		、			
Rouce of Administre							
Active Ingredien	t/Active Moi	ety					
	Ingr	edient Name		Basis of S	Strength	Strengt	
ACETAMINOPHEN (U	NII: 36209ITL9I) (ACETAMINOPHEN - UNII:3	362O9ITL9D)	ACETAMINOPHI	EN	325 mg	
PHENYLEPHRINE HYDRO CHLO RIDE (UNII: 04JA59 TNSJ) (PHENYLEPHRINE - PHENYLEPHRINE HYDRO CHLO RIDE UNII: 1WS297W6 MV) PHENYLEPHRINE					5 mg		
Inactive Ingredie	nts						
		Ingredient Name			S	trength	
ACESULFAME POTA	SSIUM (UNII: 23)	•					
CARNAUBA WAX (UN	III: R12CBM0EIZ)						
CROSPOVIDONE (15	MPA.S AT 5%)	(UNII: 68401960MK)					
MICROCRYSTALLIN	E CELLULO SE	(UNII: OP1R32D61U)					
POLYETHYLENE GL	YCOL, UNSPEC	IFIED (UNII: 3WJQ0SDW1A)					
POLYVINYL ALCOH	OL, UNSPECIFI	ED (UNII: 532B59J990)					
PO VIDO NE, UNSPEC	IFIED (UNII: FZ9	39GH94E)					
STEARIC ACID (UNII:	4ELV7Z65AP)						
TALC (UNII: 7SEV7J4	R1U)						
TITANIUM DIO XIDE		P)					
D&C YELLOW NO. 1	0 (UNII: 35SW5U	SQ3G)					
FD&C BLUE NO. 1 (U	NII: H3R47K3TBI	D)					
FD&C RED NO. 40 (U	NII: WZB9127XO	A)					
Product Charact	eristics						
Color	GREEN		Score	Score		no score	
Shape	OVAL		Size	Size		16 mm	
Flavor	VANILLA (menthol) Imprint Code L272						
Contains							
Packaging							
# Item Code		Package Description	ן	Marketing Start Dat	e Marketir	o End Dat	
item cout	12 in 1 CADTON	<u> </u>)6/29/2018	.e marketi	-9 Lina Dat	
1 NDC:69842-673-62	I/ III ILARIUM						

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	06/29/2018	

Labeler - CVS Pharmacy (062312574)

Revised: 11/2019

CVS Pharmacy