

BACTI SODE- bacillus tetani, chlamydia trachomatis, colibacillinum cum natrum muriaticum, klebsiella pneumoniae, mycobacterium paratuberculosis, mycoplasma pneumoniae, pneumococinum, salmonella typhi nosode, staphylococcus aureus, streptococcus viridans, pyrogenium, pertussinum, streptococcus agalactiae, streptococcus dysgalactiae, streptococcus mutans, bacillus cereus spray
Nutritional Specialties, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DRUG FACTS:

ACTIVE INGREDIENTS:

Bacillus Tetani 16X, Chlamydia Trachomatis 16X, Colibacillinum Cum Natrum Muriaticum (e Coli) 16X, Klebsiella Pneumoniae 16X, Mycobacterium Paratuberculosis 16X, Mycoplasma Pneumoniae 16X, Pneumococinum 16X, Salmonella Typhi Nosode 16X, Staphylococcus Aureus 16X, Streptococcus Viridans 16X, Pyrogenium 20X, Pertussinum 30X, Streptococcus Agalactiae 15C, Streptococcus Dysgalactiae 15C, Streptococcus Mutans 15C, Bacillus Cereus 18C.

PURPOSE:

Aids in temporary relief of headache, runny nose, chills, minor cough, fatigue, and mild abdominal discomfort.†

†Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

WARNINGS:

Professional Use Only

If pregnant or breast-feeding, ask a health professional before use.

In case of overdose, get medical help or contact a Poison Control Center right away.

If condition worsens, seek medical attention.

KEEP OUT OF REACH OF CHILDREN

Do not use if tamper evident seal is broken or missing.

Store in a cool place after opening

KEEP OUT OF REACH OF CHILDREN:

In case of overdose, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

Adults: 2 to 3 sprays orally, three times daily. Children under twelve one half adult dosage. Do not take within 15 minutes of consuming food, beverage or brushing teeth. Consult a physician for use in children under 12 years of age.

INDICATIONS:

Aids in temporary relief of headache, runny nose, chills, minor cough, fatigue, and mild abdominal discomfort.†

†Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

INACTIVE INGREDIENTS:

Alcohol USP 20%, Purified Water USP.

QUESTIONS:

MANUFACTURED EXCLUSIVELY FOR

NUTRITIONAL SPECIALTIES, INC.

PO BOX 97227

PITTSBURG, PA 15229

www.phpltd.com

PACKAGE LABEL DISPLAY:

Professional

Health Products

HOMEOPATHIC

NDC 83027-0069-1

BACTI-SODE

2 FL. OZ (60 ml)

Professional Use Only

WARNINGS: If pregnant or breast-feeding, ask a health professional before use. In case of overdose, get medical help or contact a Poison Control Center right away. If condition worsens, seek medical attention.

KEEP OUT OF REACH OF CHILDREN

Do not use if tamper evident seal is broken or missing.

Store in a cool place after opening.

† Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.



NDC 83027-0069-1

BACTI-SODE

N2 (reorder code)

Active Ingredients: Bacillus Tetani 16x. Chlamydia Trachomatis 16x. Colibacillinum Cum Natrum Muriaticum (E Coli) 16x. Klebsiella Pneumoniae 16x. Mycobacterium Paratuberculosis 16x. Mycoplasma Pneumoniae 16x. Pneumococcinum 16x. Salmonella Typhi Nosode 16x. Staphylococcus Aureus 16x. Streptococcus Viridans 16x. Pyrogenium 20x. Pertussinum 30x. Streptococcus Agalactiae 15c. Streptococcus Dysgalactiae 15c. Streptococcus Mutans 15c. Bacillus Cereus 18c.

Inactive Ingredients: Alcohol USP 20%, Purified Water USP.

2 FL. OZ. (60 ml)

Indication: Aids in temporary relief of headache, runny nose, chills, minor cough, fatigue, and mild abdominal discomfort.†

Directions For Use: Adults: 2 to 3 sprays orally, three times daily. Children under twelve one half adult dosage. Do not take within 15 minutes of consuming food, beverage or brushing teeth. Consult a physician for use in children under 12 years of age.



MANUFACTURED EXCLUSIVELY FOR
NUTRITIONAL SPECIALTIES, INC.
PO BOX 97227
PITTSBURGH, PA 15229
www.phpltd.com rev. 1.0

BACTI SODE

bacillus tetani, chlamydia trachomatis, colibacillinum cum natrum muriaticum, klebsiella pneumoniae, mycobacterium paratuberculosis, mycoplasma pneumoniae, pneumococcinum, salmonella typhi nosode, staphylococcus aureus, streptococcus viridans, pyrogenium, pertussinum, streptococcus agalactiae, streptococcus dysgalactiae, streptococcus mutans, bacillus cereus spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83027-0069
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CLOSTRIDIUM TETANI (UNII: 751E8J54VM) (CLOSTRIDIUM TETANI - UNII:751E8J54VM)	CLOSTRIDIUM TETANI	16 [hp_X] in 1 mL
CHLAMYDIA TRACHOMATIS (UNII: T6NI39QU44) (CHLAMYDIA TRACHOMATIS - UNII:T6NI39QU44)	CHLAMYDIA TRACHOMATIS	16 [hp_X] in 1 mL
ESCHERICHIA COLI (UNII: 514B9K0L10) (ESCHERICHIA COLI - UNII:514B9K0L10)	ESCHERICHIA COLI	16 [hp_X] in 1 mL
KLEBSIELLA PNEUMONIAE (UNII: 09PA36CT5R) (KLEBSIELLA PNEUMONIAE - UNII:09PA36CT5R)	KLEBSIELLA PNEUMONIAE	16 [hp_X] in 1 mL
MYCOBACTERIUM AVIUM SUBSP. PARATUBERCULOSIS (UNII: XH0F4IP2RX) (MYCOBACTERIUM AVIUM SUBSP. PARATUBERCULOSIS - UNII:XH0F4IP2RX)	MYCOBACTERIUM AVIUM SUBSP. PARATUBERCULOSIS	16 [hp_X] in 1 mL
MYCOPLASMA PNEUMONIAE (UNII: JQE470FAD0) (MYCOPLASMA PNEUMONIAE - UNII:JQE470FAD0)	MYCOPLASMA PNEUMONIAE	16 [hp_X] in 1 mL
STREPTOCOCCUS PNEUMONIAE (UNII: BT6U234YR2) (STREPTOCOCCUS PNEUMONIAE - UNII:BT6U234YR2)	STREPTOCOCCUS PNEUMONIAE	16 [hp_X] in 1 mL
SALMONELLA ENTERICA ENTERICA SEROVAR TYPHI (UNII: 760T5R8B30) (SALMONELLA ENTERICA ENTERICA SEROVAR TYPHI - UNII:760T5R8B30)	SALMONELLA ENTERICA ENTERICA SEROVAR TYPHI	16 [hp_X] in 1 mL
STAPHYLOCOCCUS AUREUS (UNII: O478WX4004) (STAPHYLOCOCCUS AUREUS - UNII:O478WX4004)	STAPHYLOCOCCUS AUREUS	16 [hp_X] in 1 mL
STREPTOCOCCUS VIRIDANS GROUP (UNII: NNV2379HKR)	STREPTOCOCCUS	16 [hp_X]

(STREPTOCOCCUS VIRIDANS GROUP - UNII:NNV2379HKR)	VIRIDANS GROUP	in 1 mL
RANCID BEEF (UNII: 29SUH5R3HU) (RANCID BEEF - UNII:29SUH5R3HU)	RANCID BEEF	20 [hp_X] in 1 mL
HUMAN SPUTUM, BORDETELLA PERTUSSIS INFECTED (UNII: U364V64HUN) (HUMAN SPUTUM, BORDETELLA PERTUSSIS INFECTED - UNII:U364V64HUN)	HUMAN SPUTUM, BORDETELLA PERTUSSIS INFECTED	30 [hp_X] in 1 mL
STREPTOCOCCUS AGALACTIAE (UNII: 2B3763S671) (STREPTOCOCCUS AGALACTIAE - UNII:2B3763S671)	STREPTOCOCCUS AGALACTIAE	15 [hp_C] in 1 mL
STREPTOCOCCUS DYSGALACTIAE (UNII: LN0SH02Y5M) (STREPTOCOCCUS DYSGALACTIAE - UNII:LN0SH02Y5M)	STREPTOCOCCUS DYSGALACTIAE	15 [hp_C] in 1 mL
STREPTOCOCCUS MUTANS (UNII: 5C7J33MJJ1) (STREPTOCOCCUS MUTANS - UNII:5C7J33MJJ1)	STREPTOCOCCUS MUTANS	15 [hp_C] in 1 mL
BACILLUS CEREUS (UNII: 7YC151N82L) (BACILLUS CEREUS - UNII:7YC151N82L)	BACILLUS CEREUS	18 [hp_C] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83027-0069-1	60 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	05/03/2023	10/16/2028

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/03/2023	10/16/2028

Labeler - Nutritional Specialties, Inc. (032744609)

Revised: 5/2025

Nutritional Specialties, Inc.