

DYE FREE REGULAR STRENGTH STOMACH RELIEF- bismuth subsalicylate suspension
Walmart Inc.

Bismuth subsalicylate 525mg/30mL Suspension Regular Strength - DYE FREE

Drug Facts

-

Active ingredient (in each 30 mL dose)

Bismuth subsalicylate 525 mg

Purpose

Upset stomach reliever and antidiarrheal

Uses

relieves

- travelers' diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink, including:

heartburn

indigestion

nausea

gas

belching

fullness

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Contains salicylate. Do not take if you are

- allergic to salicylates (including aspirin)
- taking other salicylate products

Do not use if you have

- an ulcer
- a bleeding problem
- bloody or black stool

Ask a doctor before use if you have

- fever

- mucus in the stool

Ask a doctor or pharmacist before use if you are taking any drug for

- anticoagulation (thinning the blood)
- diabetes
- gout
- arthritis

When using this product

a temporary, but harmless, darkening of the stool and/or tongue may occur

Stop use and ask a doctor if

- symptoms get worse or last more than 2 days
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- shake well before use
- only use dose cup provided
- adults and children 12 years and over:

30 mL (1 dose) every ½ hour or 60 mL (2 doses) every hour as needed for diarrhea / travelers' diarrhea

30 mL (1 dose) every ½ hour as needed for overindulgence (upset stomach, heartburn, indigestion, nausea)

- do not exceed 8 doses (240 mL) in 24 hours
- use until diarrhea stops but not more than 2 days
- children under 12 years: ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

Other information

- each 30 mL dose contains: ■ **sodium 5 mg** ■ **salicylate 199 mg**
- keep tightly closed
- protect from freezing
- avoid excessive heat (over 104°F or 40°C)

Inactive ingredients

benzoic acid, flavor, glycerin, purified water, sucralose, xanthan gum

Questions or comments?

Call **1-888-287-1915**

Drug Facts (continued)

Directions

- shake well before use
- only use dose cup provided
- adults and children 12 years and over:
 - 30 mL (1 dose) every ½ hour or 60 mL (2 doses) every hour as needed for diarrhea/travelers' diarrhea
 - 30 mL (1 dose) every ½ hour as needed for overindulgence (upset stomach, heartburn, indigestion, nausea)
- do not exceed 8 doses (240 mL) in 24 hours
- use until diarrhea stops but not more than 2 days
- children under 12 years, ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

Other information

- each 30 mL dose contains: ■ sodium 5 mg ■ salicylate 199 mg
- keep tightly closed
- protect from freezing
- avoid excessive heat (over 104°F or 40°C)

Inactive ingredients

benzoic acid, flavor, glycerin, purified water, sucralose, xanthan gum

Questions or comments? Call 1-888-287-1915

Information: 1-888-287-1915 or Walmart.com/help 917L 0126
DISTRIBUTED BY: Walmart Inc., Bentonville, AR 72716
PRODUCT OF INDIA
*This product is not manufactured or distributed by The Procter & Gamble Company, owner of the registered trademark Pepto-Bismol®.

PLASTIC BOTTLE

Do Not Recycle

PLASTIC CUP

Do Not Recycle

801350

1 94346 52802 8

NDC 79903-427-16

DYE-FREE

REGULAR STRENGTH

Stomach Relief

Bismuth Subsalicylate 525 mg

1

BOTTLE

525

mg

per 30 mL

16 FL OZ (473 mL)

Drug Facts

Active ingredient (in each 30 mL dose) **Purpose**

Bismuth subsalicylate 525 mg Upset stomach reliever and antidiarrheal

Uses relieves

- travelers' diarrhea ■ diarrhea
- upset stomach due to overindulgence in food and drink, including:
 - heartburn ■ indigestion ■ nausea ■ gas ■ belching ■ fullness

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Contains salicylate. Do not take if you are

- allergic to salicylates (including aspirin)
- taking other salicylate products

Do not use if you have

- an ulcer ■ a bleeding problem ■ bloody or black stool

Ask a doctor before use if you have ■ fever ■ mucus in the stool

Ask a doctor or pharmacist before use if you are taking any drug for

- anticoagulation (thinning the blood) ■ diabetes ■ gout ■ arthritis

When using this product a temporary, but harmless, darkening of the stool and/or tongue may occur

Stop use and ask a doctor if

- symptoms get worse or last more than 2 days
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Drug Facts (continued) ▶

TAMPER EVIDENT: DO NOT USE IF SHRINKBAND SEAL AROUND THE BOTTLE NECK IS BROKEN OR MISSING.

DYE FREE REGULAR STRENGTH STOMACH RELIEF bismuth subsalicylate suspension			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79903-427
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (SALICYLIC ACID - UNII:O414PZ 4LPZ, BISMUTH CATION - UNII:ZS9CD1I8YE)	BISMUTH SUBSALICYLATE	525 mg in 30 mL	
Inactive Ingredients			
Ingredient Name	Strength		
SUCRALOSE (UNII: 96K6UQ3Z D4)			
GLYCERIN (UNII: PDC6A3C0OX)			
WATER (UNII: 059QF0KO0R)			
XANTHAN GUM (UNII: TTV12P4NEE)			
BENZOIC ACID (UNII: 8SKN0B0MIM)			

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor	WINTERGREEN	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79903-427-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/25/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	02/25/2026	

Labeler - Walmart Inc. (051957769)

Registrant - TIME CAP LABORATORIES INC (037052099)

Establishment

Name	Address	ID/FEI	Business Operations
MARKSANS PHARMA LIMITED		677604129	manufacture(79903-427)

Revised: 2/2026

Walmart Inc.