

**TOUCH IN SOL NO POREBLEM AIRBRUSHED PRIMER- octocrylene,
homosalate, octisalate, avobenzone lotion
BONNE Co., Ltd**

■ Helps prevent sunburn

■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

■ When using this product, keep out of eyes. Rinse with water to remove

Active Ingredient

Avobenzone 2.80%

Homosalate 7.30%

Octisalate 4.80%

Octocrylene 9.50%

OTC-Do not use

Do not use ■ on damaged skin, ■ on broken skin

Keep out of reach of children.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

Directions

■ Apply liberally 15 minutes before sun exposure. Reapply at least every two hours

■ Sun protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: 1) Limited time in the sun, especially from 10 am to 2 pm. 2) Wear long-sleeve shirts, pants, hats, and sunglasses

■ Ask a doctor to use for children under 6 months

Purpose

Purpose-Sunscreen

Other Information

Other Information ■ Protect the product in this container from excessive heat and direct sun

Inactive ingredients

Inactive ingredients

Isododecane, Water (Aqua), Dimethicone, Butylene Glycol, PEG-10 Dimethicone, Dimethicone/Bis-Isobutyl PPG-20 Crosspolymer, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer, Butyloctyl Salicylate, Cetyl PEG/PPG-10/1 Dimethicone, Pentylene Glycol, Distearidimonium Hectorite, Magnesium Sulfate, Lauryl PEG-8 Dimethicone, Synthetic Fluorphlogopite, Benzyl Glycol, Pyrus Communis (Pear) Fruit Extract, Potassium Cetyl Phosphate, Rosa Damascena Flower Water, Iris Florentina Root Extract, Silica, Ganoderma Lucidum (Mushroom) Stem Extract, Cucumis Melo (Melon) Fruit Extract, Ethylhexylglycerin, Aluminum Hydroxide, Isopropyl Titanium Triisostearate, Hedera Helix (Ivy) Leaf/Stem Extract, Boron Nitride, 1,2-Hexanediol, Hydroxyapatite, Quartz, Hydroxypropyltrimonium Hyaluronate, Myristic Acid, Cetearyl Alcohol, Sodium Hyaluronate, Oenothera Biennis (Evening Primrose) Flower, Pueraria Lobata Root Extract, Pinus Palustris Leaf Extract, Ulmus Davidiana Root Extract, Salix Alba (Willow) Bark Extract, Tocopherol, Hydrolyzed Hyaluronic Acid, Ascorbyl Propyl Hyaluronate, Sodium Acetylated Hyaluronate, Titanium Dioxide (CI 77891), Iron Oxides (CI 77492), Iron Oxides (CI 77491), Iron Oxides (CI 77499)

Questions or comments?

Questions or comments? 424-538-1951

Stop use and ask a doctor if rash occurs.

Warning

For external use only. When using this product, avoid contact with eyes. Stop use and ask a doctor if irritation occurs. Keep out of reach of children.

Indications and usage

Helps prevent sunburn, if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Package label Principal Display

Package label Principal Display

Drug Facts

Active Ingredient	Purpose
Avobenzone 2.80%.....	Sunscreen
Homosalate 7.30%.....	Sunscreen
Octisalate 4.80%.....	Sunscreen
Octocrylene 9.50%.....	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use ■ on damaged skin
■ on broken skin

When using this product, keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.
If product is swallowed, get medical help or contact a Poison Control Center right away

Directions

- Apply liberally 15 minutes before sun exposure. Reapply at least every two hours
- Sun protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including : 1) Limited time in the sun, especially from 10 am to 2 pm. 2) Wear long-sleeve shirts, pants, hats, and sunglasses
- Ask a doctor to use for children under 6 months

Other Information

- Protect the product in this container from excessive heat and direct sun

Drug Facts (continued)

Inactive Ingredients

Isododecane, Water, Dimethicone, Butylene Glycol, PEG-10 Dimethicone, Dimethicone/Bis-Isobutyl PPG-20 Crosspolymer, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer, Butyloctyl Salicylate, Cetyl PEG/PPG-10/1 Dimethicone, Pentylene Glycol, Distearidmonium Hectorite, Magnesium Sulfate, Lauryl PEG-8 Dimethicone, Synthetic Fluorphlogopite, Benzyl Glycol, Pyrus Communis (Pear) Fruit Extract, Potassium Cetyl Phosphate, Rosa Damascena Flower Water, Iris Florentina Root Extract, Silica, Ganoderma Lucidum (Mushroom) Stem Extract, Cucumis Melo (Melon) Fruit Extract, Ethylhexyl glycerin, Aluminum Hydroxide, Isopropyl Titanium Trisostearate, Hedera Helix (Ivy) Leaf/Stem Extract, Boron Nitride, 1,2-Hexanediol, Hydroxyapatite, Quartz, Hydroxypropyltrimonium Hyaluronate, Myristic Acid, Cetearyl Alcohol, Sodium Hyaluronate, Oenothera Biennis (Evening Primrose) Flower Extract, Pueraria Lobata Root Extract, Pinus Palustris Leaf Extract, Ulmus Davidiana Root Extract, Salix Alba (Willow) Bark Extract, Tocopherol, Hydrolyzed Hyaluronic Acid, Ascorbyl Propyl Hyaluronate, Sodium Acetylated Hyaluronate, Titanium Dioxide (CI 77891), Iron Oxides (CI 77492), Iron Oxides (CI 77491), Iron Oxides (CI 77499)

Questions or comments? 424-538-1951

TOUCH IN SOL

Airbrushed Primer

Smooths skin for a flawless finish and longer-lasting makeup. SPF 40 helps protect against sun damage and control shine

HOW TO USE 1. Pump a desired amount and apply a thin layer to areas you wish to cover, or evenly over the face as a base. 2. Gently roll your fingers to massage until blended.

DISTRIBUTED by BONNE Co., Ltd. 14, Seolleung-ro 90-gil, Gangnam-gu, Seoul, Republic of Korea

MADE IN KOREA / FABRIQUÉ EN CORÉE
www.touchinsol.com / www.touchinsol-us.com

TOUCH IN / SOL



Airbrushed Primer
SUNSCREEN
BROAD SPECTRUM SPF40

Net Contents 1.01 fl. oz. / 30ml

TOUCH IN SOL NO POREBLEM AIRBRUSHED PRIMER

octocrylene, homosalate, octisalate, avobenzone lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69997-999
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	2.85 g in 30 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	1.44 g in 30 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	0.84 g in 30 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	2.19 g in 30 g

Inactive Ingredients		
Ingredient Name		Strength
HYALURONIC ACID (UNII: S270N0TRQY)		
OENOTHERA BIENNIS FLOWER (UNII: Y1YXJ1M6Z5)		
CETEARYL ALCOHOL (UNII: 2DMT128M1S)		
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)		
PENTYLENE GLYCOL (UNII: 50C1307PZG)		
SILICA (UNII: ETJ7Z6XBU4)		
ISOPROPYL TITANIUM TRIISOSTEARATE (UNII: 949E3KBJ1I)		
HEDERA HELIX LEAF (UNII: ZP9XFG71A7)		
ROSA DAMASCENA FLOWER OIL (UNII: 18920M3T13)		
DIMETHICONE (UNII: 92RU3N3Y1O)		
DIMETHICONE/BIS-ISOBUTYL PPG-20 CROSSPOLYMER (UNII: O4I3UFO6ZF)		
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)		
CI 77491 (UNII: 1K09F3G675)		
SODIUM HYALURONATE (UNII: YSE9PPT4TH)		
PUERARIA MONTANA VAR. LOBATA ROOT (UNII: PET93F4I3C)		
IRIS GERMANICA VAR. FLORENTINA ROOT (UNII: M30XO5X4XD)		
LAURYL PEG-8 DIMETHICONE (300 CPS) (UNII: ELL2U7K8T8)		
CI 77499 (UNII: XM0M87F357)		
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)		
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)		
BENZYL GLYCOL (UNII: 06S8147L47)		
PYRUS COMMUNIS (PEAR) FRUIT (UNII: 2ZN8DWC0YF)		
SODIUM ACETYLATED HYALURONATE (UNII: VN66R7GL93)		
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)		
TOCOPHEROL (UNII: R0ZB2556P8)		
BORON NITRIDE (UNII: 2U4T60A6YD)		
1,2-HEXANEDIOL (UNII: TR046Y3K1G)		
HYDROXYAPATITE (UNII: 91D9GV0Z28)		
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)		
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)		
ISODODECANE (UNII: A8289P68Y2)		
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)		
CI 77492 (UNII: EX438O2MRT)		
GANODERMA LUCIDUM STEM (UNII: U8PA41532G)		
MUSKMELON (UNII: ZV095H5633)		
VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)		
SALIX ALBA BARK (UNII: 205MXS71H7)		
WATER (UNII: 059QF0KO0R)		
MYRISTIC ACID (UNII: 0I3V7S25AW)		
PINUS PALUSTRIS LEAF (UNII: OT6R5143A1)		
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)		
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)		
ULMUS DAVIDIANA ROOT (UNII: URQ79U8261)		
MAGNESIUM SULFATE (UNII: DE08037SAB)		
Product Characteristics		
Color	white	Score

Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69997-999-02	40 in 1 CARTON	01/19/2026	
1	NDC:69997-999-01	30 g in 1 BOTTLE; Type 0: Not a Combination Product		

Drug Facts

Active Ingredient	Purpose
Avobenzone 2.80%.....	Sunscreen
Homosalate 7.30%.....	Sunscreen
Octisalate 4.80%.....	Sunscreen
Octocrylene 9.50%.....	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

- Do not use** ■ on damaged skin
■ on broken skin

When using this product, keep out of eyes.
Rinse with water to remove

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away

Directions

- Apply liberally 15 minutes before sun exposure. Reapply at least every two hours
- Sun protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including : 1) Limited time in the sun, especially from 10 am to 2 pm. 2) Wear long-sleeve shirts, pants, hats, and sunglasses
- Ask a doctor to use for children under 6 months

Other Information

- Protect the product in this container from excessive heat and direct sun

Drug Facts (continued)

Inactive Ingredients

Isododecane, Water, Dimethicone, Butylene Glycol, PEG-10 Dimethicone, Dimethicone/Bis-Isobutyl PPG-20 Crosspolymer, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer, Butyloctyl Salicylate, Cetyl PEG/PPG-10/1 Dimethicone, Pentylene Glycol, Distearidmonium Hectorite, Magnesium Sulfate, Lauryl PEG-8 Dimethicone, Synthetic Fluorphlogopite, Benzyl Glycol, Pyrus Communis (Pear) Fruit Extract, Potassium Cetyl Phosphate, Rosa Damascena Flower Water, Iris Florentina Root Extract, Silica, Ganoderma Lucidum (Mushroom) Stem Extract, Cucumis Melo (Melon) Fruit Extract, Ethylhexyl glycerin, Aluminum Hydroxide, Isopropyl Titanium Trisostearate, Hedera Helix (Ivy) Leaf/Stem Extract, Boron Nitride, 1,2-Hexanediol, Hydroxyapatite, Quartz, Hydroxypropyltrimonium Hyaluronate, Myristic Acid, Cetearyl Alcohol, Sodium Hyaluronate, Oenothera Biennis (Evening Primrose) Flower Extract, Pueraria Lobata Root Extract, Pinus Palustris Leaf Extract, Ulmus Davidiana Root Extract, Salix Alba (Willow) Bark Extract, Tocopherol, Hydrolyzed Hyaluronic Acid, Ascorbyl Propyl Hyaluronate, Sodium Acetylated Hyaluronate, Titanium Dioxide (CI 77891), Iron Oxides (CI 77492), Iron Oxides (CI 77491), Iron Oxides (CI 77499)

Questions or comments? 424-538-1951

TOUCH IN SOL Airbrushed Primer

Smooths skin for a flawless finish and longer-lasting makeup. SPF 40 helps protect against sun damage and control shine

HOW TO USE 1. Pump a desired amount and apply a thin layer to areas you wish to cover, or evenly over the face as a base. 2. Gently roll your fingers to massage until blended.

DISTRIBUTED by BONNE Co., Ltd. 14, Seolleung-ro 90-gil, Gangnam-gu, Seoul, Republic of Korea



MADE IN KOREA / FABRIQUÉ EN CORÉE
www.touchinsol.com / www.touchinsol-us.com

TOUCH IN / SOL

Airbrushed Primer

SUNSCREEN
BROAD SPECTRUM SPF40

Net Contents 1.01 fl. oz. / 30ml

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/19/2026	

Labeler - BONNE Co., Ltd (557821750)

Registrant - BONNE Co., Ltd. (557821750)

Establishment

Name	Address	ID/FEI	Business Operations
Rebom Co., Ltd		695951708	manufacture(69997-999)

Revised: 1/2026

BONNE Co., Ltd