# PROINNATE NUMBING CREAM- lidocaine, menthol cream Guangdong Aimu Biological Technology Co., Ltd

-----

# **PROINNATE Numbing Cream**

# **Active Ingredients**

Lidocaine 4% Menthol 6%

# **Purpose**

For the temporary relief of pain and itching associated with minor burns, sunburn, minorcuts, scrapes, and insect bites.

#### Uses

- 1.Before use, do a patch test toensure it suits your skin and numbs effecitively.
- 2.Clean your hands andtreatment area thoroughly withmild soap and warm water. Drythem afterward.
- 3.Apply a THICK layer ofnumbing cream to the treatmentarea, making sure to cover boththe tattooed area and its surroundings.
- 4. Wrap the area securely withplastic wrap and leave it on for 40-50 minutes for the bestresults (keeping it on longergives better effects).
- 5.Remove any remaining creamand wait an additional 5 minutes for the numbing sensation toreach its peak.

# Warnings

For external use only

# Stop Use

Stop and ask a doctor if-an allergic reaction occurs.-symptom do not improve or ifredness, irritation, swelling, painor other symptoms develop orincrease.

#### Do Not Use

Do not exceed the recommendeddaily dosage unless directed by adoctor. Avoid contact with theeyes. Do not use if you areallergic to the ingredients in thisproduct or if the seal is brokenor missing

# When Using

If pregnant or breast-feeding,ask a health professional beforeuse.

# Keep Out Of Reach Of Children

Keep out of reach of children. incase of accidental ingestion, seek medical advice immediately or contact a Poison ControlCenter right away.

# **Inactive ingredients**

Ethylhexyl Palmitate 12% Glycerin 5% Propylene Glycol 5% Daphne Feddei Extract 0.5% Aqua 67% Paeonol 0.5%

# **Dosage & administration**

Apply a THiCK layer ofnumbing cream to the treatmentarea, making sure to cover boththe tattooed area and its surroundings

## PRINCIPAL DISPLAY PANEL







#### **DRUG FACTS**

Active Ingredient Purpose Lidocaine 4%.....Topical Analgesic ....Pain Relief Menthol 6%.....

Uses: For the temporary relief of pain and itching associated with minor burns, sunburn, minor cuts, scrapes, and insect bites.

Warnings (For external use only)

#### Stop and ask a doctor if

-an allergic reaction occurs. -symptom do not improve or if redness, irritation, swelling. pain or other symptoms develop or increase.

#### When using this product

Do not exceed the recommended daily dosage unless directed by a doctor. Avoid contact with the eyes. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

If pregnant or breast-feeding, ask a health professional before

Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control


Perform a patch test first to ensure the cream suits your skin and works effectively.

Do not apply to broken or damaged skin.



Center right away.





#### DRUG FACTS (Continued)

(HOW TO USE IT CORRECTLY?) 1.Before use, do a patch test to

ensure it suits your skin and numbs effecitively.

2.Clean your hands and treatment area thoroughly with mild soap and warm water. Dry them afterward.

3.Apply a THICK layer of numbing cream to the treatment area, making sure to cover both the tattooed area and its surroundings.

4. Wrap the area securely with plastic wrap and leave it on for 40-50 minutes for the best results (keeping it on longer gives better effects).

5.Remove any remaining cream and wait an additional 5 minutes for the numbing sensation to reach its peak.

#### Other Information

temperature59°-86°F (15°-30°C). Keep away from direct sunlight or heat.

#### Inactive Ingredients

Ethylhexyl Palmitate, Glycerin, Propylene Glycol, Daphne Feddei Extract, Paeonol, Aqua

Questions or comments?


Contact us at

Proinnateservice@gmial.com

#### Distributed by

YONGHE REJUVENATION CO.,LTD. 21AP9 CangShan District, Fuzhou, Fujian, China

Date of manufacture: please check









### PROINNATE NUMBING CREAM

# **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:83566-562

Route of Administration TOPICAL

# Active Ingredient/Active Moiety Ingredient Name Basis of Strength LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987) MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A) MENTHOL (DIVII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)

Inactive Ingredients			
Ingredient Name	Strength		
AQUA (UNII: 059QF0KO0R)			
PAEONOL (UNII: 3R834EPI82)			
ETHYLHEXYL PALMITATE (UNII: 2865993309)			
GLYCERIN (UNII: PDC6A3C0OX)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
DAPHNE ODORA ROOT (UNII: 9Q52O37206)			

Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:83566-562- 01	30 g in 1 BOX; Type 0: Not a Combination Product	12/22/2025			

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M017	12/22/2025			

# **Labeler -** Guangdong Aimu Biological Technology Co., Ltd (712647107)

Establishment					
Name	Address	ID/FEI	<b>Business Operations</b>		
Guangdong Aimu Biological Technology Co., Ltd		712647107	manufacture(83566-562)		

Revised: 12/2025 Guangdong Aimu Biological Technology Co., Ltd