#### SENSITIVE SKIN 8 OZ- octocrylene, zinc oxide lotion Walgreen Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### Sensitive Skin 8 oz

Walgreens Sensitive Skin Sunscreen Lotion

# **Active Ingredients**

Octocrylene 4.0%, Zinc Oxide 5.0%

# Purpose

Sunscreen

# Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

For external use only

#### Do not use

on damaged or broken skin

# When using this product

keep out of eyes. Rinse with water to remove.

# Stop use and ask a doctor

if rash occurs

# Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

May stain some fabrics

# Directions

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or

higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

#### **Inactive Ingredients**

Deionized Water, Ethylhexyl Stearate, Disopropyl Adipate, Cetyl Dimethicone, Polyglycery-4 Isosteate, Cetyl PEG/PPG-10/1 Dimethicone, Hexyl Laurate, Isohexadecane, Beeswax, Aloe Barbadensis Leaf Juice, Dimethicone, Hydrogenated Castor Oil, Silica, Triethoxycaprylylsilane, Caprylyl Glycol, Tocopherol Acetate, Phenoxyethanol, Disodium EDTA, Sodium Chloride

# **Other Information**

- Protect the product in this container from excessive heat and direct sun
- Store at room temperature

#### **Questions or comments?**

www.walgreens.com or call toll free 1-800-925-4733

# PRINCIPAL DISPLAY PANEL

50 Sensitive Skin Broad spectrum SPF 50 Sunscreen UVA/UVB Oxybenzone Free

Fragrance Free

Oil Free

Dermatologist test

Water Resistant (80 minutes) 8 FL OZ (236.5 mL)

DRUG FACTS		Walgreens
Active Ingredients Octocrylene 4.0%, Zinc Oxide 5.0%	Purpose } Sunscreen	
Ises Helps prevent sunburn If used as directed with other sun decreases the risk of skin cancer a	protection measures (see <i>Directions</i> ) and early skin aging caused by the sun	50 <b>NEW</b>
Warnings For external use only		
Do not use on damaged or broken		
	of eyes. Rinse with water to remove.	
<ul> <li>Stop use and ask a doctor if rash</li> <li>Keep out of reach of children. If p or contact a Poison Control Center</li> </ul>	roduct is swallowed, get medical help	Sensitive
<ul> <li>May stain some fabrics</li> </ul>	ingin away.	Noncitivo
Apply liberally 15 minutes before	Sun caposure	
skin cancer and early skin aging. To d sunscreen with a broad spectrum SP protection measures including: • limit time in the sun, especial • wear long-sleeved shirts, pan • Children under 6 months: ask a do Other Information	imming or sweating of drying time in the sun increases your risk of lecrease this risk, regularly use R of 15 or higher and other sun ly from 10 a.m2 p.m. ts, hats and sunglasses octor	Skin BROAD SPECTRUM SPF 50 SUNSCREEN UVA/UVB
<ul> <li>immediately after towe</li> <li>at least every 2 hours</li> <li>Sun Protection Measures. Spending</li> <li>skin cancer and early skin aging. To disunscreen with a broad spectrum SP</li> <li>protection measures including:         <ul> <li>ilmit time in the sun, especial</li> <li>wear long-sleeved shirts, pan</li> <li>Children under 6 months: ask a do</li> </ul> </li> <li>Other Information         <ul> <li>Protect the product in this contain</li> </ul> </li> </ul>	imming or sweating d drying time in the sun increases your risk of lecrease this risk, regularly use R of 15 or higher and other sun ly from 10 a.m2 p.m. ts, hats and sunglasses optor er from excessive heat and direct sun	BROAD SPECTRUM SPF 50 SUNSCREEN UVA/UVB
<ul> <li>immediately after towe</li> <li>at least every 2 hours</li> <li>Sun Protection Measures. Spending</li> <li>skin cancer and early skin aging. To disunscreen with a broad spectrum SP</li> <li>protection measures including:         <ul> <li>ilmit time in the sun, especial</li> <li>wear long-sleeved shirts, pan</li> <li>Children under 6 months: ask a do</li> </ul> </li> <li>Other Information         <ul> <li>Protect the product in this contain</li> </ul> </li> </ul>	timming or sweating drying time in the sun increases your risk of lecrease this risk, regularly use R of 15 or higher and other sun hy from 10 a.m2 p.m. ts, hats and sunglasses octor er from excessive heat and direct sun vi Adipate, Cetyl Dimethicone, PPG-10/1 Dimethicone, Hexyl Laurate, densis Leaf istor Oil, y Givcol.	BROAD SPECTRUM SPF 50 SUNSCREEN UVA/UVB
<ul> <li>immediately after towe at least every 2 hours</li> <li>sun Protection Measures. Spending skin cancer and early skin aging. To disunscreen with a broad spectrum SP protection measures including:         <ul> <li>ilmit time in the sun, especial</li> <li>wear long-sleeved shirts, pan</li> </ul> </li> <li>Children under 6 months: ask a do Other Information         <ul> <li>Protect the product in this contain</li> </ul> </li> <li>Inactive Ingredients: Water, Ethylhexyl Stearate, Diisoprop Polyglyceryl-4 Isostearate, Cetyl PEG isohexadecane, Beeswax, Aloe Barba Juice, Dimethicone, Hydrogenated Ca Silica, Triethoxycaprylylsilane, Capryl Tocopheryl Acetate, Phenoxyethanol, EDTA, Sodium Chloride</li> <li>Questions or comments? 1-800-</li> </ul>	timming or sweating drying time in the sun increases your risk of lecrease this risk, regularly use R of 15 or higher and other sun ly from 10 a.m2 p.m. ts, hats and sunglasses optor er from excessive heat and direct sun ly Adipate, Cetyl Dimethicone, PPG-10/1 Dimethicone, Hexyl Laurate, densis Leaf stor OII, J Glycol, Disodium	BROAD SPECTRUM SPF 50 SUNSCREEN UVA/UVB OXYBENZONE FREE FRAGRANCE FREE
<ul> <li>immediately after towe</li> <li>at least every 2 hours</li> <li>sun Protection Measures. Spending skin cancer and early skin aging. To disunce with a broad spectrum SP protection measures including:         <ul> <li>limit time in the sun, especial</li> <li>wear long-sleeved shirts, pan</li> </ul> </li> <li>Children under 6 months: ask a do</li> <li>Other Information         <ul> <li>Protect the product in this contain</li> <li>Inactive Ingredients:</li> </ul> </li> <li>Water, Ethylhexyl Stearate, Diisoprop Polyglyceryl-4 Isostearate, Cetyl PEG Isohexadecane, Beeswax, Aloe Barba Julce, Dimethicone, Hydrogenated Ca Sillca, Triethoxycaprylylsilane, Capryl Tocopheryl Acetate, Phenoxyethanol, EDTA, Sodium Chloride</li> </ul>	timming or sweating drying time in the sun increases your risk of lecrease this risk, regularly use R of 15 or higher and other sun ly from 10 a.m2 p.m. ts, hats and sunglasses optor er from excessive heat and direct sun ly Adipate, Cetyl Dimethicone, PPG-10/1 Dimethicone, Hexyl Laurate, densis Leaf stor OII, J Glycol, Disodium	BROAD SPECTRUM SPF 50 SUNSCREEN UVA/UVB OXYBENZONE FREE FRAGRANCE FREE OIL FREE

# **SENSITIVE SKIN 8 OZ**

octocrylene, zinc oxide lotion

Product Information							
Product T ype	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-8224				
Route of Administration	TOPICAL						

Active Ingredie	nt/Active	Moiety		
		Ingredient Name	Basis of Streng	gth Strength
OCTOCRYLENE (UI	NII: 5A68W	GF6 WM) (OCTOCRYLENE - UNII:5A68 WGF6 WM)	OCTOCRYLENE	4 mg in 100 mL
ZINC OXIDE (UNII: S	012L0H54	Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	5 mg in 100 mL
Inactive Ingredi	ents			
	Strength			
WATER (UNII: 059Q)	F0KO0R)	<u> </u>		
ETHYLHEXYL STEA	ARATE (UN	III: EG3PA2K3K5)		
DIISOPROPYL ADIE	PATE (UNII	: P7E6 YFV72X)		
HEXYL LAURATE (U	JNII: 4CG9	F9W01Q)		
ISO HEXADECANE (U	JNII: 9 18 X 1	OUF1E)		
YELLOW WAX (UNI	I: 2ZA36H0	S2V)		
ALOE VERA LEAF (	UNII: ZY812	Z8 3H0 X)		
DIMETHICO NE (UNI	I: 92RU3N3	Y10)		
HYDRO GENATED C	ASTORO	IL (UNII: ZF94AP8MEY)		
SILICON DIO XIDE (	UNII: ETJ72	Z6 XBU4)		
TRIETHO XYCAPRY	LYLSILA	NE (UNII: LDC331P08E)		
CAPRYLYL GLYCO	L (UNII: 00	YIU5438U)		
PHENO XYETHANO I	L (UNII: HIE	492ZZ3T)		
EDETATE DISODIUN	M ANHYDF	ROUS (UNII: 8NLQ36F6MM)		
SODIUM CHLORIDE	E (UNII: 451	W47IQ8X)		
Packaging				
# Item Code		Package Description	Marketing Start Date	Marketing End Dat
1 NDC:0363-8224- 84	236.5 mL	in 1 BOTTLE; Type 0: Not a Combination Product	11/15/20 18	
Marketing In	format	ion		
Marketing Cate	egory	Application Number or Monograph Citation	Marketing Start Date	Marketing End Dat

# Labeler - Walgreen Company (008965063)

Revised: 9/2018

Walgreen Company