

SPF 30 SPORT SUNSCREEN- avobenzone, homosalate, octisalate, octocrylene lotion
Walmart Inc

Equate Sport SPF 30 Sunscreen Lotion

Active Ingredients

Avobenzone 3%, Homosalate 15%, Octisalate 5%, Octocrylene 6%

Purpose

Sunscreen

Uses

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin. **When using this product** keep out of eyes. Rinse eyes with water to remove.

Stop use and ask a doctor if rash or irritation develops and lasts.

Ask a health professional before use.

Keep Out of Reach of Children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply liberally 15 minutes before sun exposure. Reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

Sun protection measures: spending time in the sun increases your risk of skin cancer and early skin aging. To decrease risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measure including:

- limit time in the sun, especially from 10 am to 2 pm
- wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months: ask a doctor.

Inactive Ingredients

Aluminum Starch Octenylsuccinate, Benzyl Alcohol, Carbomer, Dimethicone, Disodium EDTA, Ethylhexylglycerin, Fragrance, Phenoxyethanol, Polyglyceryl-3 Distearate, Sorbitan Isostearate, Sorbitol, Stearic Acid, Tocopherol, Triethanolamine, VP/Eicosene Copolymer, Water

Label

NDC 79903-359-08

equate™

Sunscreen

SPF 30

Broad Spectrum SPF 30 Lotion

SPORT

• Water-Resistant (80 minutes)

8 FL OZ (237mL)

FREE
OXYBENZONE
OCTINOXATE
DYE
PARABEN
PHTHALATE

Drug Facts

| Active ingredients | Purpose |
|---------------------|-----------|
| Avobenzene 3%..... | Sunscreen |
| Homosalate 15%..... | Sunscreen |
| Octisalate 5%..... | Sunscreen |
| Octocrylene 6%..... | Sunscreen |

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only.
Do not use on damaged or broken skin.
When using this product avoid contact with eyes. Rinse with water to remove.
Stop use and ask a doctor if rash or irritation develops and lasts.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions
• Apply liberally 15 minutes before sun exposure and as needed
• Reapply:
• after 80 minutes of swimming or sweating
• immediately after towel drying
• at least every 2 hours
Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
• limit time in the sun, especially from 10 a.m.-2 p.m.
• wear long-sleeved shirts, pants, hats, and sunglasses
• Children under 6 months of age: ask a doctor

Other information • protect the product in this container from excessive heat and direct sun • may stain fabrics

Inactive ingredients
aluminum starch octenylsuccinate, benzyl alcohol, carbomer, dimethicone, disodium EDTA, ethylhexylglycerin, fragrance, phenoxyethanol, polyglyceryl-3 distearate, sorbitan isostearate, sorbitol, stearic acid, tocopherol, triethanolamine, VP/eicosene copolymer, water

Satisfaction Guaranteed
For more information call 1-888-287-1915 or visit Walmart.com/help

DISTRIBUTED BY: Walmart Inc., Bentonville, AR 72716

Made in the USA with Domestic and Imported Ingredients.

* 431884

1 94346 48499 7

PLASTIC TUBE how2recycle.info

SPF 30 SPORT SUNSCREEN

| | | | | |
|--|------------------|--|----------------------|--------------------|
| avobenzone, homosalate, octisalate, octocrylene lotion | | | | |
| | | | | |
| Product Information | | | | |
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:79903-359 | |
| Route of Administration | TOPICAL | | | |
| | | | | |
| Active Ingredient/Active Moiety | | | | |
| Ingredient Name | | Basis of Strength | Strength | |
| OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W) | | OCTISALATE | 5 g in 100 mL | |
| AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX) | | AVOBENZONE | 3 g in 100 mL | |
| OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | | OCTOCRYLENE | 6 g in 100 mL | |
| HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S) | | HOMOSALATE | 15 g in 100 mL | |
| | | | | |
| Inactive Ingredients | | | | |
| Ingredient Name | | | Strength | |
| TROLAMINE (UNII: 9O3K93S3TK) | | | | |
| EDETATE DISODIUM (UNII: 7FLD91C86K) | | | | |
| EICOSYL POVIDONE (UNII: XQQ9MKE2BJ) | | | | |
| ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294) | | | | |
| TOCOPHEROL (UNII: R0ZB2556P8) | | | | |
| BENZYL ALCOHOL (UNII: LKG8494WBH) | | | | |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | | | | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | | | | |
| POLYGLYCERYL-3 DISTEARATE (UNII: ZI1LK470XV) | | | | |
| SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4) | | | | |
| SORBITOL (UNII: 506T60A25R) | | | | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | | | | |
| WATER (UNII: 059QF0KO0R) | | | | |
| CARBOMER 940 (UNII: 4Q93RCW27E) | | | | |
| DIMETHICONE 200 (UNII: RGS4T2AS00) | | | | |
| | | | | |
| Packaging | | | | |
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:79903-359-08 | 237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 12/22/2025 | |
| | | | | |
| Marketing Information | | | | |
| Marketing Category | | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | | M020 | 12/22/2025 | |

