

GLYCERIN - glycerin suppository
Chain Drug Consortium LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Premier Value Glycerin Supp

Active ingredient (in each suppository)

Glycerin 2 g

Purpose

Hyperosmotic laxative

Uses

- for relief of occasional constipation
- this product generally produces a bowel movement in 1/4 to 1 hour

Warnings

For rectal use only

May cause rectal discomfort of burning sensation

Ask a Doctor before using any laxative if you have

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

Stop use and consult a doctor if you have

- rectal bleeding
- no bowel movement after using this product

These symptoms may indicate a serious condition.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Single daily dosage

adults and children 6 years and over 1 suppository, or as directed by a doctor

children 2 to under 6 years use Child Suppositories

Insert suppository well up into rectum.

Suppository need not melt completely to produce laxative action.

Other information

- Store container tightly closed.
- Keep away from excessive heat.

Inactive ingredients

purified water, sodium hydroxide, stearic acid

Questions or comments?

1-800-492-5988

Glycerin Suppositories, 50 count

PremVal720.jpg

The product package shown above represents a sample of that currently in use. Additional packaging may also be available.

Glycerin Suppositories, 50 count

Distributed by

Pharmacy Value Alliance, LLC

407 East Lancaster Avenue

Wayne, PA 19087

COMPARE TO THE ACTIVE INGREDIENT IN FLEET**

Premier Value

ADULT Glycerin Suppositories LAXATIVE 50 Suppositories

Drug Facts

Active ingredient (in each suppository)
Glycerin 2 g.....Hyperosmotic laxative

Purpose
Hyperosmotic laxative

Uses

- for relief of occasional constipation
- this product generally produces bowel movement in 1/4 to 1 hour

Warnings
For rectal use only
 May cause rectal discomfort or a burning sensation.
 Ask a doctor before using any laxative if you have

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

Stop use and consult a doctor if you have

- rectal bleeding
- no bowel movement after using product

 These symptoms may indicate a serious condition.
Keep out of reach of children.
 If swallowed, get medical help or contact a Poison Control Center right away.

Directions *Single daily dosage*
 adults and children 1 suppository, or as directed by a doctor
 6 years and over
 children 2 to use Child Suppositories
 under 6 years
 Insert suppository well up into rectum. Suppository need not melt completely to produce laxative action.

Other information

- Store container tightly closed.
- Keep away from excessive heat.

Inactive ingredients
 purified water, sodium hydroxide, stearic acid

Questions or comments? 1-800-492-5988

Distributed By:
 Pharmacy Value Alliance, LLC
 407 East Lancaster Avenue,
 Wayne, PA 19087

19-10151PRE1C

8 40986 01580 9

*This product is not manufactured or distributed by C.B. Fleet Co., owner of the registered trademark Fleet®

MOUTH OF JAR SEALED FOR SAFETY. IF FOIL IS BROKEN OR MISSING, DO NOT USE.

NO VARNISH AREA

GLYCERIN

glycerin suppository

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68016-015
Route of Administration	RECTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	2 g

Inactive Ingredients

Ingredient Name	Strength
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68016-015-81	100 in 1 JAR; Type 0: Not a Combination Product	03/15/2012	
2	NDC:68016-015-80	50 in 1 JAR; Type 0: Not a Combination Product	03/15/2012	
3	NDC:68016-015-79	25 in 1 JAR; Type 0: Not a Combination Product	03/15/2012	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	03/15/2012	

Labeler - Chain Drug Consortium LLC (101668460)

Registrant - DSC Laboratories, Inc. (097807374)

Establishment

Name	Address	ID/FEI	Business Operations
DSC Laboratories, Inc.		097807374	manufacture(68016-015)

Revised: 12/2018

Chain Drug Consortium LLC