

LIDOCAINE 5%- lidocaine cream
Medhome Pharma Inc

Active Ingredient

Lidocaine 5%

Purpose

Topical anesthetic

USE

For temporary relief of local discomfort, itching, pain, soreness, or burning related to the tattoo process

Warnings

For external use only.

Do not use

Do not exceed the recommended daily dosage unless directed by a doctor

Stop Use

Do not exceed the recommended daily dosage unless directed by a doctor.

Avoid contact with eyes. If this happens, rinse thoroughly with water.

If symptoms persist for more than 7 days or subside but occur again within 3 days, stop use and consult a physician.

Stop use and seek medical attention if signs of an allergy occur, such as redness, irritation, swelling, pain, or other severe symptoms. If symptoms do not subside completely within 7 days, seek medical help.

Ask Doctor

Stop use and seek medical attention if signs of an allergy occur, such as redness, irritation, swelling, pain, or other severe symptoms. If symptoms do not subside completely within 7 days, seek medical help.

Directions

Before applying the numbing cream, thoroughly wash your hands and wear disposable

tattoo gloves.

Clean the area of the body receiving the tattoo, Dry completely.

Apply a generous amount of numbing cream to the cleaned area and rub it in thoroughly in a circular motion for 30 to 60 seconds, Then, cover with plastic wrap.

Leave the cream and wrap in place for 30 to 45 minutes, Wipe away the cream and thoroughly clean the area to prepare for a pain-free tattoo.

Keep Out Of Reach Of Children


Keep out of reach of children

Other information

Store between 15-30°C (59-86°F). Avoid freezing and excessive heat above 40°C (104°F).

Inactive ingredients

Water, Carbomer 934, propylene Glycol, soybean Lecithin, .Alpha.-Tocopherol Acetate, Benzyl Alcohol.



LIDOCAINE 5%

lidocaine cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84007-335
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	5 g in 100 g
---	-----------	--------------

Inactive Ingredients	
Ingredient Name	Strength
ALOE BARBADENSIS LEAF JUICE (UNII: RUE8E6T4NB)	
TROLAMINE (UNII: 9O3K93S3TK)	
TOCOPHEROL (UNII: R0ZB2556P8)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
WATER (UNII: 059QF0KO0R)	
CARBOMER 934 (UNII: Z135WT9208)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
MINERAL OIL (UNII: T5L8T28FGP)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84007-335-01	30 g in 1 CARTON; Type 0: Not a Combination Product	12/23/2025	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	12/23/2025	

Labeler - Medhome Pharma Inc (129936136)

Registrant - Medhome Pharma Inc (129936136)