

VERSED MULTI SERUM SKIN TINT SPF 40 LIGHT WRM- zinc oxide lotion
COSMAX USA, CORP

VERSED MULTI-SERUM SKIN TINT SPF 40_ LIGHT WARM (4W)

Active ingredients

Zinc Oxide 13.1%

Purpose

Sunscreen

USES

Use

- Helps prevent sunburn

Warnings

- **For external use only**

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away.

DIRECTIONS

Directions

- Apply liberally and evenly 15 minutes before sun exposure
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF valuer of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses
 - Reapply at least every 2 hours
 - Use a water-resistant sunscreen if swimming or sweating

OTHER INFORMATION

Other information

- Protect the product in this container from excessive heat and direct sun

Inactive ingredients

Water, Coco-Caprylate/Caprates, C9-12 Alkane, Propanediol, Butyloctyl Salicylate,

Glycerin, Polyglyceryl-2 Dipolyhydroxystearate, C15-19 Alkane, Polyglyceryl-4 Isostearate, Polyhydroxystearic Acid, Magnesium Sulfate, Tocopheryl Acetate, Terminalia Ferdinandiana Fruit Extract, Jojoba Esters, Hydrolyzed Sodium Hyaluronate, Hydroxyacetophenone, Triheptanoin, Triethyl Citrate, Polyglyceryl-3 Polyricinoleate, Dilinoleic Acid/Butanediol Copolymer, Castor Oil/IPDI Copolymer, Sorbitan Isostearate, Mica, Disteardimonium Hectorite, Quaternium-90 Bentonite, Phenoxyethanol, Ethylhexylglycerin, Titanium Dioxide, Iron Oxides.



SHADE: 4W

Shake well before use.

Drug Facts

Active ingredients Purpose
Zinc Oxide, 13.1% Sunscreen

Use • Helps prevent sunburn

Warnings

• **For external use only.** • **Do not use on damaged or broken skin.** • **When using this product keep out of eyes. Rinse with water to remove.** • **Stop use and ask a doctor if rash occurs.** • **Keep out of reach of children.** If swallowed, get medical help or contact Poison Control Center right away.



VERSEDSKIN.COM

PEEL FOR
MORE

Directions • Apply liberally and evenly 15 minutes before sun exposure •

Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses. • Reapply at least every 2 hours. • Use a water-resistant sunscreen if swimming or sweating. ▶

Other information • Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

Water,
Coco-Caprylate/Caprate,
C9-12 Alkane, Propanediol,
Butyloctyl Salicylate, Glycerin,
Polyglyceryl-2
Dipolyhydroxystearate, C15-19
Alkane, Polyglyceryl-4
Isostearate, Polyhydroxystearic
Acid, Magnesium Sulfate,
Tocopheryl Acetate, Terminalia
Ferdinandiana Fruit Extract,
Jojoba Esters, Hydrolyzed
Sodium Hyaluronate,
Hydroxyacetophenone,
Triheptanoin, Triethyl Citrate,
Polyglyceryl-3 Polyricinoleate. ▶

Dilinoleic Acid/Butanediol
Copolymer, Castor Oil/IPDI
Copolymer, Sorbitan Isostearate,
Mica, Distearldimonium
Hectorite, Quaternium-90
Bentonite, Phenoxyethanol,
Ethylhexylglycerin, Titanium
Dioxide, Iron Oxides

VERSED MULTI SERUM SKIN TINT SPF 40 LIGHT WRM

zinc oxide lotion

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68577-207	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)		ZINC OXIDE	13.1 mg in 100 mL	
Inactive Ingredients				
Ingredient Name			Strength	
COCO-CAPRYLATE/CAPRATE (UNII: 8D9H4QU99H)				
C9-12 ALKANE (UNII: 7J5R5W72QM)				
PROPANEDIOL (UNII: 5965N8W85T)				
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)				
MAGNESIUM SULFATE (UNII: DE08037SAB)				
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)				
DILINOLEIC ACID/BUTANEDIOL COPOLYMER (UNII: 1F2S8T535O)				
CASTOR OIL/IPDI COPOLYMER (UNII: GSA2TXZ34G)				
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
FERROUS OXIDE (UNII: G7036X8B5H)				
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)				
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)				
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)				
QUATERNIUM-90 BENTONITE (UNII: 97K5YEF88C)				
PHENOXYETHANOL (UNII: HIE492ZZ3T)				
SODIUM HYALURONATE (UNII: YSE9PPT4TH)				
C15-19 ALKANE (UNII: CI87N1IM01)				
KAKADU PLUM (UNII: OZQ1D2FDLI)				
JOJOBA OIL, RANDOMIZED (UNII: 7F0EV20QYL)				
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)				
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)				
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)				
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)				
MICA (UNII: V8A1AW0880)				
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)				
TRIHEPTANOIN (UNII: 2P6O7CFW5K)				
WATER (UNII: 059QF0KO0R)				
GLYCERIN (UNII: PDC6A3C0OX)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68577-207-01	1 in 1 CARTRIDGE	10/01/2025	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a		

1	Combination Product		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/01/2025	

Labeler - COSMAX USA, CORP (010990210)

Registrant - COSMAX USA, CORP (010990210)

Establishment			
Name	Address	ID/FEI	Business Operations
COSMAX USA, CORP		010990210	manufacture(68577-207)

Revised: 12/2025

COSMAX USA, CORP