

TIEGE HANLEY ACNE ALL OVER BODY- salicylic acid aerosol, spray
Tiege Hanley

Acne All-Over Body Spray NDC 71714-005-01
Aerosol Can in an Outer Carton

Keep out of reach of children

■ if swallowed, get medical help or contact
a Poison Control Center right away

Directions

■ clean the skin thoroughly before applying this product

■ cover the entire affected area with a thin layer one to three times daily

■ because of excessive drying of the skin may occur, start with one application daily,
then gradually increase to two times daily, then gradually increase to three times daily, if
needed, or as directed by a doctor

■ if bothersome dryness or peeling occurs, reduce application to once a day or every
other day

■ see the Best Use section for more information on how to use for optimal results.

Purpose.....Acne Treatment

Salicylic Acid 2%

Stop use and ask a doctor if irritation
becomes severe.

Inactive Ingredients:

Water/Aqua/Eau, Propanediol, Alcohol Denat, Niacinamide, Phenoxyethanol, Saccharide
Isomerate, Sodium Hydroxide, Ethylhexylglycerin, Aloe Barbadensis Leaf Juice, t-Butyl
Alcohol, Citric Acid, Sodium Citrate, Denatonium Benzoate

Uses ■ For the management of acne

Warnings

■ **For External Use Only**

When using this product ■ skin irritation
and dryness is more likely to occur if you
use another topical acne medication at the
same time. If irritation occurs, only use one
topical acne medication at a time.

■ Avoid spraying in eyes ■ Contents under pressure.

Do not puncture or incinerate. Do not store at a
temperature above 120°F/49°C or below 40°F/5°C}.

Do not use if you ■ have very sensitive
skin ■ are sensitive to salicylic acid

Stop use and ask a doctor if irritation becomes severe

Keep out of reach of children

■ if swallowed, get medical help or contact a Poison Control Center right away

PANTONE BLACK C PANTONE 361C GLOSS VARNISH FOIL



327.27 mm

235.09 mm

TIEGE HANLEY ACNE ALL OVER BODY

salicylic acid aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71714-005
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
PROPANEDIOL (UNII: 5965N8W85T)	
NIACINAMIDE (UNII: 25X51I8RD4)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
WATER (UNII: 059QF0KO0R)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
T-BUTYL ALCOHOL (UNII: MD83SFE959)	
ALCOHOL (UNII: 3K9958V90M)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
CITRIC ACID (UNII: 2968PHW8QP)	
DENATONIUM BENZOATE (UNII: 4YK5Z54AT2)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
ALOE BARBADENSIS LEAF JUICE (UNII: RUE8E6T4NB)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71714-005-01	1 in 1 BOX	12/26/2025	
1		100 g in 1 CANISTER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	12/26/2025	

Labeler - Tiege Hanley (080305325)