

**LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE ANTHELIOS UV TONE  
BROAD SPECTRUM SPF 50 SUNSCREEN- avobenzene, homosalate, octisalate  
and octocrylene lotion  
L'Oreal USA Products Inc**

-----  
**Drug Facts**

**Active ingredients**

Avobenzene 3%

Homosalate 7%

Octisalate 5%

Octocrylene 7%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use**

on damaged or broken skin

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

rash occurs

**Keep out of reach of children.**

if swallowed, get medical help or contact a Poison Control Center right away.

## Directions

For sunscreen use:

- apply generously 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease the risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m – 2 p.m
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months of age: Ask a doctor

## Other information

- protect the product in this container from excessive heat and direct sun

## Inactive ingredients

water, glycerin, C15-19 alkane, niacinamide, propanediol, C12-22 alkyl acrylate/hydroxyethylacrylate copolymer, tocopherol, sodium stearyl glutamate, cetearyl alcohol, sclerotium gum, hydroxyacetophenone, caprylyl glycol, sodium starch octenylsuccinate, glyceryl stearate, jojoba esters, helianthus annuus (sunflower) seed wax, hydroxypropyl starch phosphate, trisodium ethylenediamine disuccinate, pentylene glycol, diethylhexyl syringylidenemalonate, cassia alata leaf extract, maltodextrin, sodium hydroxide, caprylic/capric triglyceride, polyglycerin-3, citric acid

## Questions or comments?

**1-888- LRP-LABO 1-888-577-5226**

Monday - Friday (9a.m. -5 p.m. EST)



LA ROCHE-POSAY  
LABORATOIRE DERMATOLOGIQUE

50

BROAD SPECTRUM  
SPF 50

ANTHELIOS  
UV TONE

DAILY INVISIBLE  
SUNSCREEN

HELPS PROTECT AGAINST  
SUN DAMAGE\*  
PROMOTES VISIBLY EVEN  
COMPLEXION

CELL-OX SHIELD®  
UVA/UVB Protection + Antioxidants  
[+NIACINAMIDE]

\*when used as directed with other  
sun protection measures.

1.7 FL. OZ - 50 ml

## Drug Facts

**Active ingredients:** Avobenzone 3%, Homosalate 7%, Octisalate 5%, Octocrylene 7%.

**Purpose:** Sunscreen.

**Uses:** Helps prevent sunburn. If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

## Warnings

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product,** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

For sunscreen use: Apply generously 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water resistant sunscreen if swimming or sweating.

**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. - 2 p.m.; wear long-sleeved shirts, pants, hats and sunglasses.

Children under 6 months of age: Ask a doctor.

## Other information

Protect the product in this container from excessive heat and direct sun

## Questions or comments?

1-888-LRP LABO 1-888-577-5226 Monday - Friday (9 a.m. - 5 p.m. EST)

Made in USA of US and/or Imported Ingredients.

Distribution reserved to 3612624021261

La Roche-Posay agreed  
distributors

L'Oréal USA S/D, Inc., Dist.,

10 Hudson Yards

New York, NY 10001

TSA 75000 93584

ST OVEN CEDEX FR

2864686

1.125"x0.5"  
Lot code area



LA ROCHE-POSAY  
LABORATOIRE DERMATOLOGIQUE

50

BROAD SPECTRUM  
SPF 50

ANTHELIOS  
UV TONE

DAILY INVISIBLE  
SUNSCREEN

HELPS PROTECT AGAINST  
SUN DAMAGE\*  
PROMOTES VISIBLY EVEN  
COMPLEXION

CELL-OX SHIELD®  
UVA/UVB Protection + Antioxidants  
[+NIACINAMIDE]

\*when used as directed with other  
sun protection measures.

1.7 FL. OZ - 50 ml

## Drug Facts

**Active ingredients:** Avobenzone 3%, Homosalate 7%, Octisalate 5%, Octocrylene 7%.

**Purpose:** Sunscreen.

**Uses:** Helps prevent sunburn. If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

## Warnings

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product,** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

For sunscreen use: Apply generously 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water resistant sunscreen if swimming or sweating.

**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. - 2 p.m.; wear long-sleeved shirts, pants, hats and sunglasses.

Children under 6 months of age: Ask a doctor.

## Other information

Protect the product in this container from excessive heat and direct sun

## Questions or comments?

1-888-LRP LABO 1-888-577-5226 Monday - Friday (9 a.m. - 5 p.m. EST)

Made in USA of US and/or Imported Ingredients.

Distribution reserved to 3612624021261

La Roche-Posay agreed  
distributors

L'Oréal USA S/D, Inc., Dist.,

10 Hudson Yards

New York, NY 10001

TSA 75000 93584

ST OVEN CEDEX FR

2864686

1.125"x0.5"  
Lot code area



**A PIONEER IN SUN PROTECTION RESEARCH FOR OVER 30 YEARS.**

Every day, dermatologists observe skin damage caused by UVA and UVB rays.

UVB rays mainly cause **Burning**. They cause tanning and are mainly responsible for sunburn, SPF or "Sun Protection Factor" is the degree of protection a sunscreen offers against UVB rays.

UVA rays mainly cause **Skin Aging** or Sun Allergies. UVA rays directly contribute to skin aging (wrinkles, sagging, dark spots) and are the #1 cause of sun intolerances (allergies).

Both UVA and UVB rays have been proven to cause damage to skin cells, including DNA, and can weaken the immune system. This damage can potentially lead to the development of skin cancer.

La Roche-Posay is dedicated to providing photostable, broad-spectrum protection through the use of **CELL-OX SHIELD**, a synergistic combination of UVA/UVB filters combined with antioxidants.



Scan me to learn more about Anthelios UV Tone SPF 50.



Made in USA of US and/or Imported Ingredients.  
3612624021247.  
Distribution reserved to La Roche-Posay  
agreed distributors.  
L'Oréal USA S/D, Inc., Dist., 10 Hudson Yards,  
New York, NY 10001.  
La Roche-Posay Laboratoire Dermatologique  
CAI 86270 La Roche-Posay, France  
TSA 75000 93584 ST OZEN CEDEX FR  
[www.laroche-posay.us](http://www.laroche-posay.us)

**LA ROCHE-POSAY**  
LABORATOIRE DERMATOLOGIQUE

**NEW**

**50**  
BROAD SPECTRUM  
SPF 50

**ANTHELIOS**  
**UV TONE**  
**DAILY INVISIBLE**  
**SUNSCREEN**

**HELPS PROTECT AGAINST**  
**SUN DAMAGE.\***

Refines skin's appearance  
Promotes visibly radiant,  
even complexion

**CELL-OX SHIELD®**  
UVA/UVB Protection + Antioxidants

**[+NIACINAMIDE]**

Fragrance-free  
Suitable for all skin tones  
Tested on sensitive skin

\*when used as directed with other  
sun protection measures

1.7 FL. OZ - 50 ml

**ANTHELIOS UV TONE 50**  
**DAILY INVISIBLE SUNSCREEN**

**Package:**



**Skin Type:** All

**Texture:** Light Lotion

**Application:** Face

**PROPERTIES.**

**1. Designed for all skin tones, and for unevenly pigmented skin.**

Invisible, barely-there finish is ideal for protecting against the effects of daily sun exposure. Provides hydrating sun protection while minimizing white cast.

**2. Formulated to Even Skin Tone with Niacinamide.**

Smooths skin and evens out skin tone for a visibly radiant complexion. This innovative sunscreen has a lightweight, non-greasy texture that blends easily into skin leaving a dewy finish.

**3. CELL-OX SHIELD TECHNOLOGY**  
UVA/UVB Protection + Antioxidants

**Broad Spectrum UV Filters**

Combines photostable UVA/UVB filters chosen for their synergistic effect to deliver broad-spectrum protection.

**Powerful Antioxidant Protection**

With Senna Alata, a tropical leaf extract known to defend skin cells<sup>1</sup> against damaging free radicals caused by the sun that can accelerate skin aging.

**RESULTS.**

Decreases the risk of skin cancer and early skin aging caused by the sun if used as directed with other sun protection measures (see **Directions**).

<sup>1</sup>upper layers of skin

**FRAGRANCE-FREE**  
**PARABEN-FREE**  
**ALLERGY TESTED**  
**NON-COMEDOGENIC**  
**DERMATOLOGIST TESTED**  
**FOR SAFETY**

**Drug Facts**

**Active ingredients Purpose**

Avobenzone 3%..... Sunscreen  
Homosalate 7%..... Sunscreen  
Octisalate 5%..... Sunscreen  
Octocrylene 7%..... Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply generously 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - children under 6 months of age: Ask a doctor

**Other information**

- protect the product in this container from excessive heat and direct sun

**Inactive ingredients**

water, glycerin, C15-19 alkane, niacinamide, propanediol, C12-22 alkyl acrylate/hydroxyethylacrylate copolymer, tocopherol, sodium stearoyl glutamate, cetearyl alcohol, sclerotium gum, hydroxyacetophenone, caprylyl glycol, sodium starch octenylsuccinate, glyceryl stearate, jojoba esters, helianthus annuus (sunflower) seed wax, hydroxypropyl starch phosphate, trisodium ethylenediamine disuccinate, pentyleneglycol, diethylhexyl syringylidenemalonate, cassia alata leaf extract, maltodextrin, sodium hydroxide, caprylic/capric triglyceride, polyglycerin-3, citric acid

**Questions or comments?**

1-888-LRP-LABO 1-888-577-5226

Monday - Friday (9 a.m. - 5 p.m. EST)

2067502 8

Code F.I.L.: V70041234/1



# A PIONEER IN SUN PROTECTION RESEARCH FOR OVER 30 YEARS.

Every day, dermatologists observe skin damage caused by UVA and UVB rays.

UVB rays mainly cause **Burning**. They cause tanning and are mainly responsible for sunburn, SPF or "Sun Protection Factor" is the degree of protection a sunscreen offers against UVB rays.

UVA rays mainly cause **Skin Aging** or Sun Allergies. UVA rays directly contribute to skin aging (wrinkles, sagging, dark spots) and are the #1 cause of sun intolerances (allergies).

Both UVA and UVB rays have been proven to cause damage to skin cells, including DNA, and can weaken the immune system. This damage can potentially lead to the development of skin cancer.

La Roche-Posay is dedicated to providing photostable, broad-spectrum protection through the use of **CELL-OX SHIELD**, a synergistic combination of UVA/UVB filters combined with antioxidants.



Scan me to learn more about Anthelios UV Tone SPF 50.



Made in USA of US and/or Imported Ingredients.  
3612624021247.  
Distribution reserved to La Roche-Posay  
agreed distributors.  
L'Oréal USA S/D, Inc., Dist., 10 Hudson Yards,  
New York, NY 10001.  
La Roche-Posay Laboratoire Dermatologique  
CAI 86270 La Roche-Posay, France  
TSA 75000 93584 ST OZEN CEDEX FR  
[www.laroche-posay.us](http://www.laroche-posay.us)

LA ROCHE-POSAY  
LABORATOIRE DERMATOLOGIQUE

NEW

**50**  
BROAD SPECTRUM  
SPF 50

ANTHELIOS  
UV TONE  
DAILY INVISIBLE  
SUNSCREEN

HELPS PROTECT AGAINST  
SUN DAMAGE.\*

Refines skin's appearance  
Promotes visibly radiant,  
even complexion

CELL-OX SHIELD®  
UVA/UVB Protection + Antioxidants

[+NIACINAMIDE]

Fragrance-free  
Suitable for all skin tones  
Tested on sensitive skin

\*when used as directed with other  
sun protection measures

1.7 FL. OZ - 50 ml

ANTHELIOS UV TONE 50  
DAILY INVISIBLE SUNSCREEN

Package:



Skin Type: All

Texture: Light Lotion

Application: Face

## PROPERTIES.

**1. Designed for all skin tones, and for unevenly pigmented skin.**

Invisible, barely-there finish is ideal for protecting against the effects of daily sun exposure. Provides hydrating sun protection while minimizing white cast.

**2. Formulated to Even Skin Tone with Niacinamide.**

Smooths skin and evens out skin tone for a visibly radiant complexion. This innovative sunscreen has a lightweight, non-greasy texture that blends easily into skin leaving a dewy finish.

**3. CELL-OX SHIELD TECHNOLOGY**

UVA/UVB Protection + Antioxidants

**Broad Spectrum UV Filters**

Combines photostable UVA/UVB filters chosen for their synergistic effect to deliver broad-spectrum protection.

**Powerful Antioxidant Protection**

With Senna Alata, a tropical leaf extract known to defend skin cells<sup>1</sup> against damaging free radicals caused by the sun that can accelerate skin aging.

## RESULTS.

Decreases the risk of skin cancer and early skin aging caused by the sun if used as directed with other sun protection measures (see **Directions**).

<sup>1</sup>upper layers of skin

FRAGRANCE-FREE  
PARABEN-FREE  
ALLERGY TESTED  
NON-COMEDOGENIC  
DERMATOLOGIST TESTED  
FOR SAFETY

## Drug Facts

### Active ingredients Purpose

Avobenzone 3%..... Sunscreen  
Homosalate 7%..... Sunscreen  
Octisalate 5%..... Sunscreen  
Octocrylene 7%..... Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

For sunscreen use:

- apply generously 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - children under 6 months of age: Ask a doctor

### Other information

- protect the product in this container from excessive heat and direct sun

### Inactive ingredients

water, glycerin, C15-19 alkane, niacinamide, propanediol, C12-22 alkyl acrylate/hydroxyethylacrylate copolymer, tocopherol, sodium stearoyl glutamate, cetearyl alcohol, sclerotium gum, hydroxyacetophenone, caprylyl glycol, sodium starch octenylsuccinate, glyceryl stearate, jojoba esters, helianthus annuus (sunflower) seed wax, hydroxypropyl starch phosphate, trisodium ethylenediamine disuccinate, pentyleneglycol, diethylhexyl syringylidenemalonate, cassia alata leaf extract, maltodextrin, sodium hydroxide, caprylic/capric triglyceride, polyglycerin-3, citric acid

### Questions or comments?

1-888-LRP-LABO 1-888-577-5226

Monday - Friday (9 a.m. - 5 p.m. EST)

2067502 8

Code F.I.L.: V70041234/1

# LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE ANTHELIOS UV TONE BROAD SPECTRUM SPF 50 SUNSCREEN

avobenzone, homosalate, octisalate and octocrylene lotion

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49967-212
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	70 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (ETHYLHEXYL SALICYLATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	70 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>C15-19 ALKANE</b> (UNII: CI87N1IM01)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>SODIUM STEAROYL GLUTAMATE</b> (UNII: 65A9F4P024)	
<b>CETEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>SCLEROTIUM GUM</b> (UNII: 2X51AD1X3T)	
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>GLYCERYL STEARATE</b> (UNII: 230OU9XXE4)	
<b>HYDROLYZED JOJOBA ESTERS</b> (UNII: UDR641JW8W)	
<b>HELIANTHUS ANNUUS (SUNFLOWER) SEED WAX</b> (UNII: 42DG15CHXV)	
<b>TRISODIUM ETHYLENEDIAMINE DISUCCINATE</b> (UNII: YA22H34H9Q)	
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	
<b>DIETHYLHEXYL SYRINGYLIDENEMALONATE</b> (UNII: 3V5U97P248)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>CAPRYLIC/CAPRIC TRIGLYCERIDE</b> (UNII: C9H2L21V7U)	
<b>POLYGLYCERIN-3</b> (UNII: 4A0NCJ6RD6)	
<b>CITRIC ACID</b> (UNII: 2968PHW8QP)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49967-212-01	1 in 1 CARTON	01/11/2024	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:49967-212-02	15 in 1 PACKAGE	01/11/2024	
2		5 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC Monograph Drug	M020	01/11/2024	

**Labeler** - L'Oreal USA Products Inc (002136794)

**Establishment**

Name	Address	ID/FEI	Business Operations
L'Oreal USA Products, Inc		624244349	manufacture(49967-212)

Revised: 12/2024

L'Oreal USA Products Inc