

**MEIJER MAXIMUM STRENGTH JOCK ITCH RELIEF ANTIFUNGAL-
tolnaftate spray
Formulated Solutions, LLC**

Meijer Maximum Strength Jock Itch Relief Tolnaftate Antifungal

Drug Facts

Active ingredient

Tolnaftate 1%

Purpose

Antifungal

Uses

- cures most jock itch
- for effective relief of itching, chafing and burning

Warnings

For external use only

Flammable: Do not use while smoking or near heat or flame

Do not use

on children under 2 years of age unless directed by a doctor

When using this product

- avoid contact with the eyes
- use only as directed intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F (49°C).

Stop use and ask a doctor if

- irritation occurs
- there is no improvement within 2 weeks

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- use daily for 2 weeks; if condition persists longer, ask a doctor
- this product is not effective on the scalp or nails
- In case of clogging, clean nozzle with a pin

Other information

store at 20-25°C (68-77°F)

Inactive Ingredients

alcohol denat, aluminum starch octenylsuccinate, isobutane, isopropyl myristate, propylene carbonate, sorbitan monooleate, stearylalkonium hectorite, talc

Questions or comments?

1-800-719-9260

Package Labeling:

NDC 41250-695-90

meijer

Compare to Tinactin®
Antifungal Powder Spray
active ingredient*

Maximum Strength

Jock Itch Relief

Tolnaftate 1% • Antifungal

Powder Spray • Goes On Dry

Cures Most Jock Itch

Relieves Itching, Burning
& Chafing

NET WT 4.6 OZ (130g)

Drug Facts

Active Ingredient

Tolnaftate 1%

Purpose

Antifungal

Uses

- cures most jock itch
- for effective relief of itching, chafing and burning

Warnings

For external use only

Flammable: Do not use while smoking or near heat or flame

Do not use on children under 2 years of age unless directed by a doctor

When using this product ■ avoid contact with the eyes

- use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F (49°C).

Stop use and ask a doctor if ■ irritation occurs ■ there is no improvement within 2 weeks

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- use daily for 2 weeks; if condition persists longer, ask a doctor
- this product is not effective on the scalp or nails
- in case of clogging, clean nozzle with a pin

Other information ■ store at 20-25°C (68-77°F)

Inactive ingredients alcohol denat, aluminum starch octenylsuccinate, isobutane, isopropyl myristate, propylene carbonate, sorbitan monooleate, stearylalkonium hechlorite, talc

Questions or comments? 1-800-719-8260

*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Tinactin®.

DIST. BY MEIJER DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544
www.meijer.com



DOT 2P : 69590 6E F1

MEIJER MAXIMUM STRENGTH JOCK ITCH RELIEF ANTIFUNGAL

tolnaftate spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:23667-809
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	
ISOBUTANE (UNII: BXR49TP611)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
SORBITAN MONOOLEATE (UNII: 06XEA2VD56)	
STEARALKONIUM HECTORITE (UNII: OLX698AH5P)	
TALC (UNII: 7SEV7J4R1U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:23667-809-01	130 g in 1 CAN; Type 0: Not a Combination Product	01/21/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	01/21/2017	

Labeler - Formulated Solutions, LLC (143266687)

Establishment

Name	Address	ID/FEI	Business Operations
Formulated Solutions, LLC		143266687	manufacture(23667-809)