

**GOODSENSE POWDER JOCK ITCH ANTIFUNGAL- tolnaftate spray**  
**Formulated Solutions, LLC**

-----  
**GoodSense Powder Spray Jock Itch Antifungal Tolnaftate**

***Drug Facts***

***Active ingredient***

Tolnaftate 1%

***Purpose***

Antifungal

***Uses***

- cures most jock itch
- for effective relief if itching, chafing and burning

***Warnings***

For external use only

Flammable: Do not use while smoking or near heat or flame

***Do not use***

on children under 2 years of age unless directed by a doctor

***When using this product***

- avoid contact with the eyes
- use only as directed intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F (49°C).

***Stop use and ask a doctor if***

- irritation occurs
- there is no improvement within 2 weeks

***Keep out of reach of children.***

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

***Directions***

- wash affected area and dry thoroughly

- shake can well and spray a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- use daily for 2 weeks; if condition persists longer, ask a doctor
- this product is not effective on the scalp or nails
- In case of clogging, clean nozzle with a pin

***Other information***

store at 20-25°C (68-77°F)

***Inactive Ingredients***

alcohol denat, aluminum starch octenylsuccinate, isobutane, isopropyl myristate, propylene carbonate, sorbitan monooleate, stearylalkonium hectorite, talc

***Questions or comments?***

1-800-719-9260

**Package Labeling:**

GOODSENSE<sup>®</sup>

NDC 0113-0925-00

**Powder Spray**

# Jock Itch Spray

**Antifungal Tolnaftate 1%**

**Cures Most Jock Itch**

- Relieves Itching, Burning & Chafing
- Goes on Dry

Compare to *active ingredient of* Tinactin<sup>®</sup> Antifungal Powder Spray



NET WT 4.6 OZ (130 g)

### Drug Facts

#### Active Ingredient

Tolnaftate 1%

#### Purpose

Antifungal

#### Uses

- cures most jock itch
- for effective relief of itching, chafing and burning

#### Warnings

For external use only

Flammable: Do not use while smoking or near heat or flame

Do not use on children under 2 years of age unless directed by a doctor

When using this product ■ avoid contact with the eyes

■ use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

■ contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F (49°C).

Stop use and ask a doctor if ■ Irritation occurs ■ there is no improvement within 2 weeks

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### Directions

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- use daily for 2 weeks; if condition persists longer, ask a doctor
- this product is not effective on the scalp or nails
- in case of clogging, clean nozzle with a pin

**Other information** ■ store at 20-25°C (68-77°F)

**Inactive ingredients** alcohol denat., aluminum starch octanilsuccinate, isobutane, isopropyl myristate, propylene carbonate, sorbitan monooleate, stearylaluminum hectorite, talc

Questions or comments? 1-800-719-8280

Distributed By **Perrigo**<sup>®</sup> Allergan, MI 49010



DOT 2P : 69590 C2 F4

## GOODSENSE POWDER JOCK ITCH ANTIFUNGAL

tolnaftate spray

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:23667-806
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>TOLNAFTATE</b> (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	10 mg in 1 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	
<b>ISOBUTANE</b> (UNII: BXR49TP611)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>SORBITAN MONOOLEATE</b> (UNII: 06XEA2VD56)	
<b>STEARALKONIUM HECTORITE</b> (UNII: OLX698AH5P)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:23667-806-01	130 g in 1 CAN; Type 0: Not a Combination Product	01/20/2017	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M005	01/20/2017	

**Labeler** - Formulated Solutions, LLC (143266687)

## Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Formulated Solutions, LLC		143266687	manufacture(23667-806)