TOPIX MINERAL MATTIFYING TINTED SUNSCREENINTED SPF 50- zinc oxide lotion Topiderm, Inc.

Topix Mineral Mattifying Tinted Sunscreen SPF 50

Drug Facts

Active ingredient

Zinc Oxide 20.5%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

- When using this product keep out of eyes, rinse with water to remove.
- **Stop use if** signs of irritation or rash appear. If irritation or rash persists consult a doctor.
- Keep out of reach of children.
- In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.
- Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sunscreen measures including:

- limit time in the sun, especially from 10a.m.-2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses

Directions

- Apply liberally and spread evenly by hand 15 minutes before sun exposure
- Re-apply after swimming, excessive perspiring, or anytime after towel drying
- Use a water resistant sunscreen if swimming or sweating

• Use on children under 6 months of age: consult a doctor.

Inactive ingredients

Ascorbic Acid, Biotin, Camellia Sinensis (Green Tea) Polyphenols, Caprylic/Capric Triglyceride, Centella Asiatica Extract, Ceramide NG, Cyclopentasiloxane, Dimethicone Crosspolymer, Dimethicone, Glycerin, Hexyl Laurate, Iron Oxides, Isododecane, Methyl Trimethicone, PEG/PPG-18/18 Dimethicone, PEG-10 Dimethicone, PEG-8 Methyl Ether Triethoxysilane, Phospholipids, Phyllanthus Emblica Fruit Extract, Polyhydroxystearic Acid, Polymethylsilsesquioxane, Purified Water, Resveratrol, Silica Dimethyl Silylate, Silica, Stearic Acid, Titanium Dioxide, Tocopheryl Acetate, Ubiquinone (Co-Enzyme Q10).

PRINCIPAL DISPLAY PANEL - 54 g Bottle Label

COMPLIMENTS OF TOPIX PHARMACEUTICALS, INC

MULTI-TASKING

Mineral Mattifying Tinted Sunscreen SPF 50

Broad Spectrum SPF 50

Net wt. 1.9 oz. (54 g)

Available Custom Branded 800.445.2595 c.service@topixpharm.com



MULTI-TASKING


Mineral Mattifying Tinted Sunscreen SPF 50

Broad Spectrum SPF 50

Net wt. 1.9 oz. (54 g)

Available Custom Branded 800.445.2595 c.service@topixpharm.com

hinge non printing area



Drug Facts (continued)

Directions

Apply liberally and spread evenly by hand 15 minutes before sun exposure Re-apply after swimming, excessive perspiring, or anytime after towel drying Use a water resistant sunscreen if swimming or sweating Use on children under 6 months of age: consult a doctor.

Inactive ingredients

Ascorbic Acid, Biotin, Camellia Sinensis (Green Tea) Polyphenols, Caprylic/Capric Triglyceride, Centella Asiatica Extract, Ceramide NG, Cyclopentasiloxane, Dimethicone Crosspolymer, Dimethicone, Glycerin, Hexyl Laurate, Iron Oxides, Isododecane, Methyl Trimethicone, PEG/PPG-18/18 Dimethicone, PEG-10 Dimethicone, PEG-8 Methyl Ether Triethoxysilane, Phospholipids, Phyllanthus Emblica Fruit Extract, Polyhydroxystearic Acid, Polymethylsilsesquioxane, Purified Water, Resveratrol, Silica Dimethyl Silylate, Silica, Stearic Acid, Titanium Dioxide, Tocopheryl Acetate, Ubiquinone (Co-Enzyme Q10).

TOPIX MINERAL MATTIFYING TINTED SUNSCREENINTED SPF 50

zinc oxide lotion

Product Information					
Product Type	HUMAN OTC DRUG	Item Code	(Source)	NDC:51326	5-370
Route of Administration	TOPICAL				
Active Ingredient/Active	Moiety				
Ingree	dient Name		Basis of Strengt	th St	rength
ZINC OXIDE (UNII: SOI2LOH54Z)	(ZINC OXIDE - UNII:SOI2L	.OH54Z)	ZINC OXIDE	205 n	ng in 1 g
Inactive Ingredients					
	Ingredient N	ame			Strengt
ASCORBIC ACID (UNII: PQ6CK8PI	DOR)				
BIOTIN (UNII: 6SO6U10H04)					
GREEN TEA LEAF (UNII: W2ZU1R					
MEDIUM-CHAIN TRIGLYCERIDE					
CENTELLA ASIATICA WHOLE (U	NII: 7M867G6T1U)				
CERAMIDE NG (UNII: C04977SRJ5					
CYCLOMETHICONE 5 (UNII: OTH					
DIMETHICONE CROSSPOLYMEI UF7620L1W6)	R (450000 MPA.S AT 12	2% IN CYCLOPE	NTASILOXANE) (UNII:		
DIMETHICONE (UNII: 92RU3N3Y1	0)				
GLYCERIN (UNII: PDC6A3C0OX)					
HEXYL LAURATE (UNII: 4CG9F9W					
FERROUS OXIDE (UNII: G7036X8					
ISODODECANE (UNII: A8289P68Y					
METHYL TRIMETHICONE (UNII: S					
PEG/PPG-18/18 DIMETHICONE					
PEG-10 DIMETHICONE (600 CS					
OMEGA-3 FATTY ACIDS (UNII: 7					
PHYLLANTHUS EMBLICA FRUIT	· · ·				
POLYHYDROXYSTEARIC ACID (2 POLYMETHYLSILSESQUIOXANE					
WATER (UNII: 059QF0K00R)		525072009)			
	SL)				
RESVERATROL (UNII: Q36908926 SILICA DIMETHYL SILYLATE (UN					
SILICON DIOXIDE (UNII: ETJ7Z6X					
STEARIC ACID (UNII: 4ELV7Z65A					
TITANIUM DIOXIDE (UNII: 15FIX9	-				
	•				
.ALPHATOCOPHEROL ACETAT	E (UNII: 9F8X80D2L0)				

۲a	ckaging			
#	ltem Code	Package Description	Marketing Start Date	Marketing End Date
1		54 g in 1 BOTTLE; Type 0: Not a Combination Product	03/20/2023	
	arketing I	nformation		
	arketing I Marketing Category	nformation Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

Labeler - Topiderm, Inc. (049121643)

Registrant - Topiderm, Inc. (049121643)

Establishment					
Name	Address	ID/FEI	Business Operations		
Topiderm, Inc.		049121643	MANUFACTURE(51326-370)		

Name	Address	ID/FEI	Business Operations
Topix Pharmaceuticals, Inc.		117745066	PACK(51326-370)

Revised: 3/2023

U.

Topiderm, Inc.