

OJIOG WART CORN REMOVER- salicylic acid 17% wart corn remover liquid
Jiangxi Hemei Pharmaceutical Co., Ltd

84010-240

Active Ingredient

Salicylic acid 17%

Purpose

Wart remover

Use

For the removal of common warts and plantar warts. Common warts have a rough "cauliflower-like" surface and are easily recognizable. Plantar warts are located only on the soles of the feet, tender to touch, with an interrupted footprint pattern.

Warnings

For external use only.

Do not use

on irritated skin or on any area that is infected or reddened, On moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes. If you have diabetes or poor blood circulation.

When Using

Avoid contact with eyes. If product gets into the eye, flush with Water for 15 minutes. Non-edible. Cap tightly and store at room temperature, away from heat.

Stop Use

Stop use and ask a doctor if discomfort persists.

Ask Doctor

Stop use and ask a doctor if discomfort persists.

Keep Out Of Reach Of Children

If swallowed, get medical help or contact the Poison Control Center (1-800-222-

1222)right away.

Directions

Wash the affected area. May soak wart in warm water for 5 minutes.Dry area thoroughly. Use a brush to apply a sufficient amount to cover each wart. Let it dry. Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks.

Other information

Store at room temperature.Avoid excessive heat (37°C/99°F).Skin discoloration may occur during or after use.

Inactive ingredients

Water□Polyethylene Glycol□Glycerin□Borneol□Collodion.

PRINCIPAL DISPLAY PANEL

C03.99901214

OJIOG

50*38*88 350g银卡 纳米UV 主体


Stop use and ask a doctor if discomfort persists.
Keep out of reach of children.

If swallowed, get medical help or contact the Poison Control Center (1-800-222-1222) right away.

Directions
Wash the affected area.
May soak wart in warm water for 5 minutes.
Dry area thoroughly.
Use a cotton swab to apply a sufficient amount to cover each wart. Let it dry. Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks.


Other information
Store at room temperature.
Avoid excessive heat (37°C / 99°F).
Skin discoloration may occur during or after use.

Inactive ingredients:
Water.....53%
Polyethylene Glycol.....16%
Glycerin.....8%
Borneol.....5%
Collodion.....1%


Manufacturer: Jiangxi Hemel Pharmaceutical Co., Ltd.
Address: 4th Floor, Building 1956, Phase III, Zhangjiajian Medical Incubation Park, Zhangshu Yichun, Jiangxi 331208, China(CN)

OJIOG

WART CORN REMOVER



TARGETED FORMULA

- ▶ Formulated with skin-friendly components
- ▶ Formulated for use on common warts and corns
- ▶ Follow directions for best results

FOR EXTERNAL USE ONLY


NET : 1 FL OZ (30mL)

Drug Facts
Active ingredient: Salicylic acid 17%
Purpose: Wart remover

Uses
For the removal of common warts and plantar warts.
Common warts have a rough "cauliflower-like" surface and are easily recognizable. Plantar warts are located only on the soles of the feet, tender to touch, with an interrupted footprint pattern.


Warnings
For external use only.
Do not use
on irritated skin or on any area that is infected or reddened. On moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes. If you have diabetes or poor blood circulation.

When using this product
Avoid contact with eyes. If product gets into the eye, flush with Water for 15 minutes. Non-edible.
Cap tightly and store at room temperature, away from heat.


6 974603 169209

OJIOG

WART CORN REMOVER



TARGETED FORMULA

- ▶ Formulated with skin-friendly components
- ▶ Formulated for use on common warts and corns
- ▶ Follow directions for best results

FOR EXTERNAL USE ONLY

NET : 1 FL OZ (30mL)

OJIOG WART CORN REMOVER

salicylic acid 17% wart corn remover liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84010-240
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	17 g in 100 mL

Inactive Ingredients				
Ingredient Name			Strength	
GLYCERIN (UNII: PDC6A3C0OX)				
WATER (UNII: 059QF0KO0R)				
BORNEOL (UNII: M89NIB437X)				
LYTTA VESICATORIA (UNII: 3Q034RO3BT)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84010-240-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/26/2025	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M028	12/26/2025	

Labeler - Jiangxi Hemei Pharmaceutical Co., Ltd (724892056)

Establishment			
Name	Address	ID/FEI	Business Operations
Jiangxi Hemei Pharmaceutical Co., Ltd		724892056	manufacture(84010-240)

Revised: 12/2025

Jiangxi Hemei Pharmaceutical Co., Ltd