

SIGNATURE CARE TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, polymyxin b, pramoxine hcl ointment
Safeway

Better Living Brands LLC Triple Antibiotic Ointment Drug Facts

Active ingredients (in each gram)

Bacitracin zinc 500 units

Neomycin sulfate equivalent to 3.5 mg of neomycin base

Polymyxin B 10,000 units as polymyxin B sulfate

Pramoxine HCl 10 mg

Purpose

First aid antibiotic

External analgesic

Uses

first aid to help prevent infection and for temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week

- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- adults and children 2 years of age and older:
- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients

cocoa butter, cottonseed oil, olive oil, petrolatum, sodium pyruvate, tocopheryl acetate

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

Compare to Neosporin® + Pain Itch Scar active ingredients

Quality Guaranteed

Triple Antibiotic Ointment + Pain - Itch - Scar

First aid antibiotic

Pain relieving ointment

BACITRACIN ZINC, NEOMYCIN SULFATE, POLYMYXIN B SULFATE, PRAMOXINE HCl

MULTI-ACTION OINTMENT

Maximum strength pain and itch relief

NET WT 0.5 OZ (14 g)

8752



Long Lasting Infection Protection

Drug Facts**Active ingredients Purpose (in each gram)**

Bacitracin zinc 500 units.....First aid antibiotic
 Neomycin sulfate equivalent to 3.5 mg
 of neomycin base.....First aid antibiotic
 Polymyxin B 10,000 units as
 polymyxin B sulfate.....First aid antibiotic
 Pramoxine HCl 10 mg.....External analgesic

Uses first aid to help prevent infection
 and for temporary relief of pain or discomfort
 in minor: ■ cuts ■ scrapes ■ burns

Warnings

For external use only.

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites ■ serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week,
or clear up and occur again within a
few days
- rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a
 Poison Control Center right away
 (1-800-222-1222).

Directions

- adults and children 2 years of age and older:
 - clean the affected area
 - apply a small amount of this product
(an amount equal to the surface area
of the tip of a finger) on the area
1 to 3 times daily
 - may be covered with a sterile bandage
- children under 2 years of age:
ask a doctor

Drug Facts (continued)**Other information**

- store at 20-25°C
(68-77°F)

Inactive ingredients

cocoa butter, cottonseed
 oil, olive oil, petrolatum,
 sodium pyruvate,
 tocopheryl acetate

Questions or comments?

1-800-719-9260

*This product is not affiliated
 with, manufactured by,
 or produced by the makers of
 Neosporin®.

DISTRIBUTED BY:
 BETTER LIVING BRANDS LLC
 P.O. BOX 99, PLEASANTON,
 CA 94566-0099 1-888-723-3929
www.betterlivingbrandsLLC.com



Scan here for more information



3 21130 79930 6 4R058 LJ C2

S 2171

RD 20304

Compare to Neosporin®
 + Pain Itch Scar active ingredients*

NDC 21130-120-58



Quality Guaranteed

Triple Antibiotic Ointment

+ Pain • Itch • Scar

First aid antibiotic
 Pain relieving ointment

BACITRACIN ZINC,
 NEOMYCIN SULFATE,
 POLYMYXIN B SULFATE,
 PRAMOXINE HCl

MULTI-ACTION OINTMENT

- Maximum strength
 pain and itch relief

NET WT 0.5 OZ (14 g)

Compare to
 Neosporin® +
 Pain Itch Scar
 active ingredients*
 NDC 21130-120-58

Quality Guaranteed



Triple Antibiotic Ointment

+ Pain • Itch • Scar

First aid antibiotic • Pain relieving ointment
 BACITRACIN ZINC, NEOMYCIN SULFATE, POLYMYXIN B SULFATE, PRAMOXINE HCl
 • Maximum strength pain and itch relief

NET WT 0.5 OZ (14 g)

OUR PROMISE QUALITY & SATISFACTION
 100% GUARANTEED OR YOUR MONEY BACK.



SIGNATURE CARE TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b, pramoxine hcl ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:21130-120
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [USP'U] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ 07J96K)	POLYMYXIN B	10000 [USP'U] in 1 g
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
COCOA BUTTER (UNII: 512OYT1CRR)	
OLIVE OIL (UNII: 6UYK2W1W1E)	
PETROLATUM (UNII: 4T6H12BN9U)	
SODIUM PYRUVATE (UNII: POD38AIF08)	
COTTONSEED OIL (UNII: H3E878020N)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

Product Characteristics

Color	YELLOW (Pale)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-120-58	1 in 1 CARTON	05/09/2017	
1		14 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	05/09/2017	

Labeler - Safeway (009137209)

Revised: 11/2024

Safeway