

**ANTISEPTIC SKIN CLEANSER- chlorhexidine gluconate 4% liquid**  
**CVS Pharmacy, Inc.**

-----  
**CVS 4% 8oz, 8oz CA, 16oz, 16oz CA, 18oz, 18oz CA**  
**COMP 18oz, 18oz CA**

Chlorhexidine gluconate 4% Solution

**Purpose**

Antiseptic

**Uses**

- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease
- **skin wound and general cleansing**

**Warnings**

**For external use only**

**Allergy alert:**

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

**Do not use**

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with meninges
- in the genital area

**When using this product**

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wound which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when the advised by a health care provider

## **Stop use and ask a doctor**

if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

## **Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

## **Healthcare personnel handwash:**

- wet hands with water
- dispense about 5 ml of product into cupped hands and wash in a vigorous manner for 15 seconds
- rinse and dry thoroughly

## **Skin wound and general skin cleansing:**

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

## **other information**

- store at 20-25 C (68-77 F)
- avoid excessive heat above 40 C (104 F)

## **Inactive ingredients**

cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol

\*This product is not manufactured or distributed by Mölnlycke Healthcare, owner of the registered trademark Hibiclens®.

**Warning:** This product can expose you to coconut oil diethanolamine condensate (cocamide diethanolamine), which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.gov](http://www.P65Warnings.gov)

**Laundering/Cleaning Instructions:** Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products. Rinse completely and use only non-chlorine detergents.

## **Questions?**

1-800-587-3721

## Packaging

CVS Health Compare to the active ingredient in Hibiclens®\*

NDC 59779-767-08

Chlorhexidine Gluconate 4% Solution

Antiseptic Skin Cleanser

Antiseptic Antimicrobial skin cleanser

For external use only

Dye Free

Distributed by:

CVS Pharmacy, Inc.

Woonsocket, RI 02985

©2023 CVS/pharmacy V-10220

4CVS08BTLBLG

8FL OZ (237mL)

This product is not manufactured or distributed by Mölnlycke Healthcare, owner of the registered trademark Hibiclens®.

**CVS Health.** Compare to the active ingredient in Hibiclens®\*  
NDC 59779-767-08

# Antiseptic Skin Cleanser

CHLORHEXIDINE GLUCONATE 4% SOLUTION

**DYE FREE**

Antiseptic Antimicrobial skin cleanser

For external use only

8 FL OZ (237 mL)

Drug Facts	Drug Facts (continued)	Drug Facts (continued)
<b>Active ingredient Purpose</b> Chlorhexidine gluconate 4% solution ..... Antiseptic	<b>When using this product</b> ■ keep out of eyes, ears and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums. ■ if solution should contact these areas, rinse out promptly and thoroughly with water ■ wounds which involve more than the superficial layers of the skin should not be routinely treated ■ repeated general skin cleansing of large body areas should not be done except when advised by a health care provider	<b>Healthcare personnel handwash:</b> ■ wet hands with water ■ dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 15 seconds ■ rinse and dry thoroughly
<b>Uses</b> ■ <b>healthcare personnel handwash:</b> helps reduce bacteria that potentially can cause disease ■ <b>skin wound and general skin cleansing</b>	<b>Stop use and ask a doctor</b> if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition. <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	<b>Skin wound and general skin cleansing:</b> ■ thoroughly rinse the area to be cleaned with water ■ apply the minimum amount of product necessary to cover the skin or wound area and wash gently ■ rinse again thoroughly
<b>Warnings</b> <b>For external use only</b> <b>Allergy alert:</b> This product may cause a severe allergic reaction. Symptoms may include: ■ wheezing/difficulty breathing ■ shock ■ facial swelling ■ hives ■ rash If an allergic reaction occurs, stop use and seek medical help right away.	<b>Directions</b> ■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.	<b>Other information</b> ■ store at 20-25°C (68-77°F) ■ avoid excessive heat above 40°C (104°F)
<b>Do not use</b> ■ if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product ■ in contact with meninges ■ in the genital area	<b>Inactive ingredients</b> cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol	<b>Questions?</b> 1-800-587-3721

Chlorhexidine gluconate skin cleansers will cause skin irritation with continued use. Do not use on broken skin. Rinse completely and use only for external decontamination.

4CVS08BTLBLG  
Distributed by: CVS Pharmacy, Inc.  
© 2023 CVS Drive, Woonsocket, RI 02985  
© 2023 CVS/pharmacy V-10220  
#864765

0 50428 4 1228 2

4CVS08LBL4CAD

**WARNING:** This product can expose you to coconut oil diethanolamine condensate (cocamide diethanolamine), which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



Compare to the active ingredient in Hibiclens®\*

NDC 59779-767-08

# Antiseptic Skin Cleanser

**CHLORHEXIDINE GLUCONATE 4% SOLUTION**

Antiseptic Antimicrobial skin cleanser

For external use only

8 FL OZ (237 mL)

DYE FREE



**WARNING:** This product can expose you to coconut oil diethanolamine condensate (cocamide diethanolamine), which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

<p><b>Drug Facts</b></p> <p><b>Active ingredient Purpose</b> Chlorhexidine gluconate 4% solution ..... Antiseptic</p> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>■ <b>healthcare personnel handwash:</b> helps reduce bacteria that potentially can cause disease</li> <li>■ <b>skin wound and general skin cleansing</b></li> </ul> <p><b>Warnings</b> <b>For external use only</b></p> <p><b>Allergy alert:</b> This product may cause a severe allergic reaction. Symptoms may include:</p> <ul style="list-style-type: none"> <li>■ wheezing/difficulty breathing</li> <li>■ shock</li> <li>■ hives</li> <li>■ facial swelling</li> <li>■ rash</li> </ul> <p>If an allergic reaction occurs, stop use and seek medical help right away.</p> <p><b>Do not use</b></p> <ul style="list-style-type: none"> <li>■ if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product</li> <li>■ in contact with meninges</li> <li>■ in the genital area</li> </ul>	<p><b>Drug Facts (continued)</b></p> <p><b>When using this product</b></p> <ul style="list-style-type: none"> <li>■ keep out of eyes, ears and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.</li> <li>■ if solution should contact these areas, rinse out promptly and thoroughly with water</li> <li>■ wounds which involve more than the superficial layers of the skin should not be routinely treated</li> <li>■ repeated general skin cleansing of large body areas should not be done except when advised by a health care provider</li> </ul> <p><b>Stop use and ask a doctor</b> if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.</p> <p><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.</li> </ul>	<p><b>Drug Facts (continued)</b></p> <p><b>Healthcare personnel handwash:</b></p> <ul style="list-style-type: none"> <li>■ wet hands with water</li> <li>■ dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 15 seconds</li> <li>■ rinse and dry thoroughly</li> </ul> <p><b>Skin wound and general skin cleaning:</b></p> <ul style="list-style-type: none"> <li>■ thoroughly rinse the area to be cleaned with water</li> <li>■ apply the minimum amount of product necessary to cover the skin or wound area and wash gently</li> <li>■ rinse again thoroughly</li> </ul> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>■ store at 20-25°C (68-77°F)</li> <li>■ avoid excessive heat above 40°C (104°F)</li> </ul> <p><b>Inactive ingredients</b> cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, triethyl alcohol</p> <p><b>Questions?</b> 1-800-587-3721</p> <p style="font-size: 8px;">*This product is not manufactured or distributed by Mölnlycke Healthcare, owner of the registered trademark Hibiclens®.</p>
---	--	---

4CVS08LB14CAD

**LAUNDERING/CLEANING INSTRUCTIONS:**  
 Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine-releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

Distributed by: CVS Pharmacy, Inc.  
 One CVS Drive, Woonsocket, RI 02895  
 © 2023 CVS/pharmacy V-10220  
 #864765



0 50428 4 1228 2

CVS Health Compare to the active ingredient in Hibiclens®\*

NDC 59779-767-16

Chlorhexidine Gluconate 4% Solution

Antiseptic Skin Cleanser

Antiseptic Antimicrobial skin cleanser

For external use only

Dye Free

Distributed by:

CVS Pharmacy, Inc.

Woonsocket, RI 02985

© 2023 CVS/pharmacy V-10220

4CVS16BTLLBLA

16FL OZ (473mL)

This product is not manufactured or distributed by Mölnlycke Healthcare, owner of the registered trademark Hibiclens®.



Compare to the active ingredient in Hibiclens®\*

NDC 59779-767-16

# Antiseptic Skin Cleanser

**CHLORHEXIDINE GLUCONATE 4% SOLUTION**

DYE FREE

Antiseptic Antimicrobial skin cleanser

For external use only

16 FL OZ (473 mL)

**Drug Facts**

**Active ingredient Purpose**  
Chlorhexidine gluconate 4% solution ..... Antiseptic

**Uses**

- healthcare personnel handwash: helps reduce bacteria that potentially can cause disease
- skin wound and general skin cleansing

**Warnings**  
For external use only

**Allergy alert:**  
This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock                   ■ facial swelling
- hives                    ■ rash

If an allergic reaction occurs, stop use and seek medical help right away.

**Do not use**

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with meninges
- in the genital area

**Drug Facts (continued)**

**When using this product**

- keep out of eyes, ears and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when advised by a health care provider

**Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs.** These may be signs of a serious condition.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

**Drug Facts (continued)**

**Healthcare personnel handwash:**

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 15 seconds
- rinse and dry thoroughly

**Skin wound and general skin cleaning:**

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

**Other information**

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

**Inactive ingredients** cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol

**Questions?** 1-800-587-3721

\*This product is not manufactured or distributed by Mölnlycke Healthcare, owner of the registered trademark Hibiclens®.

4CVS16BTLBLB

**LAUNDERING/CLEANING INSTRUCTIONS:**  
 Chlorhexidine gluconate skin cleanser will cause stains if used with chlorine-releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

Distributed by: CVS Pharmacy, Inc.  
One CVS Drive, Woonsocket, RI 02895  
© 2023 CVS/pharmacy V-10220

#945584



0 50428 57074 6

4CVS16LBL4CAC

**WARNING:** This product can expose you to coconut oil diethanolamine condensate (cocamide diethanolamine), which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



Compare to the active ingredient in Hibiclens®\*

NDC 59779-767-16

# Antiseptic Skin Cleanser

**CHLORHEXIDINE GLUCONATE 4% SOLUTION**

DYE FREE

Antiseptic Antimicrobial skin cleanser

For external use only

16 FL OZ (473 mL)

**Drug Facts**

**Active ingredient Purpose**  
Chlorhexidine gluconate 4% solution ..... Antiseptic

**Uses**

- healthcare personnel handwash: helps reduce bacteria that potentially can cause disease
- skin wound and general skin cleansing

**Warnings**  
For external use only

**Allergy alert:**  
This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock                   ■ facial swelling
- hives                    ■ rash

If an allergic reaction occurs, stop use and seek medical help right away.

**Do not use**

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with meninges
- in the genital area

**Drug Facts (continued)**

**When using this product**

- keep out of eyes, ears and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when advised by a health care provider

**Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs.** These may be signs of a serious condition.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

**Drug Facts (continued)**

**Healthcare personnel handwash:**

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 15 seconds
- rinse and dry thoroughly

**Skin wound and general skin cleaning:**

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

**Other information**

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

**Inactive ingredients** cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol

**Questions?** 1-800-587-3721

\*This product is not manufactured or distributed by Mölnlycke Healthcare, owner of the registered trademark Hibiclens®.

4CVS16LBL4CAC

**LAUNDERING/CLEANING INSTRUCTIONS:**  
 Chlorhexidine gluconate skin cleanser will cause stains if used with chlorine-releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

Distributed by: CVS Pharmacy, Inc.  
One CVS Drive, Woonsocket, RI 02895  
© 2023 CVS/pharmacy V-10220

#945584



0 50428 57074 6

CVS Health Compare to the active ingredient in Hibiclens®\*

NDC 59779-767-18

Chlorhexidine Gluconate 4% Solution

Antiseptic Skin Cleanser

Antiseptic Antimicrobial skin cleanser

For external use only

Dye Free

Distributed by:

CVS Pharmacy, Inc.

Woonsocket, RI 02985

4CVS18FMBTLLBLA

18FL OZ (532mL)

© 2023 CVS/pharmacy  
CVS.com® 1-800-SHOP CVS

This product is not manufactured or distributed by Mölnlycke Healthcare, owner of the registered trademark Hibiclens®.

how2recycle.info

100% money back guarantee. CVS.com/returnpolicy

 Compare to the active ingredient in Hibiclens®* NDC 59779-767-18 <b>Foaming</b> <b>Antiseptic Skin Cleanser</b> CHLORHEXIDINE GLUCONATE 4% SOLUTION Antiseptic/Antimicrobial skin cleanser For external use only 18 FL OZ (532 mL) 	<b>Drug Facts</b> <b>Active ingredient Purpose</b> Chlorhexidine gluconate 4% solution...Antiseptic <b>Uses</b> ■ healthcare personnel handwash: helps reduce bacteria that potentially can cause disease ■ skin wound and general skin cleansing <b>Warnings</b> For external use only Allergy alert: This product may cause a severe allergic reaction. Symptoms may include: ■ wheezing/difficulty breathing ■ shock ■ facial swelling ■ hives ■ rash If an allergic reaction occurs, stop use and seek medical help right away.	<b>Drug Facts (continued)</b> <b>Do not use</b> ■ if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product ■ in contact with the meninges ■ in the genital area <b>When using this product</b> ■ keep out of eyes, ears and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums. ■ if solution should contact these areas, rinse out promptly and thoroughly with water ■ wounds which involve more than the superficial layers of the skin should not be routinely treated ■ repeated general skin cleansing of large body areas should not be done except when advised by a healthcare provider	<b>Drug Facts (continued)</b> <b>Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs.</b> These may be signs of a serious condition. <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away. <b>Directions</b> ■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns. <b>Healthcare personnel handwash:</b> ■ wet hands with water ■ dispense 4 full pumps (about 5 mL) of product into cupped hands and wash in a vigorous manner for 15 seconds ■ rinse and dry thoroughly	<b>Drug Facts (continued)</b> <b>Skin wound and general skin cleansing:</b> ■ thoroughly rinse the area to be cleaned with water ■ apply the minimum amount of product necessary to cover the skin or wound area and wash gently ■ rinse again thoroughly <b>Other information</b> ■ store at 20-25°C (68-77°F) ■ avoid excessive heat above 40°C (104°F) <b>Inactive ingredients</b> cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, triethyl alcohol <b>Questions?</b> 1-800-587-3721	<p>*This product is not manufactured or distributed by Mölnlycke Healthcare, owner of the registered trademark Hibiclens®.</p> <p><b>LAUNDRING/CLEANING INSTRUCTIONS:</b> Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine-releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.</p> <p>Distributed by: CVS Pharmacy, Inc. One CVS Drive Woonsocket, RI 02985 © 2023 CVS/pharmacy CVS.com® 1-800-SHOP CVS V-10220</p>  #271823 0 50428 48378 7 PLASTIC BOTTLE #BTLB83RAC7

4CVS18FMLBLCAA

WARNING: This product can expose you to coconut oil diethanolamine condensate (cocamide diethanolamine), which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

 Compare to the active ingredient in Hibiclens®* NDC 59779-767-18 <b>Foaming</b> <b>Antiseptic Skin Cleanser</b> CHLORHEXIDINE GLUCONATE 4% SOLUTION Antiseptic/Antimicrobial skin cleanser For external use only 18 FL OZ (532 mL) 	<b>Drug Facts</b> <b>Active ingredient Purpose</b> Chlorhexidine gluconate 4% solution...Antiseptic <b>Uses</b> ■ healthcare personnel handwash: helps reduce bacteria that potentially can cause disease ■ skin wound and general skin cleansing <b>Warnings</b> For external use only Allergy alert: This product may cause a severe allergic reaction. Symptoms may include: ■ wheezing/difficulty breathing ■ shock ■ facial swelling ■ hives ■ rash If an allergic reaction occurs, stop use and seek medical help right away.	<b>Drug Facts (continued)</b> <b>Do not use</b> ■ if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product ■ in contact with the meninges ■ in the genital area <b>When using this product</b> ■ keep out of eyes, ears and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums. ■ if solution should contact these areas, rinse out promptly and thoroughly with water ■ wounds which involve more than the superficial layers of the skin should not be routinely treated ■ repeated general skin cleansing of large body areas should not be done except when advised by a healthcare provider	<b>Drug Facts (continued)</b> <b>Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs.</b> These may be signs of a serious condition. <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away. <b>Directions</b> ■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns. <b>Healthcare personnel handwash:</b> ■ wet hands with water ■ dispense 4 full pumps (about 5 mL) of product into cupped hands and wash in a vigorous manner for 15 seconds ■ rinse and dry thoroughly	<b>Drug Facts (continued)</b> <b>Skin wound and general skin cleansing:</b> ■ thoroughly rinse the area to be cleaned with water ■ apply the minimum amount of product necessary to cover the skin or wound area and wash gently ■ rinse again thoroughly <b>Other information</b> ■ store at 20-25°C (68-77°F) ■ avoid excessive heat above 40°C (104°F) <b>Inactive ingredients</b> cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, triethyl alcohol <b>Questions?</b> 1-800-587-3721	<p>*This product is not manufactured or distributed by Mölnlycke Healthcare, owner of the registered trademark Hibiclens®.</p> <p><b>LAUNDRING/CLEANING INSTRUCTIONS:</b> Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine-releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.</p> <p><b>WARNING:</b> This product can expose you to coconut oil diethanolamine condensate (cocamide diethanolamine), which is known to the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>.</p> <p>Distributed by: CVS Pharmacy, Inc. One CVS Drive Woonsocket, RI 02985 © 2023 CVS/pharmacy CVS.com® 1-800-SHOP CVS V-10220</p>  #271823 0 50428 48378 7 PLASTIC BOTTLE #BTLB83RAC7

## ANTISEPTIC SKIN CLEANSER

chlorhexidine gluconate 4% liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:59779-767
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)		CHLORHEXIDINE GLUCONATE	4 g in 100 mL	
Inactive Ingredients				
Ingredient Name			Strength	
GLUCONOLACTONE (UNII: WQ29KQ9POT)				
PEG-75 LANOLIN (UNII: 09179OX7TB)				
TRIDECYL ALCOHOL (UNII: 8I9428H868)				
COCO DIETHANOLAMIDE (UNII: 92005F972D)				
HYDROXYETHYL CELLULOSE (2000 CPS AT 1%) (UNII: S38J6RZN16)				
ISOPROPYL ALCOHOL (UNII: ND2M416302)				
LAURAMINE OXIDE (UNII: 4F6FC4MI8W)				
WATER (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-767-08	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/31/2011	
2	NDC:59779-767-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2017	
3	NDC:59779-767-18	532 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	11/14/2022	01/31/2027
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
NDA	NDA019125	08/31/2011		

**Labeler** - CVS Pharmacy, Inc. (062312574)

**Registrant** - Xttrium Laboratories, Inc. (007470579)

### Establishment

Name	Address	ID/FEI	Business Operations
Xttrium Laboratories, Inc.		007470579	manufacture(59779-767)

Revised: 12/2025

CVS Pharmacy, Inc.