

**BANANA BOAT- avobenzone, homosalate, octisalate, octocrylene,
oxybenzone spray
Edgewell Personal Care Brands, LLC**

Active Ingredients

Avobenzone 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 10.0%,
Oxybenzone 6.0%

Purpose

Sunscreen

Uses

Helps prevent sunburn

If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Flammable: Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition – No smoking. **Intentional misuse** by deliberately concentrating and inhaling the contents can be harmful or fatal.

May stain some fabrics

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Keep away from face to avoid breathing it. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

Shake well • hold container 4 to 6 inches from the skin to apply • spray liberally and spread evenly by hand 15 minutes before sun exposure • **Do not spray directly into face.** Spray on hands then apply to face • do not apply in windy conditions • use in well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months: Ask a doctor

Inactive ingredients

Alcohol Denat., Isobutane, VA/Butyl Maleate/Isobornyl Acrylate Copolymer, Caprylyl Glycol, Cyclopentasiloxane, Cyclohexasiloxane, Fragrance, Polyglyceryl-3 Stearate/Isostearate/Dimer Dilinoleate Crosspolymer, Lauryl PEG-8 Dimethicone, Phenylisopropyl Dimethicone, Ascorbyl Palmitate, Methyl Dihydroabietate, Tocopheryl Acetate, Mineral Oil, Panthenol, Water, Aloe Barbadensis Leaf Extract.

Other information

Protect this product from excessive heat and direct sun

Questions or comments?

Call 1-800-SafeSun, Mon-Fri

Principal Display Panel

BANANA
BOAT®
SPORT
ultra
CLEAR SUNSCREEN SPRAY
BROAD SPECTRUM SPF 100
100
CLINICALLY
PROVEN
UVA/UVB PROTECTION
SUPERIOR ENDURANCE
VS. SWEAT & WATER
Water Resistant
(80 Minutes)
NET WT 6 OZ. (170 g)



SPORT
ultra

CLEAR SUNSCREEN SPRAY
BROAD SPECTRUM SPF 100



**CLINICALLY
PROVEN**
UVA/UVB PROTECTION

SUPERIOR ENDURANCE
VS. SWEAT & WATER

Water Resistant
(80 Minutes)

NET WT 6 OZ. (170 g)

SUN SAFETY DIRECTIONS	
Apply Liberally	Wait 15 min.
Reapply 2 HR.	Cover Up!
About 4 applications per 170g can	
Drug Facts	
Active Ingredients	Purpose
Avobenzone 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 10.0%, Oxybenzone 6.0%	Sunscreen
Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.	
Warnings For external use only.	
Flammable: Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.	
Do not use on damaged or broken skin.	
When using this product • Keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if rash occurs.	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.	
Directions	
■ Shake well ■ hold container 4 to 6 inches from the skin to apply ■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ Do not spray directly into face. Spray on hands then apply to face ■ do not apply in windy conditions ■ use in well-ventilated area ■ reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor	
Inactive ingredients: Alcohol Denat., Isobutane, VA/Butyl Maleate/Isobornyl Acrylate Copolymer, Caprylyl Glycol, Cyclopentasiloxane, Cyclohexasiloxane, Fragrance, Polyglyceryl-3 Stearate/Isostearate/Dimer Dilinoleate Crosspolymer, Lauryl PEG-8 Dimethicone, Phenylisopropyl Dimethicone, Ascorbyl Palmitate, Methyl Dihydroxyacetate, Tocopheryl Acetate, Mineral Oil, Panthenol, Water, Aloe Barbadosis Leaf Extract.	
Other information ■ protect this product from excessive heat and direct sun	
Questions or comments? Call 1-800-SafeSun, Mon-Fri	
Distributed by: EDGEWELL PERSONAL CARE BRANDS, LLC Shelton, CT 06484 www.bananaboat.com © 2020 Edgewell.	 Recommended as an effective broad spectrum sunscreen. DOT 2Q M0605
 0 179656 05080 6	

BANANA BOAT

avobenzone, homosalate, octisalate, octocrylene, oxybenzone spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63354-201
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 g
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	6 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
ISOBUTANE (UNII: BXR49TP611)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
METHYL DIHYDROABIETATE (UNII: 7666FJ0J9F)	
WATER (UNII: 059QF0KO0R)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
MINERAL OIL (UNII: T5L8T28FGP)	
PANTHENOL (UNII: WW9CM0067Z)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63354-201-34	170 g in 1 CAN; Type 0: Not a Combination Product	01/01/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2014	

Labeler - Edgewell Personal Care Brands, LLC (151179769)

Establishment

Name	Address	ID/FEI	Business Operations
Playtex Manufacturing Inc		963501502	manufacture(63354-201)

Revised: 11/2023

Edgewell Personal Care Brands, LLC