

**MARCELLE CC CREAM COMPLETE CORRECTION SUNSCREEN BROAD SPECTRUM  
SPF 35- octinoxate and oxybenzone cream  
Groupe Marcelle Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Marcelle CC Cream Complete Correction Sunscreen Broad Spectrum SPF 35**

**☐Drug Facts**

**☐Active Ingredients Purpose**

☐Octinoxate 7.5% Sunscreen

Oxybenzone 3.0% Sunscreen

**☐Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ☐**Directions**☐), decreases the risk of skin cancer and early skin aging caused by the sun

**☐Warnings**

**☐For external use only.**

**☐Do not use** ☐on damaged or broken skin.

**☐When using this product** ☐keep out of eyes. Rinse with water to remove.

**☐Stop use and ask a doctor** ☐if rash occurs.

**☐Keep out of reach of children.** ☐If product is swallowed, get medical help or contact a Poison Control Centre right away.

**☐Directions**

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 40 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months: Ask a doctor

**☐Inactive ingredients**

AQUA/WATER/EAU, CAPRYLYL METHICONE, CYCLOPENTASILOXANE, GLYCERIN, TITANIUM DIOXIDE, MICA, PEG-12 DIMETHICONE/PPG-20 CROSSPOLYMER, BUTYLENE

GLYCOL, POLYMETHYLSILSESQUIOXANE, CETYL PEG/PPG-10/1 DIMETHICONE, POLYGLYCERYL-4 ISOSTEARATE, HEXYL LAURATE, ISOPROPYL MYRISTATE, BIS-PEG/PPG-14/14 DIMETHICONE, XYLITYLGLUCOSIDE, HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER, DISTEARDIMONIUM HECTORITE, IRON OXIDES, ANHYDROXYLITOL, CYCLOHEXASILOXANE, ALUMINUM STARCH OCTENYLSUCCINATE, SODIUM CHLORIDE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, PROPYLENE GLYCOL, ALOE BARBADENSIS LEAF JUICE, SUCROSE DILAURATE, XYLITOL, DIAZOLIDINYL UREA, SODIUM BENZOATE, HYDROLYZED PRUNUS DOMESTICA, PROPYLENE CARBONATE, POTASSIUM SORBATE, CICHORIUM INTYBUS (CHICORY) ROOT EXTRACT, GLUCOSE, PHENOXYETHANOL, POLYSORBATE 20, TOCOPHERYL ACETATE, BIOSACCHARIDE GUM-1, TRIETHOXYCAPRYLYLSILANE, PISUM SATIVUM (PEA) EXTRACT, CHAMOMILLA RECUTITA (MATRICARIA) FLOWER/LEAF EXTRACT, CAMELLIA OLEIFERA LEAF EXTRACT, ISOCETETH-10, CAPRYLYL GLYCOL, HYDROLYZED WHEAT PROTEIN, P-ANISIC ACID, ETHYLHEXYLGLYCERIN, SORBIC ACID, IODOPROPYNYL BUTYLCARBAMATE, CITRIC ACID, COLLOIDAL GOLD.

▣ ***Other information***

- protect this product from excessive heat and direct sun

▣ ***Questions or comments?***

Call toll free 1-800-387-7710

**Principal Display Panel - 7 mL 0.23 Fl.Oz.**

Marcelle CC Cream Complete Correction Sunscreen Broad Spectrum SPF 35



**Active Ingredients**  
Octinoxate 7.5%  
Oxybenzone 3.0%

**Purpose**  
Sunscreen

**Uses:** Helps prevent sunburn. If used with other sun protection measures, (see **Directions**) decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings:** For external use only./Do not use on damaged or broken skin./When using this product keep out of eyes. Rinse with water to remove./Stop use and ask a doctor if rash occurs./Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Centre right away.

**Directions**  
• apply liberally 15 minutes before sun exposure.  
• reapply at least every 2 hours.  
• children under 6 months: Ask a doctor.

**Application**  
Apply on cleansed face before exposure to sun; can be worn alone or as a make-up base.

Hypoallergenic | 100% Perfume Free

**GROUPE MARCELLE INC.**  
**MONTREAL, CANADA H8T 1A1**  
Made in Canada  
[marcelle.com](http://marcelle.com) 01-49-473

**MARCELLE®**

**C.C.™**

**CREAM**

**COMPLETE CORRECTION  
SUNSCREEN  
BROAD SPECTRUM  
SPF 35**

Tinted Cream

**REDUCES THE APPEARANCE  
OF DARK SPOTS**

Protects against UVA & UVB

**GOLDEN GLOW**  
HYPOALLERGENIC  
DERMATOLOGIST TESTED

**7 mL 0.24 Fl. Oz.**



**Active Ingredients**  
Octinoxate 7.5%  
Oxybenzone 3.0%

**Purpose**  
Sunscreen

**Uses:** Helps prevent sunburn. If used with other sun protection measures, (see **Directions**) decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings: For external use only. Do not use** on damaged or broken skin. **When using this product** keep out of eyes. Rinse with water to remove. **Stop use and ask a doctor** if rash occurs. **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Centre right away.

**Directions**  
• apply liberally 15 minutes before sun exposure.  
• reapply at least every 2 hours.  
• children under 6 months: Ask a doctor.

**Application**  
Apply on cleansed face before exposure to sun; can be worn alone or as a make-up base.

Hypoallergenic | 100% Perfume Free

**GROUPE MARCELLE INC.**  
**MONTREAL, CANADA H8T 1A1**  
Made in Canada  
[marcelle.com](http://marcelle.com) 01-49-473

MARCELLE®

C.C.™

CREAM

**COMPLETE CORRECTION  
SUNSCREEN  
BROAD SPECTRUM  
SPF 35**

Tinted Cream

**REDUCES THE APPEARANCE  
OF DARK SPOTS**

Protects against UVA & UVB

**GOLDEN GLOW**  
HYPOALLERGENIC  
DERMATOLOGIST TESTED

**7 mL 0.24 Fl. Oz.**

MARCELLE.COM

**Drug Facts**

Active Ingredients	Purpose
Oxybenzone, 7.5% Octinoxate, 3.0%	Sunscreen

**Uses**  
• Help prevent sunburn.  
• If used as directed with other sun protection measures (see Directions), significantly reduce the risk of skin cancer and early skin aging caused by the sun.


**Warnings**  
For external use only.  
Do not use on damaged or broken skin.  
When using this product keep out of eyes. Rinse with water to remove.  
Stop use and ask a doctor if rash occurs.  
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
• Apply liberally 15 minutes before sun exposure.  
• Reapply:  
• After 40 minutes of swimming or sweating.  
• Immediately after towel drying.  
• At least every 2 hours.  
• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:  
• Wearing hats, sunglasses, and protective clothing.  
• Avoiding the sun, especially from 10 a.m. to 4 p.m.  
• Wearing long-sleeved shirts, pants, hats, and sunglasses.  
• Children under 6 months: Ask a doctor.

**Inactive Ingredients**  
ACRYLAMIDE, ALUMINUM HYDROXIDE, BUTYLENE GLYCOL, BUTYLBENZYL METHYLAMMONIUM CHLORIDE, CALYPTHOLIC ACID, CARRAGEENAN, CARRAGEENAN K1, CARRAGEENAN K2, CARRAGEENAN K3, CARRAGEENAN K4, CARRAGEENAN K5, CARRAGEENAN K6, CARRAGEENAN K7, CARRAGEENAN K8, CARRAGEENAN K9, CARRAGEENAN K10, CARRAGEENAN K11, CARRAGEENAN K12, CARRAGEENAN K13, CARRAGEENAN K14, CARRAGEENAN K15, CARRAGEENAN K16, CARRAGEENAN K17, CARRAGEENAN K18, CARRAGEENAN K19, CARRAGEENAN K20, CARRAGEENAN K21, CARRAGEENAN K22, CARRAGEENAN K23, CARRAGEENAN K24, CARRAGEENAN K25, CARRAGEENAN K26, CARRAGEENAN K27, CARRAGEENAN K28, CARRAGEENAN K29, CARRAGEENAN K30, CARRAGEENAN K31, CARRAGEENAN K32, CARRAGEENAN K33, CARRAGEENAN K34, CARRAGEENAN K35, CARRAGEENAN K36, CARRAGEENAN K37, CARRAGEENAN K38, CARRAGEENAN K39, CARRAGEENAN K40, CARRAGEENAN K41, CARRAGEENAN K42, CARRAGEENAN K43, CARRAGEENAN K44, CARRAGEENAN K45, CARRAGEENAN K46, CARRAGEENAN K47, CARRAGEENAN K48, CARRAGEENAN K49, CARRAGEENAN K50, CARRAGEENAN K51, CARRAGEENAN K52, CARRAGEENAN K53, CARRAGEENAN K54, CARRAGEENAN K55, CARRAGEENAN K56, CARRAGEENAN K57, CARRAGEENAN K58, CARRAGEENAN K59, CARRAGEENAN K60, CARRAGEENAN K61, CARRAGEENAN K62, CARRAGEENAN K63, CARRAGEENAN K64, CARRAGEENAN K65, CARRAGEENAN K66, CARRAGEENAN K67, CARRAGEENAN K68, CARRAGEENAN K69, CARRAGEENAN K70, CARRAGEENAN K71, CARRAGEENAN K72, CARRAGEENAN K73, CARRAGEENAN K74, CARRAGEENAN K75, CARRAGEENAN K76, CARRAGEENAN K77, CARRAGEENAN K78, CARRAGEENAN K79, CARRAGEENAN K80, CARRAGEENAN K81, CARRAGEENAN K82, CARRAGEENAN K83, CARRAGEENAN K84, CARRAGEENAN K85, CARRAGEENAN K86, CARRAGEENAN K87, CARRAGEENAN K88, CARRAGEENAN K89, CARRAGEENAN K90, CARRAGEENAN K91, CARRAGEENAN K92, CARRAGEENAN K93, CARRAGEENAN K94, CARRAGEENAN K95, CARRAGEENAN K96, CARRAGEENAN K97, CARRAGEENAN K98, CARRAGEENAN K99, CARRAGEENAN K100.

**Other information**  
• Protect this product from excessive heat and direct sun.  
**Questions or comments?**  
Call toll free 800-367-7710

MARCELLE



CC  
CREAM  
GOLDEN GLOW

COMPLETE CORRECTION SUNSCREEN  
BROAD SPECTRUM SPF 35  
Tinted Cream

**Active Ingredients**  
Octinoxate 7.5%  
Oxybenzone 3.0%

**Purpose**  
Sunscreen

**Uses:** Helps prevent sunburn. If used with other sun protection measures, (see **Directions**) decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings: For external use only. Do not use** on damaged or broken skin. **When using this product** keep out of eyes. Rinse with water to remove. **Stop use and ask a doctor** if rash occurs. **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Centre right away.

**Directions**  
• apply liberally 15 minutes before sun exposure.  
• reapply at least every 2 hours.  
• children under 6 months: Ask a doctor.

**Application**  
Apply on cleansed face before exposure to sun; can be worn alone or as a make-up base.

Hypoallergenic | 100% Perfume Free

**GROUPE MARCELLE INC.**  
**MONTREAL, CANADA H8T 1A1**  
Made in Canada  
[marcelle.com](http://marcelle.com) 01-49-473

MARCELLE®

C.C.™

CREAM

**COMPLETE CORRECTION  
SUNSCREEN  
BROAD SPECTRUM  
SPF 35**

Tinted Cream

**REDUCES THE APPEARANCE  
OF DARK SPOTS**

Protects against UVA & UVB

**GOLDEN GLOW**  
HYPOALLERGENIC  
DERMATOLOGIST TESTED

**7 mL 0.24 Fl. Oz.**



**Active Ingredients**  
Octinoxate 7.5%  
Oxybenzone 3.0%

**Purpose**  
Sunscreen

**Uses:** Helps prevent sunburn. If used with other sun protection measures, (see **Directions**) decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings:** For external use only./Do not use on damaged or broken skin./When using this product keep out of eyes. Rinse with water to remove./Stop use and ask a doctor if rash occurs./Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Centre right away.

**Directions**  
• apply liberally 15 minutes before sun exposure.  
• reapply at least every 2 hours.  
• children under 6 months: Ask a doctor.

**Application**  
Apply on cleansed face before exposure to sun; can be worn alone or as a make-up base.

Hypoallergenic | 100% Perfume Free

**GROUPE MARCELLE INC.**  
**MONTREAL, CANADA H8T 1A1**  
Made in Canada  
[marcelle.com](http://marcelle.com) 01-49-473

**MARCELLE®**

**C.C.™**

**CREAM**

**COMPLETE CORRECTION  
SUNSCREEN  
BROAD SPECTRUM  
SPF 35**

Tinted Cream

**REDUCES THE APPEARANCE  
OF DARK SPOTS**

Protects against UVA & UVB

**GOLDEN GLOW**  
HYPOALLERGENIC  
DERMATOLOGIST TESTED

**7 mL 0.24 Fl. Oz.**



<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.525 g in 7 mL
<b>OXYBENZONE</b> (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	0.21 g in 7 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PC10R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>PEG-12 DIMETHICONE/PPG-20 CROSSPOLYMER</b> (UNII: 965K72OQXO)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>POLYMETHYLSILSESQUOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>BIS-PEG/PPG-14/14 DIMETHICONE</b> (UNII: X2I70H0QJE)	
<b>XYLITYLGLUCOSIDE</b> (UNII: 00IEZ166FB)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>ANHYDROXYLITOL</b> (UNII: 8XWR7NN42F)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>SUCROSE DILAURATE</b> (UNII: 5926LC4S7M)	
<b>XYLITOL</b> (UNII: VCQ006KQ1E)	
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>CHICORY ROOT</b> (UNII: 090CTY533N)	
<b>DEXTROSE</b> (UNII: IY9XDZ35W2)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>BIO SACCCHARIDE GUM-1</b> (UNII: BB4PU4V09H)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>PEA</b> (UNII: W4X7H8GYFM)	
<b>MATRICARIA RECUTITA FLOWERING TOP</b> (UNII: 3VNC7T6Z02)	
<b>CAMELLIA OLEIFERA LEAF</b> (UNII: 5077EL0C60)	
<b>ISOCETETH-10</b> (UNII: 1K92T9919H)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>HYDROLYZED WHEAT PROTEIN (ENZYMATIC; 3000 MW)</b> (UNII: J2S07SB0YL)	

<b>P-ANISIC ACID</b> (UNII: 4SB6Y7DMM3)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>SORBIC ACID</b> (UNII: X045WJ989B)	
<b>IODOPROPYNYL BUTYLCARBAMATE</b> (UNII: 603P14DHEB)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>GOLD</b> (UNII: 79Y1949PYO)	

### Product Characteristics

<b>Color</b>	brown (Tinted Cream)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69922-003-01	1 in 1 CARTON	06/01/2017	
1		7 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	06/01/2017	

**Labeler** - Groupe Marcelle Inc. (202309647)

Revised: 6/2018

Groupe Marcelle Inc.