PRESIGEN- presigen capsule Tejeda Enterprises Incorporated

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

SUGGESTED USE: Take 2 capsules by mouth before breakfast and 2 capsules at night before dinner.

Keep bottle tightly closed. Store in a cool dry place, out of children's reach.

Not safe for pregnant women,

Do not use if imprinted seal under cap is broken or missing.

Inactive Ingredients

Vegetable Capsule (HPMC), Rice Flour, Syzygium aromaticum L

Medicinal Technologies

PRESIGEN

Personal care should always begin with pure ingredients, and that's the concept behind the products of Medicinal Technologies. We focus on the development of biomedical remedies to address the source of ailments on a cellular level. We pride ourselves in the care and time that is taken for the creation of each individual product, keeping in mind the health and welfare of all. We use no artificial days, parabens, DEA'S, fragrances, Preservatives or phthalates.

Medicinal Technologies

DOCTOR RECOMMENDED

PRESIGEN

Decrease Ocular Pressure

Minimize Pressure Related Headaches

Improve Visual Acuity • Reduce Light Sensitivity

Allium sativum

Momordica charantia

Keep bottle tightly closed. Store in a cool dry place, out of children's reach.

Minimize Pressure Related Headaches Improve Visual Acuity Reduce Light Sensitivity

Medicinal Technologies

PRESIGEN

Content of Labeling

Personal care should always begin with pure ingredients, and that's the concept behind the products of Medicinal Technologies. We focus on the development of biomedical remedies to address the source of ailments on a cellular level. We pride ourselves in the care and time that is taken for the creation of each individual product, keeping in mind the health and welfare of all. We use no artificial days, parabens, DEA'S, fragrances, Preservatives or phthalates.

PRESIGEN



- Decrease Ocular Pressure
- Minimize Pressure Related Headaches
- Improve Visual Acuity
- Reduce Light Sensitivity



SUGGESTED USE: Take 2 capsules by mouth before breakfast and 2 capsules at night before dinner.
Keep bottle tightly closed. Store in a cool dry place, out of children's reach.

Distributed by: Tejeda Enterprices Incorporated

1-833-363-6436

Quality Tested in U.S.A

USP has tested and verified ingredients, potency and manufacturing process.



These statements are being reviewed for approval by the Food and Drug Administration

Medicinal Technologies

120 Capsules

Medicinal Technologies

PRESIGEN

presigen capsule

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84761-0003
---------------------	----------------	--------------------	----------------

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALLIUM SATIVUM WHOLE (UNII: IIF21WT8O3) (ALLIUM SATIVUM WHOLE - UNII: IIF21WT8O3)	ALLIUM SATIVUM WHOLE	2000 mg in 2 U
MOMORDICA CHARANTIA STEM (UNII: 3CLE6O58O9) (MOMORDICA CHARANTIA STEM - UNII:3CLE6O58O9)	MOMORDICA CHARANTIA STEM	740 mg in 2 U

Inactive Ingredients

	Ingredient Name	Strength
- 1		

SYZYGIUM AROMATICUM LEAF (UNII: 4884JIE1TX)

Product Characteristics

Color	white	Score	score with uneven pieces
Shape	CAPSULE	Size	20mm
Flavor		Imprint Code	
Contains			

Packaging

- dekaging						
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
	1	NDC:84761- 0003-2	60 U in 1 PACKAGE; Type 0: Not a Combination Product	10/01/2024		

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	10/01/2024			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

Labeler - Tejeda Enterprises Incorporated (116999761)

Registrant - Tejeda Enterprises Incorporated (116999761)

Establishment				
Name	Address	ID/FEI	Business Operations	
Tejeda Enterprises Incorporated		116999761	manufacture(84761-0003)	

Revised: 12/2025 Tejeda Enterprises Incorporated