LEADERS MEDIU PURIFYING SALT PACK- allantoin gel SANSUNG LIFE & SCIENCE CO., LTD.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ACTIVE INGREDIENT

Active Ingredient: Allantoin 0.50%

INACTIVE INGREDIENT

Inactive Ingredients: Water, Glycerin, Dipropylene Glycol, Butylene Glycol, Alcohol, Bentonite, Kaolin, Magnesium Aluminum Silicate, Polyvinyl Alcohol, Titanium Dioxide, Caprylic/Capric Triglyceride, Betaine, Sodium Chloride, Decylene Glycol, Ethylhexylglycerin, Hexylene Glycol, Boswellia serrata resin extract, Fragrance, Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Xanthan gum, Ferric Ammonium Ferrocyanide, Isohexadecane, Polysorbate 80, Rubus coreanus fruit extract, Cnidium officinale root extract, Snail secretion filtrate, Disodium EDTA, CI 19140, CI 42090, Totarol

PURPOSE

Purpose: Skin Protectant

WARNINGS

Warnings: For external use only. Avoid contact with eyes. Not for human consumption. Discontinue use if irritation occurs. If irritation persists, consult a physician.

Use immediately after opening. Store in cool and dry place. Keep out of reach of children.

KEEP OUT OF REACH OF CHILDREN

KEEP OUT OF REACH OF CHILDREN

Directions

Directions: After cleansing face, apply a thin layer of the Wash-Off Pack on the face, leaving out the area around eyes and mouth. Leave on for 5-10 minutes then wash off with tepid water. *Suggested use is 2-3 times a week.

Directions

Directions: After cleansing face, apply a thin layer of the Wash-Off Pack on the face, leaving out the area around eyes and mouth. Leave on for 5-10 minutes then wash off with tepid water. *Suggested use is 2-3 times a week.

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL



| LEADERS MEDIU PURIFYING SALT PACK | | | | | | | | | | |
|-------------------------------------|-------------------------|--------------------|--------------------------|---------------|-------------|--|--|--|--|--|
| allantoin gel | | | | | | | | | | |
| | | | | | | | | | | |
| Product Information | | | | | | | | | | |
| Product Type | HUMAN OTC DRUG | Item Code (Source) | | NDC:69424-490 | | | | | | |
| Route of Administration | TOPICAL | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| Active Ingredient/Active Moiety | | | | | | | | | | |
| Ingredient Name | | | Basis of Strength | | Strength | | | | | |
| Allantoin (UNII: 344S277G0Z) (ALLAN | TOIN - UNII:344S277G0Z) | | Allantoin | 50 r | ng in 10 mL | | | | | |
| | | | | | | | | | | |

| Inactive Ingredients | | | | | | | | | |
|-----------------------|-----------------------------|--|----------------|-----------|--------------------|--|--|--|--|
| Ingredient Name | | | | | Strength | | | | |
| Wat | ter (UNII: 059QF0K | 20R) | | | | | | | |
| Glye | Glycerin (UNII: PDC6A3C0OX) | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| Packaging | | | | | | | | | |
| # | Item Code | Package Description | Marketing Sta | rt Date M | arketing End Date | | | | |
| 1 N | DC:69424-490-01 | 10 mL in 1 CARTON; Type 0: Not a Combination Product | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| Marketing Information | | | | | | | | | |
| Ma | rketing Category | Application Number or Monograph Citation | Marketing Star | rt Date M | larketing End Date | | | | |
| ОТС | C monograph final | part347 | 12/0 1/20 15 | | | | | | |
| | | | | | | | | | |

Labeler - SANSUNG LIFE & SCIENCE CO., LTD. (689524929)

Registrant - SANSUNG LIFE & SCIENCE CO., LTD. (689524929)

Establishment

| Name | Address | ID/FEI | Business Operations |
|----------------------------------|---------|-----------|------------------------|
| SANSUNG LIFE & SCIENCE CO., LTD. | | 689524929 | manufacture(69424-490) |

Revised: 2/2016

SANSUNG LIFE & SCIENCE CO., LTD.