

**ANTACID AND ANTIGAS- calcium carbonate, magnesium hydroxide, simethicone liquid
Geri-Care Pharmaceuticals, Corp**

mei 655 mylanta classic

Active ingredients (in each 10 mL dose)

Calcium carbonate 800 mg
Magnesium hydroxide 270 mg
Simethicone 80 mg

Purposes

Antacid

Antigas

Uses

relieves

- heartburn
- sour stomach
- acid indigestion
- the symptoms referred to as gas
- upset stomach associated with these symptoms

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug.

Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last for more than 2 weeks

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Directions

- shake well before use
- adults and children 12 years of age and older: take 10 mL to 20 mL (1 to 2 doses)

between meals as needed, at bedtime,

or as directed by a doctor

- do not take more than 60 mL (6 doses) in any 24-hour period or use the maximum dosage for more than 2 weeks
- children under 12 years of age: ask a doctor
- mL = milliliter

Other information

- **each 10 mL dose contains:** calcium 320 mg, magnesium 115 mg
- do not freeze
- store at room temperature tightly closed

Inactive ingredients

benzyl alcohol, flavor, purified water, simethicone emulsion, sorbic acid, sorbitol solution, sucralose, xanthan gum

Questions or comments?

1-800-540-3765

package Label



NDC 57896-655-12

GERI CARE®

Compare to the
Mylanta Classic
active ingredients*ANTACID &
ANTIGASLiquid Antacid +
Anti-Gas

FAST RELIEF

- HEARTBURN
- ACID INDIGESTION
- PRESSURE
- BLOATING



CITRUS-MINT FLAVOR

12 FL OZ (355 mL)



210-07522-0 REV1125

Drug Facts

TAMPER-EVIDENT: DO NOT USE IF THE BREAKAWAY
BAND ON CAP IS BROKEN OR MISSING.Active ingredients
(in each 10 mL dose)

| Active ingredients | Purposes |
|----------------------------|----------|
| Calcium carbonate 800 mg | Antacid |
| Magnesium hydroxide 270 mg | Antacid |
| Simethicone 80 mg | Antigas |

Uses

- heartburn • sour stomach
- acid indigestion • the symptoms referred to as gas
- upset stomach associated with these symptoms

Warnings

- Ask a doctor before use if you have
- kidney disease • a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last for more than 2 weeks

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions

- shake well before use
- adults and children 12 years of age and older: take 10 mL to 20 mL (1 to 2 doses) between meals as needed, at bedtime, or as directed by a doctor
- do not take more than 60 mL (6 doses) in any 24-hour period or use the maximum dosage for more than 2 weeks
- children under 12 years of age: ask a doctor
- mL=milliliter

Other information

- each 10 mL dose contains:
- calcium 320 mg, magnesium 115 mg
- do not freeze • store at room temperature tightly closed

Inactive ingredients benzyl alcohol, flavor, purified water, simethicone emulsion, sorbic acid, sorbitol solution, sucralose, xanthan gum

Questions or comments? 1-800-540-3765

*This product is not manufactured or distributed by Kenvue Inc., the owner of the registered trademark Mylanta, or its licensee, Inifirst Healthcare Inc.

Distributed by
Geri-Care Pharmaceuticals
1295 Towbin Ave.
Lakewood, NJ 08701
910-07522-0 REV 1125



ANTACID AND ANTIGAS

calcium carbonate, magnesium hydroxide, simethicone liquid

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:57896-655 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|---------------------|-----------------|
| CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB) | CALCIUM CARBONATE | 800 mg in 10 mL |
| DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O) | DIMETHICONE | 80 mg in 10 mL |
| MAGNESIUM HYDROXIDE (UNII: NBZ 3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838) | MAGNESIUM HYDROXIDE | 270 mg in 10 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| BENZYL ALCOHOL (UNII: LKG8494WBH) | |
| SORBIC ACID (UNII: X045WJ989B) | |
| SUCRALOSE (UNII: 96K6UQ3ZD4) | |
| XANTHAN GUM (UNII: TTV12P4NEE) | |
| WATER (UNII: 059QF0KO0R) | |
| SORBITOL SOLUTION (UNII: 8KW3E207O2) | |

Product Characteristics

| | | | |
|-----------------|----------------------|---------------------|--|
| Color | | Score | |
| Shape | | Size | |
| Flavor | CITRUS (citrus mint) | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:57896-655-12 | 355 mL in 1 BOTTLE; Type 0: Not a Combination Product | 12/01/2025 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M001 | 12/01/2025 | |

Labeler - Geri-Care Pharmaceuticals, Corp (611196254)

Registrant - GCP Laboratories (965480861)

Establishment

| Name | Address | ID/FEI | Business Operations |
|------------------|---------|-----------|--|
| GCP Laboratories | | 965480861 | manufacture(57896-655) , pack(57896-655) |

Revised: 12/2025

Geri-Care Pharmaceuticals, Corp