

**MENTHOL- menthol gel
CHEMCO CORPORATION**

49283-577-03

Menthol 4%

Topical Analgesic

USE

Aid for temporary local relief of minor pain in muscles or joints.

For external use only. · Ask a doctor before use if you have redness over affected area

Use only as directed.

Do not bandage tightly or use with a heating pad.

Avoid contact with eyes and mucous membranes.

Do not apply to wounds or damaged, broken or irritated skin.

If you experience an allergic reaction, discontinue use and consult a doctor.

Do not expose the area treated with product to heat or direct sunlight.

Stop use and ask a doctor if

Condition worsens.

Redness is present.

Irritation develops.

Symptoms persist for more than 7 days or clear up occur again within a few days.

You experience signs injury, such as pain, swelling or blistering where the product was applied.

Ask a health professional before use.

If swallowed, get medical help, or contact a Poison Control Center right away.

DIRECTIONS

Adults and Children over 12 years

Apply a small amount to the affected area.

Massage in circular motion, let set for a few seconds.

Repeat as necessary, but no more than 3 to 4 times daily.

Children under 12 years of age: do not use, consult a doctor.

Store tightly closed in a dry place at controlled room temperature between 59°-86° F (15°-30° C).

Water (Aqua), Alcohol Denat, Ceteareth-25, Glycerin, Calendula Officinalis Extract, Caprylic/Capric Triglyceride, Carbomer, Sodium Hydroxide, Cannabis Sativa Seed Oil, Methyl Salicylate, Benzyl Alcohol, Salicylic Acid, Sorbic Acid.

PAIN RELIEF

MENTHOL

Drug Facts	
Active ingredient	
Purpose	Menthol 4%Topical Analgesic
Use	Aid for temporary local relief of minor pain in muscles or joints.
Warnings	<ul style="list-style-type: none"> For external use only. • Ask a doctor before use if you have redness over affected area
When using this product	<ul style="list-style-type: none"> Use only as directed. Do not bandage tightly or use with a heating pad. Avoid contact with eyes and mucous membranes. Do not apply to wounds or damaged, broken or irritated skin. If you experience an allergic reaction, discontinue use and consult a doctor. Do not expose the area treated with product to heat or direct sunlight.
Stop use and ask a doctor if	<ul style="list-style-type: none"> Condition worsens. Redness is present. Irritation develops. Symptoms persist for more than 7 days or clear up occur again within a few days. You experience signs injury, such as pain, swelling or blistering where the product was applied.
If pregnant or breast - feeding	Ask a health professional before use.
Keep out of reach of children	If swallowed, get medical help, or contact a Poison Control Center right away.
Directions	
Adults and Children over 12 years	<ul style="list-style-type: none"> Apply a small amount to the affected area. Massage in circular motion, let set for a few seconds. Repeat as necessary, but no more than 3 to 4 times daily.
Children under 12 years of age: do not use, consult a doctor.	
Other information	Store tightly closed in a dry place at controlled room temperature between 59°-86° F (15°-30° C).
Inactive Ingredients	Water (Aqua), Alcohol Denat, Ceteareth-25, Glycerin, Calendula Officinalis Extract, Caprylic/Capric Triglyceride, Carbomer, Sodium Hydroxide, Cannabis Sativa Seed Oil, Methyl Salicylate, Benzyl Alcohol, Salicylic Acid, Sorbic Acid.

MENTHOL

menthol gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49283-577
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A) (MENTHOL, UNSPECIFIED FORM - UNII:L7T10EIP3A)	MENTHOL, UNSPECIFIED FORM	4 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
CETEARETH-25 (UNII: 8FA93U5T67)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
GLYCERIN (UNII: PDC6A3C00X)	
ALCOHOL (UNII: 3K9958V90M)	

SALICYLIC ACID (UNII: O414PZ4LPZ)

CARBOMER 940 (UNII: 4Q93RCW27E)

SORBIC ACID (UNII: X045WJ989B)

SODIUM HYDROXIDE (UNII: 55X04QC32I)

BENZYL ALCOHOL (UNII: LKG8494WBH)

CALENDULA OFFICINALIS FLOWER (UNII: P0M7O4Y7YD)

METHYL SALICYLATE (UNII: LAV5U5022Y)

CANNABIS SATIVA SEED OIL (UNII: 69VJ1LPN1S)

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49283-577-03	90 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	12/20/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	12/20/2025	

Labeler - CHEMCO CORPORATION (032495954)

Revised: 12/2025

CHEMCO CORPORATION