

**ANTACID AND ANTIGAS- calcium carbonate, magnesium hydroxide,
simethicone liquid**

Geri-Care Pharmaceuticals, Corp

gc 662 mylanta honey

Active ingredients (in each 10 mL dose)

Calcium carbonate 800 mg
Magnesium hydroxide 270 mg
Simethicone 80 mg

Purposes

Antacid

Antigas

Uses

relieves

- heartburn
- sour stomach
- acid indigestion
- the symptoms referred to as gas
- upset stomach associated with these symptoms

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug.

Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last for more than 2 weeks

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Directions

- shake well before use
- adults and children 12 years of age and older: take 10 mL to 20 mL (1 to 2 doses)

between meals as needed, at bedtime,

or as directed by a doctor

- do not take more than 60 mL (6 doses) in any 24-hour period or use the maximum dosage for more than 2 weeks
- children under 12 years of age: ask a doctor
- mL = milliliter

Other information

- **each 10 mL dose contains:** calcium 320 mg, magnesium 115 mg
- do not freeze
- store at room temperature tightly closed

Inactive ingredients

benzyl alcohol, flavor, purified water, simethicone emulsion, sorbic acid, sorbitol solution, sucralose, xanthan gum

Questions or comments?

1-800-540-3765

package Label



NDC 57896-662-12

Compare to the
Mylanta Tonight
active Ingredients*

ANTACID & ANTIGAS

Liquid Antacid + Anti-Gas

FAST RELIEF

- HEARTBURN
- ACID INDIGESTION
- PRESSURE
- BLOATING

HONEY CHAMOMILE
FLAVOR

12 FL OZ (355 mL)

210-07622-0 REV1125

Drug Facts

TAMPER-EVIDENT: DO NOT USE IF THE
BREAKAWAY BAND ON CAP IS BROKEN OR MISSING.

Active ingredients (in each 10 mL dose)

Calcium carbonate 800 mg.....	Antacid
Magnesium hydroxide 270 mg.....	Antacid
Simethicone 80 mg.....	Antigas

Purposes

- Uses** relieves
- heartburn
 - sour stomach
 - acid indigestion
 - the symptoms referred to as gas
 - upset stomach associated with these symptoms

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are
presently taking a prescription drug. Antacids may interact
with certain prescription drugs.

Stop use and ask a doctor if symptoms last for more than 2 weeks

If pregnant or breast-feeding, ask a health professional
before use.

Keep out of reach of children.

Directions

- shake well before use
- adults and children 12 years of age and older: take 10 mL to 20 mL (1 to 2 doses) between meals as needed, at bedtime, or as directed by a doctor
- do not take more than 60 mL (6 doses) in any 24-hour period or use the maximum dosage for more than 2 weeks
- children under 12 years of age: ask a doctor
- mL=milliliter

Other information

- each 10 mL dose contains:
calcium 320 mg, magnesium 115 mg
- do not freeze
- store at room temperature tightly closed

Inactive ingredients benzyl alcohol, flavor, purified water, simethicone emulsion, sorbic acid, sorbitol solution, sucralose, xanthan gum

Questions or comments? 1-800-540-3765

*This product is not manufactured or distributed by Kenvue Inc., the owner
of the registered trademark Mylanta, or its licensee, Infirst Healthcare Inc.Distributed by
Geri-Care Pharmaceuticals
1295 Towbin Ave.
Lakewood, NJ 08701

910-07622-0 REV1125



ANTACID AND ANTIGAS

calcium carbonate, magnesium hydroxide, simethicone liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57896-662
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6Z B)	CALCIUM CARBONATE	800 mg in 10 mL
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	80 mg in 10 mL
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM HYDROXIDE	270 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
SORBIC ACID (UNII: X045WJ989B)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	
WATER (UNII: 059QF0KO0R)	
SORBITOL SOLUTION (UNII: 8KW3E207O2)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	HONEY (honey camomile)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57896-662-12	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	12/01/2025	

Labeler - Geri-Care Pharmaceuticals, Corp (611196254)

Registrant - GCP Laboratories (965480861)

Establishment

Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	manufacture(57896-662) , pack(57896-662)

Revised: 12/2025

Geri-Care Pharmaceuticals, Corp