

GREEN GUARD SUPER STAT BLOOD CLOTTING FIRST AID- benzethonium chloride and lidocaine aerosol, spray
Unifirst First Aid Corporation

Green Guard Super Stat Blood Clotter Spray

Active Ingredients

Benzethonium Chloride 0.2% w/w

Lidocaine 4% w/w

Purpose

Topical Antiseptic

Topical Anesthetic

Uses

- for help on control of superficial bleeding
- for temporary relief of pain and to help protect against infection in minor cuts, scrapes and minor burns
- minor burns

Warnings

For external use only.

Flammable

- keep away from flame
- contents under pressure
- do not puncture or incinerate container

Do not use

- in or near eyes or other mucous membranes
- in case of serious burns
- in case of deep or puncture wounds
- for a prolonged period of time
- on large portions of the body
- on raw surfaces
- on blistered areas

Stop use and ask a doctor if

- condition worsens or symptoms persist for more than 7 days

- condition clears up and recurs within a few days
- redness, swelling, or irritation occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the infected area
- shake can well before using
- hold 6-8 inches from moist injured area
- spray until area is covered and superficial bleeding has stopped
- scab-like cover will gradually disappear or may be removed with soap and water
- for adult institutional use only
- not intended for use on children under 12 years of age

Other Information

- avoid inhaling
- use only as directed
- intentional misuse by deliberately concentrating and inhaling may be harmful or fatal
- store at room temperature 59-86°F (15-30°C)
- do not expose to temperatures above 120°F

Inactive Ingredients

isobutane, isopropyl myristate, karaya, n-butane, propane, silica, sorbitan monooleate, talc, tragacanth

Green Guard Super Stat Blood Clotter Spray

Super Stat

Blood Clotter Spray

- Aids in control of superficial bleeding
- Temporarily relieves pain of minor cuts, burns and scrapes
- Helps prevent infection
- Contains no fluorocarbons

Green Guard®

Aerosol

WARNING: FLAMMABLE

Contents under Pressure, Read Back Panel Carefully

Net Wt. 3 oz. (85g)

Drug Facts (continued)

Directions

- clean the affected area
- shake can well before using
- hold 6-8 inches from surface
- spray until area is covered and superficial bleeding is stopped
- scab-like cover will gradually disappear or may be removed with soap and water
- for adult institutional use only
- not intended for use on children under 12 years of age

Other information

- avoid inhaling
- use only as directed
- intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal
- store at room temperature 59-86°F (15-30°C)
- do not expose to temperatures above 120° F

Inactive ingredients

isobutane, isopropyl myristate, karaya, n-butane, propane, silica, sorbitan monooleate, talc, tragacanth.

Questions or comments? 1-800-869-6970

Distributed by: GREEN GUARD®
St. Louis, MO 63045
Reorder #3003

Rev. 7/25/18



470341

Super Stat

Blood Clotter Spray

- Aids in control of superficial bleeding
- Temporarily relieves pain of minor cuts, burns and scrapes
- Helps prevent infection
- Contains no fluorocarbons



Aerosol

WARNING: FLAMMABLE
CONTENTS UNDER PRESSURE, READ BACK PANEL CAREFULLY
Net Wt. 3 oz. (85 g)

Drug Facts

Active ingredients	Purposes
Benzethonium Chloride 0.2% w/w.....	Topical antiseptic
Lidocaine 4% w/w.....	Topical anesthetic

Uses

- for help in control of superficial bleeding
- for temporary relief of pain and to help protect against infection in minor cuts, scrapes and minor burns

Warnings

For external use only.

Flammable

- keep away from fire or flame
- contents under pressure
- do not puncture or incinerate container

Do not use

- in or near eyes or other mucous membranes
- in case of serious burns
- in case of deep or puncture wounds
- for a prolonged period of time
- on a large portion of the body
- on raw surfaces
- on blistered areas

Stop use and ask a doctor if

- condition worsens or symptoms persist for more than 7 days
- condition clears up and recurs within a few days
- redness, swelling, or irritation occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

GREEN GUARD SUPER STAT BLOOD CLOTTING FIRST AID

benzethonium chloride and lidocaine aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-300
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	3400 mg in 85 g
BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	170 mg in 85 g

Inactive Ingredients

Ingredient Name	Strength
ISOBUTANE (UNII: BXR49TP611)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
KARAYA GUM (UNII: 73W9IQY50Q)	
BUTANE (UNII: 6LV4FOR43R)	
PROPANE (UNII: T75W9911L6)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SORBITAN MONOOLEATE (UNII: 06XEA2VD56)	
TALC (UNII: 7SEV7J4R1U)	

TRAGACANTH (UNII: 2944357020)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-300-17	85 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	04/05/2013	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	04/05/2013	

Labeler - Unifirst First Aid Corporation (832947092)

Revised: 1/2024

Unifirst First Aid Corporation