

SENNA-S- sennosides and docusate sodium tablet
RMT HEALTH LLC

CRW 455b

Active ingredient (in each tablet)

Docusate Sodium 50 mg
Sennosides 8.6 mg

Purpose

Stool softener
Laxative

Uses

- relieves occasional constipation (irregularity)
- this product generally produces a bowel movement in 6 to 12 hours

Warnings

Do not use • if you are now taking mineral oil, unless directed by a doctor • laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have • stomach pain, nausea or vomiting • noticed a sudden change in bowel habits that lasts over two weeks

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not exceed 8 tablets in 24 hours

Age	Starting Dose	Maximum Dose
adults and children 12 years of age and older	2 tablets once a day preferably at bedtime; increase as needed, or as directed by a doctor	4 tablets in the morning and 4 tablets at bedtime
children under 12		

children under 12
years

ask a doctor

Other information

- **each tablet contains:** calcium 20 mg, sodium 3 mg Very low sodium.
- store at 20°-25°C (68°-77°F); excursions permitted between 15°-30°C (59°-86°F).

Inactive ingredients

cellulose, croscarmellose sodium, dicalcium phosphate, FD&C yellow #6 lake, hypromellose, magnesium stearate, PEG, silica, talc, titanium dioxide.

Questions or comments?

1-800-540-3765

Package Label

Drug Facts Tamper Evident: Do not use if imprinted seal under cap is missing or broken. Active ingredients (in each tablet) Purpose Docusate Sodium 50 mg.....Stool softener Sennosides 8.6 mg.....Laxative Uses • relieves occasional constipation (irregularity) • this product generally produces a bowel movement in 6 to 12 hours Warnings Do not use • if you are now taking mineral oil, unless directed by a doctor • laxative products for longer than 1 week unless directed by a doctor Ask a doctor before use if you have • stomach pain, nausea or vomiting • noticed a sudden change in bowel habits that lasts over two weeks Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.  3 85111 45510 0	CUREWELL™ NDC 85111-455-10 SENNA-S Natural Vegetable Laxative + Stool Softener Sennosides 8.6 mg Docusate Sodium 50 mg Dual Action Overnight Relief Compare to the active ingredients of Senokot-S®* 1000 TABLETS	Drug Facts (continued) Directions • do not exceed 8 tablets in 24 hours <table border="1"><tr><th>Age</th><th>Starting Dose</th><th>Maximum Dose</th></tr><tr><td>Adults and children 12 years of age and older</td><td>2 tablets once a day preferably at bedtime; increase as needed, or as directed by a doctor</td><td>4 tablets in the morning and 4 tablets at bedtime</td></tr></table> Children under 12 years Ask a doctor Other information • each tablet contains: calcium 20 mg, sodium 3 mg Very low sodium. • store at 20°-25°C (68°-77°F); excursions permitted between 15°-30°C (59°-86°F). Inactive ingredients cellulose, croscarmellose sodium, dicalcium phosphate, FD&C yellow #6 lake, hypromellose, magnesium stearate, PEG, silica, talc, titanium dioxide. Questions or comments? 1-800-540-3765 <small>* This product is not manufactured or distributed by the owner of the registered trademark Senokot-S®. DIST. BY: RMT HEALTH LLC 333B US 46W, UNIT 140 Fairfield, NJ 07004 Product of India</small>	Age	Starting Dose	Maximum Dose	Adults and children 12 years of age and older	2 tablets once a day preferably at bedtime; increase as needed, or as directed by a doctor	4 tablets in the morning and 4 tablets at bedtime
Age	Starting Dose	Maximum Dose						
Adults and children 12 years of age and older	2 tablets once a day preferably at bedtime; increase as needed, or as directed by a doctor	4 tablets in the morning and 4 tablets at bedtime						

SENNA-S

sennosides and docusate sodium tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDc:85111-455
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg

Inactive Ingredients

Ingredient Name	Strength
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: L11K75P92J)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TALC (UNII: 7SEV7J4R1U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color	orange	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	PSD22
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85111-455-10	1000 in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	12/01/2025	

Labeler - RMT HEALTH LLC (132906621)

Registrant - Geri-Care Pharmaceutical Corp (611196254)