

WINCO LIDOCAINE PAIN PATCH 4% 5CT- lidocaine pain patch 4% patch
WINCO FOODS, LLC

Winco Lidocaine 25235 Pain Patch 4% 5ct

Active ingredient Purpose

Lidocaine 4%.....Topical anesthetic

Use

temporarily relieves minor pain

Warnings

For external use only

Do not use

- more than 1 patch on your body at a time
- at the same time as other topical analgesics
- on damaged skin, or puncture wounds
- for more than one week without consulting a doctor
- if you are allergic to any ingredients of this product

When using this product

- use only as directed. Read and follow all directions and warnings on this label.
- do not allow contact with the eyes
- do not bandage tightly or apply local heat (such as heating pads) to the area of use
- avoid the patch getting wet for better adhesion
- dispose of used patch in manner that always keeps product away from children or pets. Used patches still contain enough lidocaine to cause serious or life-threatening problems.

Stop use and ask a doctor if

- skin reactions occur, such as pain, swelling, rash, redness, itching, irritation, or blistering where the product was applied
- symptoms persist for more than 7 days or clear up and occur again within a few days
- condition worsens

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children over 12 years:
- clean and dry affected area
- expose a portion of the patch by firmly grasping an edge or corner and gently pull apart until backing separates
- position and apply exposed portion of the patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area
- use 1 patch for up to 12 hours
- children 12 years or younger: ask a doctor

Other information
store at room temperature 20-25°C (68-77°F)

Inactive ingredients

alcohol, aluminum glycinate, glycerin, kaolin, methylparaben, polysorbate 80, propylparaben, purified water, sodium polyacrylate (2500000 MW), tartaric acid, titanium dioxide

Questions? Call 800-824-1706 Monday-Friday 9am - 4pm MST

Distributed By: WINCO FOODS, LLC, BOISE, ID 83704

Made in China



WINCO LIDOCAINe PAIN PATCH 4% 5CT

lidocaine pain patch 4% patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67091-940
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TARTARIC ACID (UNII: W4888I119H)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)	
WATER (UNII: 059QF0KO0R)	
ALUMINUM GLYCINATE (UNII: 1K713C615K)	
KAOLIN (UNII: 24H4NWX5CO)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
ALCOHOL (UNII: 3K9958V90M)	
GLYCERIN (UNII: PDC6A3C00X)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67091-940-05	1 in 1 BOX	12/31/2025	
1		1 g in 1 POUCH; Type 0: Not a Combination Product		



Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	12/31/2025	

Labeler - WINCO FOODS, LLC (056098817)

Revised: 12/2025

WINCO FOODS, LLC