

LLORENS CARE TUSSIN- guaifenesin liquid
Llorens Pharmaceutical International Division, Inc.

LlorensCare Tussin 510

In each 5 mL teaspoonful

Guaifenesin - 100 mg

Purpose

Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

Warnings

Do not use

- if you ever had an allergic reaction to any of the ingredients in this product

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts more than 7 days, comes back or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away

Directions

- do not take more than 6 doses in a 24 hour period
- do not exceed recommended dose

adults and children 12 years and over	2 teaspoonfuls (10 mL) every 4 hours as needed or as directed by a doctor
children under 12 years	do not use

Inactive ingredients: artificial and natural cherry flavor, citric acid, FD&C red #40, menthol, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, sucralose

Questions or comments? 1-866-595-5598

NDC: 54859-510-16

Drug Facts**Active Ingredient (in each 5 mL teaspoonful) Purpose**

Guaiifenesin, USP 100 mg.....Expectorant

USES • Helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive**WARNINGS**
Do not use • if you ever had an allergic reaction to any of the ingredients in this product**Ask a doctor before use if you have** • cough that occurs with too much phlegm (mucus) • cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema.**Stop use and ask a doctor if** cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.**If pregnant or breast-feeding,** ask a health professional before use.**Keep out of the reach of children.** In case of overdose, get medical help or contact Poison Control Center right away.

TUSSIN

Guaiifenesin, USP

100 mg / 5 mL
Sugar Free
Alcohol Free

Manufactured by:Llorens Pharmaceutical International Division, Inc.
7080 NW 37th Ct, Miami, FL 33147Lot #: _____
Exp Date: _____

Compare to Robitussin® Mucus & Chest Congestion*

Relieves Mucus & Chest Congestion

Cherry Flavor
16 oz (473 mL)

Item #: L-207 REV. 07/24

**Drug Facts (continued)****Directions:**

- Do not take more than 6 doses in any 24-hour period
- Do not exceed recommended dose
- Adults and children over 12 years of age, take 2 teaspoonfuls (10 mL) every 4 hours as needed or as directed by a doctor
- Children under 12 years of age, do not use

Other Information:

- Each teaspoonful (5 mL) contains: sodium 2 mg
- Protect from freezing; do not refrigerate; protect from light
- Store at room temperature 20-25°C (68-77°F)
- Tamper Evident: Do not use if foil over bottle opening is torn, broken, or missing.

Inactive Ingredients: artificial and natural cherry flavor, citric acid anhydrous, FD&C Red #40, menthol, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, and sucralose.**Questions or comments?** 1-866-595-5598* This product is not manufactured or distributed by the owner of the registered trademark.
Robitussin® Mucus and Chest Congestion.**LLORENS CARE TUSSIN**

guaiifenesin liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:54859-510
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MENTHOL (UNII: L7T10EIP3A)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54859-510-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/01/2025	

Labeler - Llorens Pharmaceutical International Division, Inc. (037342305)

Revised: 12/2025

Llorens Pharmaceutical International Division, Inc.