

GERICARE TUSSIN DM MAX- dextromethorphan hbr, guaifenesin liquid
GERI-CARE PHARMACEUTICALS, CORP

GeriCare TussinDMMax 591

In each 20 mL

Dextromethorphan HBr- 20 mg

Guaifenesin - 400 mg

Purpose

Cough Suppressant

Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation
- helps loosen phlegm (mucus)
- helps thin bronchial secretions to make coughs more productive

Warnings

Do not use if you are now taking a prescription monamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Do not use if you have ever had an allergic reaction to any of the ingredients in this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or head that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions:

- **do not use more than directed**
- do not take more than 6 doses in 24 hours
- measure only with dosing cup provided
- keep dosing cup with product
- mL=milliliter

Age	Dose
Adults and children over 12 years and over	20 mL every 4 hours
Children under 12 years	do not use

Inactive ingredients artificial and natural flavor, citric acid, FD&C Blue #1, FD&C #40, hydroxyethyl cellulose, menthol, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, sucralose, sucrose.

Questions or comments? 1-866-540-3765

Drug Facts

Active ingredients (in each 20 mL) **Purposes**
Dextromethorphan HBr, USP 20 mg...Cough suppressant
Guaifenesin, USP 400 mg.....Expectorant

Uses
• temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
• helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes


Warnings
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have
• cough that occurs with too much phlegm (mucus)
• cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

NDC 57896-591-08



TUSSIN DM MAX

Adult - For Ages 12 & Older

MAXIMUM STRENGTH

Dextromethorphan HBr - COUGH SUPPRESSANT
Guaifenesin - EXPECTORANT

• Controls Cough
• Relieves Chest Congestion
• Thins & Loosens Mucus

Compare to the active ingredients in Robitussin® DM Maximum Strength Cough + Chest Congestion*

8 FL OZ (237 mL)

Drug Facts (continued)


Directions • do not use more than directed
• do not take more than 6 doses in any 24-hour period
• measure only with dosing cup provided
• keep dosing cup with product
• mL = milliliter
• **adults and children 12 years and over:** 20 mL every 4 hours
• **children under 12 years of age:** do not use

Other information
• each 20 mL contains: **sodium 9 mg**
• store at 20°C-25°C (68° F-77°F); excursions permitted between 15°C-30°C (59°F-86°F)
• **Tamper Evident:** Do not use if imprinted safety seal under cap is broken or missing

Inactive ingredients: Artificial and natural flavor, citric acid, FD&C Blue #1, FD&C Red #40, hydroxyethyl cellulose, menthol, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, sucralose, and sucrose.

Questions or comments: 1-800-540-3765

*This product is not manufactured or distributed by the owner of the registered trademark: Robitussin® DM Maximum Strength Cough + Chest Congestion.
Dist. By: Geri-Care Pharmaceuticals Corp.
1295 Towbin Ave, Lakewood, NJ 08701
Code # L-259
REV 11/25



GERICARE TUSSIN DM MAX

dextromethorphan hbr, guaifenesin liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57896-591
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII: 7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII: 495W7451VQ)	GUAIFENESIN	400 mg in 20 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	

FD&C RED NO. 40 (UNII: WZB9127XOA)	
MENTHOL (UNII: L7T10EIP3A)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SUCROSE (UNII: C151H8M554)	
HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57896-591-08	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/01/2025	

Labeler - GERI-CARE PHARMACEUTICALS, CORP (611196254)

Revised: 12/2025

GERI-CARE PHARMACEUTICALS, CORP