

**CUREWELL TUSSIN- guaifenesin liquid**  
**RMT HEALTH LLC**

-----  
**Curewell Tussin 693**

In each 5 mL teaspoonful

Guaifenesin - 100 mg

**Purpose**

Expectorant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

**Warnings**

**Do not use**

- if you ever had an allergic reaction to any of the ingredients in this product

**Ask a doctor before use if you have**

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**Stop use and ask a doctor if** cough lasts more than 7 days, comes back or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,**ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away

**Directions**

- do not take more than 6 doses in a 24 hour period
- do not exceed recommended dose

---

adults and children 12 years and over	2 to 4 teaspoonfuls every 4 hours (10mL to 20mL)
children under 12 years	ask a doctor

---

**Inactive ingredients:** artificial and natural cherry flavor, citric acid, FD&C red #40, menthol, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, sucralose

**Questions or comments? 1-800-540-3765**

**Drug Facts**  
**Active ingredient**  
(in each 5mL/teaspoonful)  
Guaifenesin, USP 100 mg.....Expectorant  
**Purpose**  
**Uses**  
■ helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive  
**Warnings**  
Do not use  
■ if you ever had an allergic reaction to any of the ingredients in this product  
**Ask a doctor before use if you have**  
■ cough that occurs with too much phlegm (mucus)  
■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema.  
**Stop use and ask a doctor if** cough lasts more than 7 days, comes back or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.  
**If pregnant or breast-feeding**, ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.



3 85111 69316 8

NDC 85111-693-16  


**TUSSIN**  
**GUAIFENESIN ORAL SOLUTION, USP**  
**Thins & Loosens Mucus**  
**Relieves Chest Congestion**  
**Expectorant**  

Sugar Free

Alcohol Free

Compare to the active ingredient of Robitussin\*

**16 FL OZ (473 mL)**

**Drug Facts (continued)**  
**Directions**  
■ Do not take more than 6 doses in a 24 hour period  
■ Do not exceed recommended dose  

adults and children 12 years and over	2 to 4 teaspoonfuls (10 mL to 20 mL) every 4 hours
children under 12 years	ask a doctor

**Other information**  
■ **TAMPER-EVIDENT:** Do not use if foil seal over bottle opening is torn, broken, or missing.  
■ store at room temperature 20°-25°C (68°-77°F), excursions permitted between 15°-30°C (59°-86°F)  
■ protect from freezing  
■ protect from light  
**Inactive ingredients:** Artificial and natural cherry flavor, citric acid, FD&C red #40, menthol, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, sucralose  
**Questions or comments?** 1-800-540-3765  
\*This product is not manufactured or distributed by the owner of registered trademark of Robitussin®  

DIST. BY:  
RMT HEALTH LLC,  
68 Ravona Street, Clifton, NJ 07012  
Rev Date: 11/25  
Lot#  
Exp. Date

Code: L-261

## CUREWELL TUSSIN

guaifenesin liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:85111-693
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85111-693-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2025	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/01/2025	

**Labeler -** RMT HEALTH LLC (132906621)

Revised: 12/2025

RMT HEALTH LLC