

**BELLAS FRIENDS ROLL-ON SUNSCREEN- titanium dioxide, zinc oxide lotion**  
**PANERGYTEK USA INC**

**85950-004 Bellas Friends Roll-on Sunscreen**

Active ingredients

Purpose

Titanium dioxide 4%,Zinc oxide 7% .....Sunscreen

Use.helps prevent sunburn .if used as directed with othersun protection measures(see Directions decreases the risk of skin cancer and early skin aging caused by the sun

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Warnings For external use only

Do not use on damaged or broken skin When using this product keep out of eyes. Rinse with waterto remove.

Stop use and ask a doctor if rash occurs

shake well before use .apply liberally and spread by hand 15 minutes before sun exposure .reapply:.after 80 minutes of swimming or sweating.immediatelyafter towel drying.at least every 2 hours


children under6 months of age:ask a doctor .Sun Protection Mleasures.Spending time in the sun increases your risk of skin cancerand early skin aging. To decrease this risk, regularly usea sunscreen with a Broad Spectrum SPF value of 15 orhigher and other sun protection measures including:limittime in the sun, especially from 10 a.m.-2 p.m. .wear long-sleeved shirts, pants, hats, and sunglasses

Inactive ingredientswater,caprylic/capric triglyceride,dimethicone,tocopherol,glycerin, hydrogenated polyisobutene, butylene glycol dicaprylate/dicaprate,silica / silicon dioxide,vinyldimethicone/methicone silsesquioxane crosspolymer,triethoxycaprylylsilane,Osmanthus fragrans flower extract,trimethylsiloxysilicate, disteardimonium hectorite,butyleneglycol, Portulaca oleracea extract, Chrysanthellum indicum,Aloe barbadensis extract, Sophora angustifolia root extract.

SIZE: **125mm\*94mm**

**125mm**





**BELLAS FRIENDS ROLL-ON SUNSCREEN**

titanium dioxide, zinc oxide lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85950-004
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength

<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	7 g in 100 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	4 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>PURSLANE</b> (UNII: M6S840WYG5)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER</b> (UNII: 9NH1UDD2RR)	
<b>CHRYSANTHELLUM INDICUM FLOWER OIL</b> (UNII: HJ299SUZ05)	
<b>CAPRYLIC/CAPRIC/SUCCINIC TRIGLYCERIDE</b> (UNII: J4BY50FL78)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>ALOE BARBADENSIS LEAF</b> (UNII: ZY81Z83H0X)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>OSMANTHUS FRAGRANS FLOWER</b> (UNII: 4VA0BH57HU)	
<b>HYDROGENATED POLYISOBUTENE 8</b> (UNII: 7YR4ZFS62E)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE</b> (UNII: 75D21FL1PI)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)	
<b>SOPHORA FLAVESCENS ROOT</b> (UNII: IYR6K8KQ5K)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85950-004-01	88 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/04/2026	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/04/2026	

**Labeler** - PANERGYTEK USA INC (122142088)

**Registrant** - PANERGYTEK USA INC (122142088)