

DRAWYUM PAIN RELIEF GEL-PATCH- lidocaine 4% pain relief gel-patch patch
Jiangxi Hemei Pharmaceutical Co., Ltd

84010-243

Active Ingredient

Lidocaine 4%

Purpose

Pain Relief

Use

■ temporarily relieves minor pain associated with: ■ arthritis ■ simple backache ■ bursitis
■ tendonitis ■ muscle strains ■ sprains ■ bruises ■ cramps

Warnings

For external use only

Do not use

■ use only as directed. Read and follow all directions and warnings on this carton. ■ avoid contact with eyes and mucous membranes ■ rare cases of serious burns have been reported with products of this type ■ do not apply to wounds or damaged skin, broken or irritated skin ■ do not bandage tightly or apply local heat (such as heating pads) to the area of use ■ A transient burning sensation may occur upon application but usually disappears within a few days.

When Using

■ use only as directed. Read and follow all directions and warnings on this carton. ■ avoid contact with eyes and mucous membranes ■ rare cases of serious burns have been reported with products of this type ■ do not apply to wounds or damaged skin, broken or irritated skin ■ do not bandage tightly or apply local heat (such as heating pads) to the area of use ■ A transient burning sensation may occur upon application but usually disappears within a few days.

Stop Use

■ condition worsens ■ redness is present ■ irritation develops ■ symptoms persist for more than 7 days or clear up and occur again within a few days ■ you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied If pregnant or breast-feeding. ask a health professional before use

Ask Doctor

■condition worsens ■redness is present ■irritation develops■symptoms persist for more than 7 days or clear up and occur again within a few days ■you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

Keep Out Of Reach Of Children

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions

adults and children over 12 years. ■remove backing from patch by firmly grasping both ends and gently pulling until backing separate in middle ■carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area ■once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area ■Wear one patch for up to 8 hours. ■Repeat if needed, but do not use more than 3 times daily. children 12 years or younger: ask a doctor

Inactive ingredients

water, aluminum hydroxide, cellulose gum, glycerin, isopropyl myristate, nonoxonyl-30, polyacrylic acid, polysorbate 80, sodium polyacrylate, sorbitan sesquioleate, Starch, talc, tartaric acid, titanium dioxide

PRINCIPAL DISPLAY PANEL

C03.99901226

DRAWYUM

128*35*177mm

Drug Facts

Active Ingredient.....Purpose
Lidocaine 4%.....Pain Relief

Uses

Temporarily relieves minor pain associated with:
■ arthritis ■ simple backache ■ bursitis ■ tendonitis ■ muscle strains ■ sprains ■ bruises ■ cramps

Warnings

For external use only

When using this product

use only as directed. Read and follow all directions and warnings on this carton.
■ avoid contact with eyes and mucous membranes
■ rare cases of serious burns have been reported with products of this type
■ do not apply to wounds or damaged skin, broken or irritated skin
■ do not bandage tightly or apply local heat (such as heating pads) to the area of use
■ A transient burning sensation may occur upon application but usually disappears within a few days.

Stop use and ask a doctor if

■ condition worsens ■ redness is present ■ irritation develops
■ symptoms persist for more than 7 days or clear up and occur again within a few days
■ you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children over 12 years.
■ remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle.
■ carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
■ once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area
■ Wear one patch for up to 8 hours.
■ Repeat if needed, but do not use more than 3 times daily.
children 12 years or younger: ask a doctor

Inactive Ingredients

water, aluminum hydroxide, cellulose gum, glycerin, isopropyl myristate, nonoxynol-30, polyacrylic acid, polysorbate 80, sodium polyacrylate, sorbitan sesquioleate, Starch, talc, tartaric acid, titanium dioxide.

Manufacturer: Jiangxi Hemei Pharmaceutical Co., Ltd.
Address: 4th Floor, Building 1956, Phase III, Zhangjiashan Medical Incubation Park, Zhangshu, Yichun, Jiangxi 331208, China(CN)

6 1974603 692235

4% LIDOCAINE PAIN RELIEF GEL-PATCH

DRAWYUM

NDC code: 84010-243-01

LIDOCAINE 4%

Pain Relief Gel-Patch

Maximum Strength PAIN RELIEF

Muscle, Joint, Back, Neck, Shoulder, Legs

Flexible Gel Patch Designed For Secure Application

No-Mess, Single-Use Application

Easy to Apply and Remove

Unscented

12H LONG LASTING

20 PATCHES 4.7"x3.5" (12x9CM)

DRAWYUM PAIN RELIEF GEL-PATCH

lidocaine 4% pain relief gel-patch patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84010-243
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100

Inactive Ingredients

Ingredient Name	Strength
NONOXYNOL-30 (UNII: JJX07DG188)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)	

ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
WATER (UNII: 059QF0KO0R)	
CELLULOSE GUM (UNII: K679OBS311)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)	
TARTARIC ACID (UNII: W4888I119H)	
STARCH, CORN (UNII: O8232NY3SJ)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
GLYCERIN (UNII: PDC6A3C0OX)	
TALC (UNII: 7SEV7J4R1U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84010-243-01	20 in 1 BOX; Type 0: Not a Combination Product	01/05/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/05/2026	

Labeler - Jiangxi Hemei Pharmaceutical Co., Ltd (724892056)

Establishment

Name	Address	ID/FEI	Business Operations
Jiangxi Hemei Pharmaceutical Co., Ltd		724892056	manufacture(84010-243)

Revised: 1/2026

Jiangxi Hemei Pharmaceutical Co., Ltd