

**CVS HEALTH SPF 50 VANISHING ZINC SUN- titanium dioxide, zinc oxide lotion**  
**CVS Pharmacy**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**CVS Health SPF 50 Vanishing Zinc Sun Lotion**

**Active ingredients**

Titanium Dioxide 4.9%, Zinc Oxide 4.7%

**Purpose**

Sunscreen

**Uses**

• helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use**

- on damaged or broken skin

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask doctor if**

- rash occurs.

**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply:
- after 80 minutes of swimming or sweating

- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months: Ask a doctor

### **Other information**

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

### **Inactive ingredients**

Water, Isohexadecane, Butyloctyl Salicylate, Dimethicone, Cetyl Dimethicone, Styrene/Acrylates Copolymer, VP/Eicosene Copolymer, Trimethylsiloxysilicate, Arachidyl Alcohol, Arachidyl Glucoside, Trisiloxane, Dimethicone PEG-8 Laurate, Butylene Glycol, Polysorbate 60, Hydrated Silica, Ceramide 3, Ceramide 6-II, Ceramide 1, Cholesterol, Phytosphingosine, PEG-100 Stearate, Glyceryl Stearate, Ascorbic Acid, Avena Sativa (Oat) Kernel Extract, Beeswax, Behenyl Alcohol, Benzyl Alcohol, Stearic Acid, Bisabolol, Dipotassium Glycyrrhizate, Ethylhexylglycerin, Glycerin, Hydroxyethyl Acrylate/sodium Acryloyldimethyl Taurate Copolymer, Pantothenic Acid, PEG-8, Xanthan Gum, Polyaminopropyl Biguanide, Polymethyl Methacrylate, Alumina, Potassium Sorbate, Retinyl Palmitate, Sodium Lauroyl Lactylate, Carbomer, Tocopheryl Acetate, Disodium EDTA, Methicone, Methylisothiazolinone, Castor Oil Phosphate, Triethoxycaprylylsilane.

### **Label**



# 50

## VANISHING ZINC SUN LOTION

### BROAD SPECTRUM SPF 50 SUNSCREEN

UVA/UVB protection

- Lightweight & oil free
- Formulated with ceramides
- Water resistant (80 minutes)



COMPARE TO CERAVE® INVISIBLEZINC BODY LOTION\*

NET WT 3.0 OZ (85 g)



#### Drug Facts

Active ingredients	Purpose
Titanium Dioxide 4.9% Zinc Oxide 4.7%	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

**For external use only**

**Do not use** • on damaged or broken skin.

**When using this product keep out of eyes.** Rinse with water to remove.

**Stop use and ask a doctor if** • rash occurs.

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: ask a doctor

#### Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

#### Inactive ingredients

Water, Isohexadecane, Butylcetyl Salicylate, Dimethicone, Cetyl Dimethicone, Styrene/Acrylates Copolymer, VP/Eicosene Copolymer, Trimethylsiloxysilicate, Arachidyl Alcohol, Arachidyl Glucoside, Trisiloxane, Dimethicone PEG-8 Laurate, Butylene Glycol, Polysorbate 80, Hydrated Silica, Ceramide B, Ceramide 6-II, Ceramide 1, Cholesterol, Phytosphingosine, PEG-100 Stearate, Glyceryl Stearate, Ascorbic Acid, Avena Sativa (Oat) Kernel Extract, Beeswax, Behenyl Alcohol, Benzyl Alcohol, Stearic Acid, Bisabolol, Dipotassium Glycyrrhizate, Ethylhexylglycerin, Glycerin, Hydroxyethyl Acrylate/sodium Acryloyldimethyl Taurate Copolymer, Pantothenic Acid, PEG-8, Xanthan Gum, Polyaminopropyl Biguanide, Polymethyl Methacrylate, Alumina, Potassium Sorbate, Retinyl Palmitate, Sodium Lauroyl Lactylate, Carbomer, Tocopheryl Acetate, Disodium EDTA, Methicone, Methylisothiazolinone, Castor Oil Phosphate, Triethoxycaprylylsilane.

#### Questions or comments?

Call toll free 1-800-SHOP-CVS

\*This product is not manufactured or distributed by Coria Laboratories, Ltd., owner of the trademark CeraVe®.

**Distributed by: CVS Pharmacy, Inc.**

One CVS Drive, Woonsocket, RI 02895

© 2015 CVS/pharmacy CVS.com® 1-800-SHOP CVS

Made in the U.S.A. with U.S. and

foreign parts V-13190



CVS Health™

50

**VANISHING ZINC SUN LOTION**

**BROAD SPECTRUM SPF 50 SUNSCREEN**

UVA/UVB protection

- Lightweight & oil free
- Formulated with ceramides
- Water resistant (80 minutes)

BODY



COMPARE TO CERAVE® INVISIBLEZINC BODY LOTION\*

NET WT 3.0 OZ (85 g)

**Drug Facts**

**Active Ingredients** Purpose  
Titanium Dioxide 4.9% } Sunscreen  
Zinc Oxide 4.7% }

**Uses**  
• Helps prevent sunburn  
• If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
**For external use only**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
• Apply liberally 15 minutes before sun exposure

- Reapply:
  - After 80 minutes of swimming or sweating
  - Immediately after towel drying
  - At least every 2 hours

**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses
- Children under 6 months: ask a doctor

CVS Health™ Vanishing Zinc Sun Lotion SPF 50 is a broad-spectrum, hypoallergenic body lotion that blends into your skin with no chalky residue. Mineral-based active ingredients reflect the sun's rays and ceramides help skin retain moisture. Water resistance for up to 80 minutes provides protection in and out of the water.

**Directions**  
Apply liberally to all exposed areas 15 minutes before sun exposure.

- Reapply:
- After 80 minutes of swimming or sweating
  - Immediately after towel drying
  - At least every 2 hours

**Sun Protection Measures**  
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses
- Children under 6 months: ask a doctor

**Drug Facts (Continued)**

**Inactive ingredients**  
WATER, ISOHEXADECANE, BUTYLOCTYL SALICYLATE, DIMETHICONE, CETYL DIMETHICONE, STYRENE/ACRYLATES COPOLYMER, VP/EICOSENE COPOLYMER, TRIMETHYLSILOXYSILICATE, ARACHIDYL ALCOHOL, ARACHIDYL GLUCOSIDE, TRISILOXANE, DIMETHICONE PEG-8 LAURATE, BUTYLENE GLYCOL, POLY-SORBATE 60, HYDRATED SILICA, CERAMIDE 3, CERAMIDE 6-II, CERAMIDE 1, CHOLESTEROL, PHYTOSPHINGOSINE, PEG-100 STEARATE, GLYCERYL STEARATE, ASCORBIC ACID, AVENA SATIVA (OAT) KERNEL EXTRACT, BEESWAX, BEHENYL ALCOHOL, BENZYL ALCOHOL, STEARIC ACID, BISABOLOL, DIPOTASSIUM GLYCYRRHIZATE, ETHYLHEXYLGLYCERIN, GLYCERIN, HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER, PANTOTHENIC ACID, PEG-8, XANTHAN GUM, POLYAMINOPROPYL BIGUANIDE, POLYMETHYL METHACRYLATE, ALLUMINA, POTASSIUM SORBATE, RETINYL PALMITATE, SODIUM LAURYL LACTYLATE, CARBOMER, TOCOPHERYL ACETATE, DISODIUM EDTA, METHICONE, METHYL-ISOTHIAZOLINONE, CASTOR OIL PHOSPHATE, TRIETHOXYCAPRYLYLSILANE.

**Other information**  
• protect this product from excessive heat and direct sun  
• may stain or damage some fabrics, materials or surfaces

**Questions or comments?**  
Call toll free 1-800-SHOP CVS

Distributed by: CVS Pharmacy, Inc.  
One CVS Drive, Woonsocket, RI 02895  
© 2015 CVS/pharmacy  
CVS.com® 1-800-SHOP CVS  
Made in the U.S.A. with U.S. and foreign parts V-13190



\*This product is not manufactured or distributed by Coris Laboratories, Ltd., the owner of the trademark Cerave®.

#984964

FPO 80%  
UPC# 050428260371

X XXXXXX XXXXXX X

**CVS HEALTH SPF 50 VANISHING ZINC SUN**

titanium dioxide, zinc oxide lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69842-142
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	47 mg in 1 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	49 mg in 1 g

**Inactive Ingredients**

Ingredient Name	Strength
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>ARACHIDYL GLUCOSIDE</b> (UNII: 6JVV35J0OJ)	
<b>METHYLISOTHIAZOLINONE</b> (UNII: 229D0E1QFA)	
<b>CERAMIDE NG</b> (UNII: C04977SRJ5)	
<b>POLYAMINOPROPYL BIGUANIDE</b> (UNII: DT9D8Z79ET)	
<b>CERAMIDE 6 II</b> (UNII: F1X8L2B00J)	
<b>PHYTOSPHINGOSINE</b> (UNII: GIN46U9Q2Q)	
<b>OAT</b> (UNII: Z6J799EAJK)	
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>CERAMIDE 1</b> (UNII: 5THT33P7X7)	
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)	
<b>DIMETHICONE PEG-8 LAURATE</b> (UNII: 72MF9C2A18)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)	
<b>HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (45000 MPA.S AT 1%)</b> (UNII: 86FQE96TZ4)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>YELLOW WAX</b> (UNII: 2ZA36H0S2V)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>POLY(METHYL METHACRYLATE; 450000 MW)</b> (UNII: Z47NNT4J11)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>PANTOTHENIC ACID</b> (UNII: 19F5HK2737)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>CASTOR OIL PHOSPHATE</b> (UNII: SBR4NJI3UJ)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>ARACHIDYL ALCOHOL</b> (UNII: 1QR1QRA9BU)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>LEVOMENOL</b> (UNII: 24WE03BX2T)	
<b>GLYCYRRHIZINATE DIPOTASSIUM</b> (UNII: CA2Y0FE3FX)	
<b>CHOLESTEROL</b> (UNII: 97C5T2UQ7J)	
<b>CARBOXPOLYMETHYLENE</b> (UNII: 0A5MM307FC)	
<b>TRISILOXANE</b> (UNII: 9G1ZW13R0G)	
<b>CETYL DIMETHICONE 150</b> (UNII: 5L694Y0T22)	
<b>BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER</b> (UNII: V5RS026Q0H)	
<b>VINYLPYRROLIDONE/EICOSENE COPOLYMER</b> (UNII: 035MV9S1C3)	
<b>METHICONE (20 CST)</b> (UNII: 6777U11MKT)	
<b>SODIUM LAUROYL LACTYLATE</b> (UNII: 7243K85WFO)	

**BENZYL ALCOHOL** (UNII: LKG8494WBH)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-142-03	85 g in 1 BOTTLE; Type 0: Not a Combination Product	02/03/2017	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/03/2017	

**Labeler** - CVS Pharmacy (062312574)

Revised: 11/2022

CVS Pharmacy