LBEL SUPREMACIE NX JOUR REPLENISHING DAYTIME FACE SPF 15 NORMAL TO OILY SKIN - ensulizole, homosalate, octinoxate, oxybenzone, titanium dioxide cream Ventura Corporation, LTD

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

L'BEL SUPREMACIE NX JOUR Replenishing Treatment Daytime Face Cream SPF 15 Normal To Oily Skin

L'BEL SUPREMACIE NX JOUR Replenishing Treatment Daytime Face Cream SPF 15 Normal To Oily Skin

Active Ingredients

ENSULIZOLE (1.50%)
HOMOSALATE (1.00%)
OCTINOXATE (7.50%)
OXYBENZONE (4.50%)
TITANIUM DIOXIDE (1.17%)

Uses

Helps prevent sunburn.

Warnings

- **Skin Cancer / Skin Aging Alert**: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.
- For external use only.

Do not use on

damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 years
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

Other Information

- Protect the product in this container from excessive heat and direct sun.
- Use in the morning after cleanser and toner. Apply a small quantity with your fingertips, spreading it over your face with rising, circular movements. Message in gently to help facilitate absorption.

Inactive Ingredients

Aqua (water), cyclopentasiloxane, c12-15 alkyl benzoate, pisum sativum extract (pisum sativum (pea) extract), cyclohexasiloxane, triethanolamine, cetyl alcohol, glycerin, glyceryl stearate, propylene glycol, methyl methacrylate crosspolymer, peg-75 stearate, phenoxyethanol, erythritol, sodium polystyrene sulfonate, xanthan gum, parfum (fragrance), trifolium pratense flower extract (trifolium pratense (clover) flower extract), acrylates/c10-30 alkyl acrylate crosspolymer, ceteth-20, sorghum bicolor stalk juice, steareth-20, methylparaben, silica, methicone, butylparaben, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, stearic acid, chlorphenesin, butylene glycol, sorbic acid, tetrasodium edta, hydroxyethyl acrylate/sodium acryloyldimethyl taurate copolymer, hydrolyzed algin, ethylparaben, dimethiconol, squalane, chlorella vulgaris extract, lecithin, maris aqua (sea water), isobutylparaben, propylparaben, carbomer, polysorbate 60, homarine hcl, ci 19140 (yellow 5), biotinoyl tripeptide-1, ci 14700 (red 4).

Purpose

Sunscreen

EXPERT ROUTINE L'BEL

L'Bel presents Expert Routine, a skin care program with two steps that work together for enhanced results:

- 1. Cleanse the skin according to its needs
- 2. Nourish according to the age.

SUPREMACIE NX JOUR

replenishing daytime face cream SPF 15

L'Bel, fully specialized in cosmetic facial treatment, presents the latest worldwide exclusive: the new Supremacie NX line of replenishing cosmetic treatments improved for women after age 40.

Dazzling beauty for women

The moisturizing formula of Supremacie NX Jour, Offers enhanced results:

- Immediate, strong and long-lasting hydration in the areas where the face needs it most.
- Visibly diminishes the appearance of wrinkles.
- Uncovers skin that looks more firm.

A sensation of well-being that pervades the senses

Its rich and creamy texture, ideal for absorption has been specially created to provide a pleasant sensation of softness and comfort. Its exquisite fragrance rich in essences awakens the skin with new and pleasant emotions.

In two options according to your skin's needs:

- SUPREMACIE NX JOUR replenishing daytime face cream SPF 15 Normal to Dry Skin
- SUPREMACIE NX JOUR replenishing daytime face cream SPF 15 Normal to Oily Skin

USES: Helps prevent sunburn.

WARNINGS: Skin Cancer / Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. **For external use only. Do not use** on damaged or broken skin. **When using this product** keep out of eyes. Rinse with water to remove. **Stop use and ask a doctor if** rash occurs. **Keep out of reach of children**. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: Apply liberally and evenly 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water resistant sunscreen if swimming or sweating. Children under 6 months of age: Ask a doctor.

Other information: Protect the product in this container from excessive heat and direct sun. Use in the morning after cleanser and toner. Apply a small quantity with your fingertips, spreading it over your face with rising, circular movements. Message in gently to help facilitate absorption.

- HYPOALLERGENIC
- DERMATOLOGICALLY AND CLINICALLY TESTED

L'BEL SUPREMACIE NX JOUR

replenishing daytime face cream SPF 15 normal to oily skin

50 ml e (1.6 fl.oz.)

US: Dist. by Ventura International Ltd. DBA Belcorp USA, San Francisco, CA 94111

P.R.: Dist. by Ventura Corporation Ltd. San Juan, Puerto Rico 00926 MADE IN FRANCE

L'BEL SUPREMACIE NX JOUR Replenishing Treatment Daytime Face Cream SPF 15 Normal To Oily Skin

L'BEL

SUPREMACIE NX JOUR

replenishing daytime face cream SPF 15

www.lbel.com

EXPERT ROUTINE L'BEL

L'Bel presents Expert Routine, a skin care program with two steps that work together for enhanced results:

- OCleanse the skin according to its needs.
- Nourish according to age.

1	2 Nourish				
Cleanse	Renovênce Jour	Renovênce Null	o J Renovânce Decolletage		O J Renovânce Veux

SUPRÉMACIE NX JOUR replenishing daytime face cream SPF 15

L'Bel, fully specialized in cosmetic facial treatments, presents the latest worldwide exclusive: the new Suprémacie NX line of replenishing cosmetic treatments improved for women after age 40.

Dazzling beauty for women

The moisturizing formula of Suprémacie NX Jour, offers enhanced results:

- Immediate, strong and long-lasting hydration in the areas where the face needs it most.
 Visibly diminishes the appearance of wrinkles.
 Uncovers skin that looks more firm.

A sensation of well-being that pervades the

Its rich and creamy texture, ideal for absorption has been specially created to provide a pleasant sensation of softness and comfort. Its exquisite fragrance rich in essences awakens the skin with new and pleasant emotions.

In two options according to your skin's needs:

- SUPRÉMACIE NX JOUR replenishing daytime face cream SPF 15 Normal to Dry Skin
- SUPRÉMACIE NX JOUR replenishing daytime face cream SPF 15 Normal to Oily Skin

USES: Helps prevent sunburn.


WARNINGS: Skin Cancer / Skin Aging Alert:
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn. not skin cancer or early skin aging. For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs, Keep out of reach of hildren. If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS: Apply liberally and evenly 15 minutes before sun exposure. Reapply at least every 2 hours, Use a water resistant sunscreen if swimming or sweating, Children under 6 months of age: Ask a doctor.

OTHER INFORMATION: Protect the product in this container from excessive heat and direct supply a small quantity with your fingertips, spreading it over your face with rising, circular movements. Massage in gently to help facilitate absorption,

- HYPOALLERGENIC
 DERMATOLOGICALLY AND CLINICALLY TESTED

MADE IN FRANCE




LBEL

SUPRÉMACIE NX JOUR

replenishing daytime face cream SPF 15 normal to oily skin

50 ml e (1.6 fl.oz.)



USES: Helps prevent sunburn.

WARNINGS: Skin Cancer / Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging. For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes, Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

ACTIVE INGREDIENTS:

Ensulizole (1.5%) Homosalate (1.0%) Ocytinoxate (7.5%) Oxybenzone (4.5%) Titanium dioxide (1.17%)

US: Dist, by Ventura International Ltd. DBA Belcorp USA, San Francisco, CA 94111 P.R.: Dist, by Ventura Corporation, Ltd. San Juan, Puerto Rico 00926.

MADE IN FRANCE

LBEL

Drug Facts

Active Ingredients

Purpose A

Uses

■ Helps prevent sunburn.

Warnings

- Skin Cancer / Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
- For external use only.
- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

Other Information

- Protect the product in this container from excessive heat and direct sun.
- ■Use in the morning after cleanser and toner. Apply a small quantity with your fingertips, spreading it over your face with rising, circular movements. Massage in gently to help facilitate absorption.

Drug Facts (continued)

Inactive Ingredients

Aqua (water), cyclopenta-siloxane, c12-15 alkyl benzoate, pisum sativum extract (pisum sativum (pea) extract), cyclohexasiloxane, triethanolamine, cetyl alcohol, glycerin, glyceryl stearate, propylene glycol, methyl methacrylate crosspolymer, peg-75 stearate, phenoxyethanol, erythritol, sodium polystyrene sulfonate, xanthan gum, parfum (fragrance), trifolium pratense flower extract (trifolium pratense (clover) flower extract), acrylates/c10-30 alkyl acrylate crosspolymer, ceteth-20, sorghum bicolor stalk juice, steareth-20, methylparaben, silica, methicone, butylparaben, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, stearic acid, chlorphenesin, butylene glycol, sorbic acid, tetrasodium edta. hydroxyethyl acrylate/sodium acryloyldimethyl taurate copolymer, hydrolyzed algin, ethylparaben, dimethiconol, squalane, chlorella vulgaris extract, lecithin, maris aqua (sea water), isobutylparaben, propylparaben, carbomer, polysorbate 60, homarine hcl, CI 19140 (yellow 5), biotinoy tripeptide-1, CI 14700 (red 4).

Us: Distributed by Ventura International Ltd. DBA Belcorp USA, San Francisco, CA 94111 PUERTO RICO: Distributed by Ventura Corporation, Ltd. San Juan, Puerto Rico 00928.

MADE IN FRANCE

SUPRÉMACIE NX JOUR

replenishing daytime face cream SPF 15 normal to oily skin

50 ml e (1.6 fl.oz.)

NORMAL TO OILY SKIN

ensulizole, homosalate, octinoxate, oxybenzone, titanium dioxide cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43596-0006
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety					
Ingredient Name	Basis of Strength	Strength			
ENSULIZOLE (UNII: 9 YQ9 DI1W42) (ENSULIZOLE - UNII:9 YQ9 DI1W42)	ENSULIZOLE	1.5 mL in 100 mL			
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	1 mL in 100 mL			
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7.5 mL in 100 mL			
OXYBENZONE (UNII: 950OS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	4.5 mL in 100 mL			
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP) (TITANIUM DIO XIDE - UNII:15FIX9 V2JP)	TITANIUM DIO XIDE	1.17 mL in 100 mL			

ATER (UNII: 059QF0KO0R) YCLOMETHICONE 5 (UNII: 0THT5PCIOR) LKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ) EA (UNII: W4X7H8GYFM) YCLOMETHICONE 6 (UNII: XHK3U310BA) ROLAMINE (UNII: 903K93S3TK) ETYL ALCOHOL (UNII: 936JST6JCN) LYCERIN (UNII: PDC6A3C0OX) LYCERIN (UNII: PDC6A3C0OX) LYCERYL MONOSTEARATE (UNII: 230OU9XXE4) ROPYLENE GLYCOL (UNII: 6DC9Q167V3) EG-75 STEARATE (UNII: 0T38R0N74H) HENOXYETHANOL (UNII: HIE492ZZ3T) RYTHRITOL (UNII: RA96B954X6) DDIUM POLYSTYRENE SULFONATE (UNII: 1699G8679Z) ANTHAN GUM (UNII: TTV12P4NEE) RIFOLIUM PRATENSE FLOWER (UNII: 4JS0838828) ARBOMER INTERPOLYMER TYPE A (55000 MPA.S) (UNII: 59TL3WG5CO) ETETH-20 (UNII: 1835H2IHHX)	
EKYL (C12-15) BENZO ATE (UNII: A9EJ3J61HQ) EA (UNII: W4X7H8GYFM) YCLOMETHICONE 6 (UNII: XHK3U310BA) ROLAMINE (UNII: 903K93S3TK) ETYL ALCOHOL (UNII: 936JST6JCN) LYCERIN (UNII: PDC6A3C0OX) LYCERYL MONOSTEARATE (UNII: 230OU9XXE4) ROPYLENE GLYCOL (UNII: 6DC9Q167V3) EG-75 STEARATE (UNII: OT38R0N74H) HENOXYETHANOL (UNII: HIE492ZZ3T) RYTHRITOL (UNII: RA96B954X6) ODIUM POLYSTYRENE SULFONATE (UNII: 1699G8679Z) ANTHAN GUM (UNII: TTV12P4NEE) RIFOLIUM PRATENSE FLOWER (UNII: 4JS0838828) ARBOMER INTERPOLYMER TYPE A (55000 MPA.S) (UNII: 59TL3WG5CO) ETETH-20 (UNII: 1835H21HHX)	
EA (UNII: W4X7H8GYFM) YCLOMETHICONE 6 (UNII: XHK3U310BA) ROLAMINE (UNII: 903K93S3TK) ETYL ALCOHOL (UNII: 936JST6JCN) LYCERIN (UNII: PDC6A3C0OX) LYCERYL MONOSTEARATE (UNII: 230OU9 XXE4) ROPYLENE GLYCOL (UNII: 6DC9Q167V3) EG-75 STEARATE (UNII: OT38R0N74H) HENOXYETHANOL (UNII: HIE492ZZ3T) RYTHRITOL (UNII: RA96B954X6) DDIUM POLYSTYRENE SULFONATE (UNII: 1699G8679Z) ANTHAN GUM (UNII: TTV12P4NEE) RIFOLIUM PRATENSE FLO WER (UNII: 4JS0838828) ARBOMER INTERPOLYMER TYPE A (55000 MPA.S) (UNII: 59TL3WG5CO) ETETH-20 (UNII: 1835H2IHHX)	
YCLOMETHICONE 6 (UNII: XHK3U310BA) ROLAMINE (UNII: 903K93S3TK) ETYL ALCOHOL (UNII: 936JST6JCN) LYCERIN (UNII: PDC6A3C0OX) LYCERYL MONOSTEARATE (UNII: 2300U9XXE4) ROPYLENE GLYCOL (UNII: 6DC9Q167V3) EG-75 STEARATE (UNII: OT38R0N74H) HENOXYETHANOL (UNII: HIE492ZZ3T) RYTHRITOL (UNII: RA96B954X6) DDIUM POLYSTYRENE SULFONATE (UNII: 1699G8679Z) ANTHAN GUM (UNII: TTV12P4NEE) RIFOLIUM PRATENSE FLO WER (UNII: 4JS0838828) ARBOMER INTERPOLYMER TYPE A (55000 MPA.S) (UNII: 59TL3WG5CO) ETETH-20 (UNII: 1835H2IHHX)	
ROLAMINE (UNII: 903K93S3TK) ETYL ALCOHOL (UNII: 936JST6JCN) LYCERIN (UNII: PDC6A3C0OX) LYCERYL MONOSTEARATE (UNII: 230OU9XXE4) ROPYLENE GLYCOL (UNII: 6DC9Q167V3) EG-75 STEARATE (UNII: OT38R0N74H) HENOXYETHANOL (UNII: HIE492ZZ3T) RYTHRITOL (UNII: RA96B954X6) DDIUM POLYSTYRENE SULFONATE (UNII: 1699G8679Z) ANTHAN GUM (UNII: TTV12P4NEE) RIFOLIUM PRATENSE FLOWER (UNII: 4JS0838828) ARBOMER INTERPOLYMER TYPE A (55000 MPA.S) (UNII: 59TL3WG5CO) ETETH-20 (UNII: 1835H2IHHX)	
ETYL ALCOHOL (UNII: 936JST6JCN) LYCERIN (UNII: PDC6A3C0OX) LYCERYL MONOSTEARATE (UNII: 230OU9XXE4) ROPYLENE GLYCOL (UNII: 6DC9Q167V3) EG-75 STEARATE (UNII: OT38R0N74H) HENOXYETHANOL (UNII: HIE492ZZ3T) RYTHRITOL (UNII: RA96B954X6) ODIUM POLYSTYRENE SULFONATE (UNII: 1699G8679Z) ANTHAN GUM (UNII: TTV12P4NEE) RIFOLIUM PRATENSE FLO WER (UNII: 4JS0838828) ARBOMER INTERPOLYMER TYPE A (55000 MPA.S) (UNII: 59TL3WG5CO) ETETH-20 (UNII: 1835H2IHHX)	
LYCERIN (UNII: PDC6A3C0OX) LYCERYL MONOSTEARATE (UNII: 230OU9XXE4) ROPYLENE GLYCOL (UNII: 6DC9Q167V3) EG-75 STEARATE (UNII: OT38R0N74H) HENOXYETHANOL (UNII: HIE492ZZ3T) RYTHRITOL (UNII: RA96B954X6) ODIUM POLYSTYRENE SULFONATE (UNII: 1699G8679Z) ANTHAN GUM (UNII: TTV12P4NEE) RIFOLIUM PRATENSE FLOWER (UNII: 4JS0838828) ARBOMER INTERPOLYMER TYPE A (55000 MPA.S) (UNII: 59TL3WG5CO) ETETH-20 (UNII: 1835H2IHHX)	
LYCERYL MONOSTEARATE (UNII: 230 O U9 XXE4) ROPYLENE GLYCOL (UNII: 6 D C 9 Q 16 7 V 3) EG-75 STEARATE (UNII: OT38 R 0 N 7 4 H) HENO XYETHANOL (UNII: HIE 49 2 Z Z 3 T) RYTHRITOL (UNII: RA9 6 B 9 5 4 X 6) O DIUM POLYSTYRENE SULFONATE (UNII: 16 9 9 G 8 6 7 9 Z) ANTHAN GUM (UNII: TTV 12 P 4 N E E) RIFOLIUM PRATENSE FLOWER (UNII: 4 J S 0 8 3 8 8 2 8) ARBOMER INTERPOLYMER TYPE A (55000 MPA.S) (UNII: 5 9 T L 3 W G 5 C O) ETETH-20 (UNII: 18 3 5 H 2 I H H X)	
ROPYLENE GLYCOL (UNII: 6DC9Q167V3) EG-75 STEARATE (UNII: OT38R0N74H) HENOXYETHANOL (UNII: HIE492ZZ3T) RYTHRITOL (UNII: RA96B954X6) ODIUM POLYSTYRENE SULFONATE (UNII: 1699G8679Z) ANTHAN GUM (UNII: TTV12P4NEE) RIFOLIUM PRATENSE FLOWER (UNII: 4JS0838828) ARBOMER INTERPOLYMER TYPE A (55000 MPA.S) (UNII: 59TL3WG5CO) ETETH-20 (UNII: 1835H2IHHX)	
EG-75 STEARATE (UNII: OT38R0N74H) HENO XYETHANOL (UNII: HIE492ZZ3T) RYTHRITOL (UNII: RA96B954X6) ODIUM POLYSTYRENE SULFONATE (UNII: 1699G8679Z) ANTHAN GUM (UNII: TTV12P4NEE) RIFOLIUM PRATENSE FLOWER (UNII: 4JS0838828) ARBOMER INTERPOLYMER TYPE A (55000 MPA.S) (UNII: 59TL3WG5CO) ETETH-20 (UNII: 1835H2IHHX)	
HENO XYETHANOL (UNII: HIE492ZZ3T) RYTHRITOL (UNII: RA96B954X6) D DIUM POLYSTYRENE SULFONATE (UNII: 1699G8679Z) ANTHAN GUM (UNII: TTV12P4NEE) RIFOLIUM PRATENSE FLOWER (UNII: 4JS0838828) ARBOMER INTERPOLYMER TYPE A (55000 MPA.S) (UNII: 59TL3WG5CO) ETETH-20 (UNII: 1835H2IHHX)	
RYTHRITOL (UNII: RA96B954X6) ODIUM POLYSTYRENE SULFONATE (UNII: 1699G8679Z) ANTHAN GUM (UNII: TTV12P4NEE) RIFOLIUM PRATENSE FLO WER (UNII: 4JS0838828) ARBOMER INTERPOLYMER TYPE A (55000 MPA.S) (UNII: 59TL3WG5CO) ETETH-20 (UNII: 1835H2IHHX)	
ODIUM POLYSTYRENE SULFONATE (UNII: 1699G8679Z) ANTHAN GUM (UNII: TTV12P4NEE) RIFOLIUM PRATENSE FLOWER (UNII: 4JS0838828) ARBOMER INTERPOLYMER TYPE A (55000 MPA.S) (UNII: 59TL3WG5CO) ETETH-20 (UNII: 1835H2IHHX)	
ANTHAN GUM (UNII: TTV12P4NEE) RIFO LIUM PRATENSE FLO WER (UNII: 4JS0838828) ARBOMER INTERPOLYMER TYPE A (55000 MPA.S) (UNII: 59TL3WG5CO) ETETH-20 (UNII: 1835H2IHHX)	
RIFOLIUM PRATENSE FLOWER (UNII: 4JS0838828) ARBOMER INTERPOLYMER TYPE A (55000 MPA.S) (UNII: 59TL3WG5CO) ETETH-20 (UNII: I835H2IHHX)	
ARBOMER INTERPOLYMER TYPE A (55000 MPA.S) (UNII: 59TL3WG5CO) ETETH-20 (UNII: 1835H2IHHX)	
ETETH-20 (UNII: I835H2IHHX)	
DOWN DIGOLOD CHEM WICE (UNIX CANDO ADO AD)	
ORGHUM BICOLOR STEM JUICE (UNII: SKN30 A294R)	
TEARETH-20 (UNII: L0Q8IK9E08)	
ETHYLPARABEN (UNII: A2I8C7HI9T)	
ILICON DIO XIDE (UNII: ETJ7Z6 XBU4)	
UTYLPARABEN (UNII: 3QPI1U3FV8)	
IMETHICO NE (UNII: 92RU3N3Y1O)	
TEARIC ACID (UNII: 4ELV7Z65AP)	
HLORPHENESIN (UNII: 1670 DAL4SZ)	
UTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ORBIC ACID (UNII: X045WJ989B)	

ETHYLPARABEN (UNII: 14255EXE39)	
SQUALANE (UNII: GW89575KF9)	
CHLORELLA VULGARIS (UNII: RYQ4R60M02)	
ISOBUTYLPARABEN (UNII: 0 QQJ25X58G)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
BIOTINO YL TRIPEPTIDE-1 (UNII: O6380721VA)	
FD&C RED NO. 4 (UNII: X3W0 AM1JLX)	

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:43596-0006-0	1 mL in 1 POUCH			
2	NDC:43596-0006-1	5 mL in 1 TUBE			
3	NDC:43596-0006-2	50 mL in 1 JAR			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part352	03/28/2012		

Labeler - Ventura Corporation, LTD (602751344)

Establishment			
Name	Address	ID/FEI	Business Operations
MF Productions		266769145	manufacture

Revised: 3/2012 Ventura Corporation, LTD