

CRAMP911- magnesium sulfate, copper sulfate lotion
DelCorean, LLC

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

NEW!

HOMEOPATHIC

NDC 35484-924-04

MUSCLE RELAXING ROLL-ON LOTION

CRAMP 911[®]

LONG-LASTING FOR AN ACTIVE LIFESTYLE



**Convenient, Travel Sized
No-Mess Roll-On Applicator!
Good for up to 30-35
applications***

*for an average 3" x 9" area

**Rapidly Relieves & Prevents
Leg Cramps • Muscle Spasms
Pain Due to Muscle Tightness**

0.15 FL OZ (4.5 mL)



Disturbed by:
DelCorean LLC
Orefield, PA 18069
© 2008 DelCorean LLC
www.cramp911.com
Made in USA
Patent Pending

Drug Facts (continued)

Active Ingredients
Cuprum Metallicum 6X H.P.U.S. 0.05%.....muscle cramps
Magnesia Sulphate 6X H.P.U.S. 0.05%.....muscle cramps

Purpose
The letters H.P.U.S. indicate that the components in this product are officially monographed in the Homeopathic Pharmacopeia of the United States.

Uses
temporarily relieves: • leg cramps
• muscle cramps

Warnings
For external use only
Allergy alert • Irritation or allergic reaction may occur with some people. Test by applying product to a small area of the inner forearm and wait 30 minutes. If skin appears normal proceed with directions.
Do not use if you are allergic or hypersensitive to any ingredient in this product, have sensitive skin or any skin disease.
Ask a doctor before use if you have
• diabetes • circulation problems

When using this product
• avoid contact with eyes, wounds, mucus membranes, broken or irritated skin • do not share this product with anyone

Directions
• adults and children 12 years and older • remove outer cap • apply directly to site of cramp or spasm • apply generously and rub in • repeat in 15 minutes if no improvement after second application or if symptoms return see doctor • close cap tightly
• children under 12 years of age: ask a doctor

Other information
• store between 15 and 30° C (59° and 80° F)
• keep away from heat.

Inactive ingredients
citric acid, docusate sodium USP, guaifenesin, isopropyl palmitate, lecithin, phenylephrine, poly sorbate 80, sodium benzoate, sorbic acid, urea, water.

Questions?
call 1-800-696-1490

Drug Facts (continued)

Stop use and ask a doctor if • an allergic reaction occurs - If this occurs seek medical help right away • skin redness or irritation occur • cramps worsen or continue without stopping • new or unexpected symptoms develop

If pregnant or breastfeeding, ask a health care professional before use.

Keep out of reach of children. If swallowed, get emergency medical help or contact a poison control center right away.

NEW!

HOMEOPATHIC

NDC 35484-924-04

MUSCLE RELAXING ROLL-ON LOTION

CRAMP 911[®]

LONG-LASTING FOR AN ACTIVE LIFESTYLE



**Convenient, Travel Sized
No-Mess Roll-On Applicator!
Good for up to 30-35
applications***

*for an average 3" x 9" area

**Rapidly Relieves & Prevents
Leg Cramps • Muscle Spasms
Pain Due to Muscle Tightness**

0.15 FL OZ (4.5 mL)

CRAMP 911[®]



Disbursed by:
DelCorean LLC
Orefield, PA 18069
© 2008 DelCorean LLC
www.cramp911.com
Made in USA
Patent Pending

Drug Facts
The letters H.P.U.S. indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Active Ingredients
Cuprum Metallicum 6X H.P.U.S. 0.05%.....muscle cramps
Magnesia Sulfate 6X H.P.U.S. 0.05%.....muscle cramps

Purpose
occurs - If this occurs seek medical help right away • skin redness or irritation occur • cramps worsen or continue without stopping • new or unexpected symptoms develop

Drug Facts (continued)
Stop use and ask a doctor if • an allergic reaction occurs - If this occurs seek medical help right away • skin redness or irritation occur • cramps worsen or continue without stopping • new or unexpected symptoms develop

Directions
• adults and children 12 years and older • remove outer cap • apply directly to site of cramp or spasm • apply generously and rub in • repeat in 15 minutes if no improvement after second application or if symptoms return see doctor • close cap tightly • children under 12 years of age: ask a doctor

Other information
• store between 15° and 30° C (59° and 80° F)
• keep away from heat.

Inactive Ingredients
citric acid, docusate sodium USP, guaifenesin, isopropyl palmitate, lecithin, phenylephrine, polysorbate 80, sodium benzoate, sorbic acid, urea, water.

Questions?
call 1-800-696-1490

Warnings
For external use only
Allergy alert • Irritation or allergic reaction may occur with some people. Test by applying product to a small area of the inner forearm and wait 30 minutes. If skin appears normal proceed with directions.

Do not use if you are allergic or hypersensitive to any ingredient in this product, have sensitive skin or any skin disease.

Ask a doctor before use if you have
• diabetes • circulation problems

When using this product
• avoid contact with eyes, wounds, mucus membranes, broken or irritated skin • do not share this product with anyone

Uses
temporarily relieves: • leg cramps • muscle spasms

NEW!

HOMEOPATHIC

NDC 35484-924-04

MUSCLE RELAXING ROLL-ON LOTION

CRAMP 911®

LONG-LASTING FOR AN ACTIVE LIFESTYLE



**Convenient, Travel Sized
No-Mess Roll-On Applicator!
Good for up to 30-35
applications***

*for an average 3" x 9" area

**Rapidly Relieves & Prevents
Leg Cramps • Muscle Spasms
Pain Due to Muscle Tightness**

0.15 FL OZ (4.5 mL)

CRAMP 911®



Disturbed by:
DeCorean LLC
Orefield, PA 18069
© 2008 DeCorean LLC
www.cramp911.com
Made in USA
Patent Pending

Drug Facts (continued)	Drug Facts
Stop use and ask a doctor if • an allergic reaction occurs - If this occurs seek medical help right away • skin redness or irritation occur • Cramps worsen or continue without stopping • new or unexpected symptoms develop	Active Ingredients Cuprum Metallicum 6X H.P.U.S. 0.05%.....muscle cramps Magnesia Sulphate 6X H.P.U.S. 0.05%.....muscle cramps
If pregnant or breastfeeding , ask a health care professional before use. Keep out of reach of children . If swallowed, get emergency medical help or contact a poison control center right away.	Uses temporarily relieves: • leg cramps • muscle cramps • muscle spasms
Directions • adults and children 12 years and older • remove outer cap • apply directly to site of cramp or spasm • apply generously and rub in • repeat in 15 minutes if no improvement after second application or if symptoms return see doctor • close cap tightly • children under 12 years of age: ask a doctor	Warnings For external use only Allergy alert • Irritation or allergic reaction may occur with some people. Test by applying product to a small area of the inner forearm and wait 30 minutes. If skin appears normal proceed with directions. Do not use if you are allergic or hypersensitive to any ingredient in this product, have sensitive skin or any skin disease. Ask a doctor before use if you have • diabetes • circulation problems
Other information • store between 15 and 30° C (59° and 80° F) • keep away from heat.	When using this product • avoid contact with eyes, wounds, mucus membranes, broken or irritated skin • do not share this product with anyone
Inactive ingredients citric acid, docusate sodium USP, guaifenesin, isopropyl palmitate, lecithin, phenylephrine, poly sorbate 80, sodium benzoate, sorbic acid, urea, water.	Questions? call 1-800-696-1490

NEW!

HOMEOPATHIC

NDC 35484-924-04

MUSCLE RELAXING ROLL-ON LOTION

CRAMP 911®

LONG-LASTING FOR AN ACTIVE LIFESTYLE



**Convenient, Travel Sized
No-Mess Roll-On Applicator!
Good for up to 30-35
applications***

*for an average 3"x 9" area

**Rapidly Relieves & Prevents
Leg Cramps • Muscle Spasms
Pain Due to Muscle Tightness**

0.15 FL OZ (4.5 mL)



Distributed by:
DeCorean LLC
Orefield, PA 18069
© 2008 DeCorean LLC
www.cramp911.com
Made in USA
Patent Pending

Drug Facts

Active Ingredients
Cuprum Metallicum 6X H.P.U.S. 0.05%
Magnesia Sulphate 6X H.P.U.S. 0.05%
The letters H.P.U.S. indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses
temporarily relieves: • leg cramps
• muscle cramps • muscle spasms

Warnings
For external use only
Allergy alert • Irritation or allergic reaction may occur with some people. Test by applying product to a small area of the inner forearm and wait 30 minutes. If skin appears normal proceed with directions.
Do not use if you are allergic or hypersensitive to any ingredient in this product, have sensitive skin or any skin disease.
Ask a doctor before use if you have
• diabetes • circulation problems

When using this product
• avoid contact with eyes, wounds, mucus membranes, broken or irritated skin • do not share this product with anyone

Directions
• adults and children 12 years and older • remove outer cap • apply directly to site of cramp or spasm • apply generously and rub in • repeat in 15 minutes if no improvement after second application or if symptoms return see doctor • close cap tightly • children under 12 years of age: ask a doctor

Other information
• store between 15° and 30° C (59° and 80° F)
• keep away from heat.

Inactive Ingredients
citic acid, docusate sodium USP, guaifenesin, isopropyl palmitate, lecithin, phenylephrine, polysorbate 80, sodium benzoate, sorbic acid, urea, water.

Questions?
call 1-800-696-1490

Drug Facts (continued)
Purpose
Cuprum Metallicum 6X H.P.U.S. 0.05%
Magnesia Sulphate 6X H.P.U.S. 0.05%
The letters H.P.U.S. indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Stop use and ask a doctor if • an allergic reaction occurs - If this occurs seek medical help right away • skin redness or irritation occur • cramps worsen or continue without stopping • new or unexpected symptoms develop

If pregnant or breastfeeding, ask a health care professional before use.

Keep out of reach of children. If swallowed, get emergency medical help or contact a poison control center right away.

NEW!

HOMEOPATHIC

NDC 35484-924-04

MUSCLE RELAXING ROLL-ON LOTION

CRAMP 911[®]

LONG-LASTING FOR AN ACTIVE LIFESTYLE



**Convenient, Travel Sized
No-Mess Roll-On Applicator!**
**Good for up to 30-35
applications***

*for an average 3" x 9" area

**Rapidly Relieves & Prevents
Leg Cramps • Muscle Spasms
Pain Due to Muscle Tightness**

0.15 FL OZ (4.5 mL)



Disturbed by:
DelCorean LLC
Orefield, PA 18069
© 2008 DelCorean LLC
www.cramp911.com
Made in USA
Patent Pending

Drug Facts	Active ingredients Cuprum Metallicum 6X H.P.U.S. 0.05%.....muscle cramps Magnesia Sulfate 6X H.P.U.S. 0.05%.....muscle cramps
Purpose	The letters H.P.U.S. indicate that the components in this product are officially monographed in the Homeopathic Pharmacopeia of the United States.
Uses	temporarily relieves: • leg cramps • muscle spasms
Warnings	For external use only Allergy alert • Irritation or allergic reaction may occur with some people. Test by applying product to a small area of the inner forearm and wait 30 minutes. If skin appears normal proceed with directions. Do not use if you are allergic or hypersensitive to any ingredient in this product, have sensitive skin or any skin disease. Ask a doctor before use if you have • diabetes • circulation problems
Directions	• adults and children 12 years and older • remove outer cap • apply directly to site of cramp or spasm • apply generously and rub in • repeat in 15 minutes if no improvement after second application or if symptoms return see doctor • close cap tightly • children under 12 years of age: ask a doctor Other information • store between 15 and 30° C (59° and 80° F) • keep away from heat.
Drug Facts (continued)	inactive ingredients citric acid, docusate sodium USP, guaifenesin, isopropyl palmitate, lecithin, phenylephrine, poly sorbate 80, sodium benzoate, sorbic acid, urea, water. Questions? call 1-800-696-1490
Stop use and ask a doctor if • an allergic reaction occurs - If this occurs seek medical help right away • skin redness or irritation occur • cramps worsen or continue without stopping • new or unexpected symptoms develop	
If pregnant or breastfeeding , ask a health care professional before use.	
Keep out of reach of children. If swallowed, get emergency medical help or contact a poison control center right away.	

NEW!

HOMEOPATHIC

NDC 35484-924-04

MUSCLE RELAXING ROLL-ON LOTION

CRAMP 911[®]

LONG-LASTING FOR AN ACTIVE LIFESTYLE



**Convenient, Travel Sized
No-Mess Roll-On Applicator!
Good for up to 30-35
applications***

*for an average 3" x 9" area

**Rapidly Relieves & Prevents
Leg Cramps • Muscle Spasms
Pain Due to Muscle Tightness**

0.15 FL OZ (4.5 mL)

CRAMP 911[®]



Disbursed by:
DelCorean LLC
Orefield, PA 18069
© 2008 DelCorean LLC
www.cramp911.com
Made in USA
Patent Pending

Drug Facts
The letters H.P.U.S. indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Active Ingredients
Cuprum Metallicum 6X H.P.U.S. 0.05%.....muscle cramps
Magnesia Sulfate 6X H.P.U.S. 0.05%.....muscle cramps

Purpose
occurs - If this occurs seek medical help right away • skin redness or irritation occur • cramps worsen or continue without stopping • new or unexpected symptoms develop

Drug Facts (continued)
Stop use and ask a doctor if • an allergic reaction occurs - If this occurs seek medical help right away • skin redness or irritation occur • cramps worsen or continue without stopping • new or unexpected symptoms develop

If pregnant or breastfeeding, ask a health care professional before use.

Keep out of reach of children. If swallowed, get emergency medical help or contact a poison control center right away.

Directions
• adults and children 12 years and older • remove outer cap • apply directly to site of cramp or spasm • apply generously and rub in • repeat in 15 minutes if no improvement after second application or if symptoms return see doctor • close cap tightly • children under 12 years of age: ask a doctor

Other information
• store between 15° and 30° C (59° and 80° F)
• keep away from heat.

Inactive Ingredients
citric acid, docusate sodium USP, guaifenesin, isopropyl palmitate, lecithin, phenylephrine, polysorbate 80, sodium benzoate, sorbic acid, urea, water.

Questions?
call 1-800-696-1490

Warnings
For external use only
Allergy alert • Irritation or allergic reaction may occur with some people. Test by applying product to a small area of the inner forearm and wait 30 minutes. If skin appears normal proceed with directions.

Do not use if you are allergic or hypersensitive to any ingredient in this product, have sensitive skin or any skin disease.

Ask a doctor before use if you have
• diabetes • circulation problems

When using this product
• avoid contact with eyes, wounds, mucus membranes, broken or irritated skin • do not share this product with anyone

Uses
temporarily relieves: • leg cramps • muscle spasms

NEW!

HOMEOPATHIC

NDC 35484-924-04

MUSCLE RELAXING ROLL-ON LOTION

CRAMP 911®

LONG-LASTING FOR AN ACTIVE LIFESTYLE



**Convenient, Travel Sized
No-Mess Roll-On Applicator!
Good for up to 30-35
applications***

*for an average 3" x 9" area

**Rapidly Relieves & Prevents
Leg Cramps • Muscle Spasms
Pain Due to Muscle Tightness**

0.15 FL OZ (4.5 mL)

CRAMP 911®



Disturbed by:
DeCorean LLC
Orefield, PA 18069
© 2008 DeCorean LLC
www.cramp911.com
Made in USA
Patent Pending

Drug Facts (continued)	Drug Facts
Stop use and ask a doctor if • an allergic reaction occurs - If this occurs seek medical help right away • skin redness or irritation occur • Cramps worsen or continue without stopping • new or unexpected symptoms develop	Active Ingredients Cuprum Metallicum 6X H.P.U.S. 0.05%.....muscle cramps Magnesia Sulphate 6X H.P.U.S. 0.05%.....muscle cramps
If pregnant or breastfeeding , ask a health care professional before use. Keep out of reach of children . If swallowed, get emergency medical help or contact a poison control center right away.	Uses temporarily relieves: • leg cramps • muscle cramps • muscle spasms
Directions • adults and children 12 years and older • remove outer cap • apply directly to site of cramp or spasm • apply generously and rub in • repeat in 15 minutes if no improvement after second application or if symptoms return see doctor • close cap tightly • children under 12 years of age: ask a doctor	Warnings For external use only Allergy alert • Irritation or allergic reaction may occur with some people. Test by applying product to a small area of the inner forearm and wait 30 minutes. If skin appears normal proceed with directions. Do not use if you are allergic or hypersensitive to any ingredient in this product, have sensitive skin or any skin disease.
Other information • store between 15 and 30° C (59° and 80° F) • keep away from heat.	Ask a doctor before use if you have • diabetes • circulation problems
Inactive ingredients citric acid, docusate sodium USP, guaifenesin, isopropyl palmitate, lecithin, phenylephrine, poly sorbate 80, sodium benzoate, sorbic acid, urea, water.	When using this product • avoid contact with eyes, wounds, mucus membranes, broken or irritated skin • do not share this product with anyone
Questions? call 1-800-696-1490	

NEW!

HOMEOPATHIC

NDC 35484-924-04

MUSCLE RELAXING ROLL-ON LOTION

CRAMP 911®

LONG-LASTING FOR AN ACTIVE LIFESTYLE



**Convenient, Travel Sized
No-Mess Roll-On Applicator!
Good for up to 30-35
applications***

*for an average 3" x 9" area

**Rapidly Relieves & Prevents
Leg Cramps • Muscle Spasms
Pain Due to Muscle Tightness**

0.15 FL OZ (4.5 mL)

CRAMP 911®



Distributed by:
DeCorean LLC
Orefield, PA 18069
© 2008 DeCorean LLC
www.cramp911.com
Made in USA
Patent Pending

Drug Facts

Active Ingredients
Cuprum Metallicum 6X H.P.U.S. 0.05%
Magnesia Sulphate 6X H.P.U.S. 0.05%
The letters H.P.U.S. indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses
temporarily relieves: • leg cramps
• muscle cramps • muscle spasms

Warnings
For external use only
Allergy alert • Irritation or allergic reaction may occur with some people. Test by applying product to a small area of the inner forearm and wait 30 minutes. If skin appears normal proceed with directions.
Do not use if you are allergic or hypersensitive to any ingredient in this product, have sensitive skin or any skin disease.
Ask a doctor before use if you have
• diabetes • circulation problems

When using this product
• avoid contact with eyes, wounds, mucus membranes, broken or irritated skin • do not share this product with anyone

Directions
• adults and children 12 years and older • remove outer cap • apply directly to site of cramp or spasm • apply generously and rub in • repeat in 15 minutes if no improvement after second application or if symptoms return see doctor • close cap tightly • children under 12 years of age: ask a doctor

Other information
• store between 15 and 30° C (59° and 80° F)
• keep away from heat.

Inactive Ingredients
citic acid, docusate sodium USP, guaifenesin, isopropyl palmitate, lecithin, phenylephrine, polysorbate 80, sodium benzoate, sorbic acid, urea, water.

Questions?
call 1-800-696-1490

Drug Facts (continued)
Purpose
Cuprum Metallicum 6X H.P.U.S. 0.05%
Magnesia Sulphate 6X H.P.U.S. 0.05%
The letters H.P.U.S. indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Stop use and ask a doctor if • an allergic reaction occurs - If this occurs seek medical help right away • skin redness or irritation occur • cramps worsen or continue without stopping • new or unexpected symptoms develop

If pregnant or breastfeeding, ask a health care professional before use.

Keep out of reach of children. If swallowed, get emergency medical help or contact a poison control center right away.

CRAMP911

magnesium sulfate, copper sulfate lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:35484-924
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BASIC COPPER SULFATE (UNII: CUP529P5NS) (COPPER - UNII:789U1901C5)	BASIC COPPER SULFATE	0.05 [hp_X] in 1 mL
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM SULFATE, UNSPECIFIED FORM	0.05 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
UREA (UNII: 8W8T17847W)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
DOCUSATE SODIUM/SODIUM BENZOATE (UNII: 656HXR6YXN)	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
WATER (UNII: 059QF0KO0R)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GUAIFENESIN (UNII: 495W7451VQ)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
SORBIC ACID (UNII: X045WJ989B)	

Product Characteristics

Color	yellow	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:35484-924-04	1 in 1 CARTON	09/01/2008	
1		4.5 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		09/01/2008	

Labeler - DelCorean, LLC (831347104)

Establishment

Name	Address	ID/FEI	Business Operations
Fragrance Manufacturing Inc		793406000	manufacture(35484-924)

Revised: 4/2020

DelCorean, LLC