

ADULT COUGH SUPPRESSANT DEXTROMETHORPHAN HBR- dextromethorphan hydrobromide capsule, liquid filled
Rugby Laboratories

Rugby® adult cough suppressant dextromethorphan HBr USP 15 mg softgels

Drug Facts

Active ingredient (in each softgel)

Dextromethorphan HBr, USP 15 mg

Purpose

Cough Suppressant

Use

temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold.

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- a cough that occurs with too much phlegm (mucus)
- a cough that lasts or is chronic as occurs with smoking, asthma, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

Directions

- do not take more than 8 softgels in any 24-hour period

- this adult product is not intended for use in children under 12 years of age

adults and children 12 years and older	take 2 softgels every 6 to 8 hours, as needed
children under 12 years	do not use

Other information

- store below 25°C (77°F)
- avoid excessive heat above 40°C(104°F)
- protect from light

Inactive ingredients

FD&C Blue No. 1, FD&C Red No. 40, gelatin, glycerin, polyethylene glycol 400, propyl gallate, propylene glycol, purified water, Polyvinylpyrrolidone, sorbitol sorbitan solution

Questions or comments?

Call **1-888-577-8033** Monday-Friday 8AM-4PM EST

compare to the active ingredient in Robitussin[®] CoughGels^{®*}

relieves:

- cough for up to 8 hours

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS
BROKEN OR MISSING**

*This product is not manufactured or distributed by Pfizer Consumer Healthcare, owner of the registered trademark Robitussin[®] CoughGels[®].

Distributed by:

RUGBY[®] LABORATORIES,

Indianapolis, IN 46268

(800) 616-2471

www.major-rugby.com

Product of India

Packaging


Rugby® NDC 0536-1480-34
compare to the active ingredient in Robitussin® CoughGels™

adult cough suppressant

dextromethorphan HBr USP 15 mg
cough suppressant

relieves:
• cough for up to 8 hours

20 softgels



actual size

Drug Facts


Active ingredient (in each softgel)	Purpose
Dextromethorphan HBr, USP 15 mg.....	Cough Suppressant

Use
temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold.

Warnings
Do not use if you are now taking a

Drug Facts (continued under label)

*This product is not manufactured or distributed by Pfizer Consumer Healthcare, owner of the registered trademark Robitussin® CoughGels®.
Rev. 02/26 R-173 Re-order No.371275



3 05361 48034 9

LOT: EXP:

PEEL HERE ↓

Drug Facts Label

Drug Facts

Active ingredient (in each softgel)	Purpose
Dextromethorphan HBr, USP 15 mg.....	Cough Suppressant

Use
temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold.

Warnings
Do not use if you are now taking a

Drug Facts (continued)

prescription monoamine oxidase inhibitor (MAOI)(certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- a cough that occurs with too much phlegm (mucus)
- a cough that lasts or is chronic as occurs with smoking, asthma, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

Directions

- do not take more than 8 softgels in any 24-hour period
- this adult product is not intended for use in children under 12 years of age

Drug Facts (continued)

adults and children 12 years and older	take 2 softgels every 6 to 8 hours, as needed
children under 12 years	do not use

Other information

- store below 25°C (77°F)
- avoid excessive heat above 40°C(104°F)
- protect from light

Inactive ingredients
FD&C Blue No. 1, FD&C Red No. 40, gelatin, glycerin, polyethylene glycol 400, propyl gallate, propylene glycol, purified water, Polyvinylpyrrolidone, sorbitol sorbitan solution

Questions or comments? Call 1-888-577-8033 Monday-Friday 8AM-4PM EST

Distributed by:
RUGBY® LABORATORIES,
Indianapolis, IN 46268
(800) 616-2471
www.major-rugby.com
Product of India
REV.00-012026
LB0536148034

ADULT COUGH SUPPRESSANT DEXTROMETHORPHAN HBR

dextromethorphan hydrobromide capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0536-1480
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
PROPYL GALLATE (UNII: 8D4SNN7V92)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
POVIDONE K30 (UNII: U725QWY32X)	
SORBITOL (UNII: 506T60A25R)	
SORBITAN (UNII: 6O92ICV9RU)	

Product Characteristics

Color	red	Score	no score
Shape	OVAL	Size	14mm
Flavor		Imprint Code	T
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0536-1480-34	20 in 1 BOTTLE; Type 0: Not a Combination Product	05/08/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/08/2026	

Labeler - Rugby Laboratories (079246066)

Revised: 5/2026

Rugby Laboratories