

SINSIN Mulpas- l-menthol, methyl salicylate, dl-camphor liquid
Sinsin Pharmaceutical Co., Ltd.

SINSINPAS Mulpas PAIN RELIEVING LIQUID

L-menthol
Methyl salicylate
dl-camphor

Topical Analgesic

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

For the temporarily relief of minor aches and pains of muscles and joints associated with:

- Arthritis
- Simple backache
- Strains
- Bruises
- Sprains

For external use only

Do not use

- on wounds or damaged skin
- if you are allergic to any ingredients of this product
- with a heating pad
- with, or at the same time as, other external analgesic products

When using this product

- do not use otherwise than directed
- avoid contact with eyes, mucous membranes or rashes
- do not bandage tightly

Ask a doctor before use if you are prone to allergic reaction from aspirin or salicylates

Stop use and ask a doctor if

- rash, itching, or excessive skin irritation develops
- conditions worsen
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days

If pregnant or breast-feeding, ask a health professional before use.

Directions

Adults and children 2 years of age and over:

- Apply to affected area no more than 3 to 4 times daily
- Children undress 12 years of age: consult a doctor

concentrated glycerin, ethanol, purified water, vanillyl nonylamide.

5C 



SINSINPAS®

Pain Relieving Liquid MULPAS
Fast Absorbing for Instant Relief

Muscle Pain
Arthritis
Strains
Insect Bites

Easy to apply to back

4 fl oz (120mL)

LOT:
EXP:

DRUG FACTS

Active ingredients	Purpose
L-menthol (4,200mg)	Topical Analgesic
Methyl salicylate (6,900mg)	Topical Analgesic
DL-camphor (4,500mg)	Topical Analgesic

Uses
For temporary relief of minor aches and pains associated with:
■ arthritis ■ simple backache ■ sprains ■ strains ■ bruises

Warnings
For external use only

Flammable
Keep away from fire, sparks, and heated surfaces

Do not use
on wounds or damaged skin

When using this product
■ Do not bandage tightly
■ Avoid contact with eyes and mucous membranes

Stop use and ask a doctor if
condition worsens or symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children
If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions
■ Adults and children 2 years of age and older : apply to the affected area no more than 3 to 4 times daily
■ Children under 2 years of age : consult a doctor

Inactive ingredients
concentrated glycerin, ethanol, purified water, vanillyl nonylamide

Distributed by:
SINSIN Pharm America
Brea, CA 92821
Made in Korea

816064381028928

SPS3907 / CH190111

SINSIN MULPAS

l-menthol, methyl salicylate, dl-camphor liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55264-023
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET)	CAMPHOR (SYNTHETIC)	4500 mg in 120 mL
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	6900 mg in 120 mL
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	4200 mg in 120 mL

Inactive Ingredients

Ingredient Name	Strength
NONIVAMIDE (UNII: S846B891OR)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55264-023-02	1 in 1 BOX	01/06/2026	
1		120 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/06/2026	

Labeler - Sinsin Pharmaceutical Co., Ltd. (823149161)

Registrant - Sinsin Pharmaceutical Co., Ltd. (687867143)

Establishment

Name	Address	ID/FEI	Business Operations
Sinsin Pharmaceutical Co., Ltd.		687867143	manufacture(55264-023)