

SINSINPAS AREX PATCH LARGE- camphor, menthol, methyl salicylate patch
Sinsin Pharmaceutical Co., Ltd.

Sinsinpas Arex Pain Relieving Patch, Large

- DL-Camphor
- L-Menthol
- Methyl Salicylate

Topical Analgesic

For temporary relief of minor aches and pains of muscles and joints associated with:

- arthritis
- simple backache
- strains
- bruises
- sprains

For external use only

Do not use

- on wounds or damaged skin
- if you are allergic to aspirin or salicylates
- with a heating pad
- with, or at the same time as, other external analgesic products

This product contains natural rubber latex which may cause allergic reactions.

Directions

Adults and children 12 years of age and over:

- Clean and dry affected area
- Remove patch from film
- Apply to affected area not more than 3 to 4 times daily for 7 days.
- Remove patch from skin after at most 8 hours application

Children under 12 years of age:

- Consult a doctor

Other information

- avoid storing product in direct sunlight
- protect from excessive moisture

Benzyl Nicotinamide, Butylated Hydroxytoluene, Calcium Carbonate, Glyceryl Rosinate, Natural Rubber, Polyisobutylene, Polybutene, Quintone, Vanillyl Nonylamide, YSResin, Mentha oil, Zinc oxide

SINSIN PHARM. CO., LTD.
Gyeonggi-do, Korea

Keep out of reach of children.

SINSINPAS®
AREX
INSTANT PAIN RELIEF

↓ Reseal pouch after opening
✂ Cut open pouch

- JOINT PAIN
- MUSCLE PAIN
- SPRAINS
- BACKACHE

Cool & Hot Pain Relieving Patch


Cooling & Heating Effect •
Adheres and stays flexible for maximum movement •
Topical Analgesic •
Long-lasting pain relief • Mess-free. No sticky residue.

6
PATCHES

L
3.93in X 5.51in

S
Maximum
Strength

STRETCH



✂ Cut open pouch
↓ Reseal pouch after opening

LOT :
EXP :

SINSINPAS®
AREX



<p>Drug Facts</p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; border-bottom: 1px solid black;">Active ingredients</th> <th style="text-align: left; border-bottom: 1px solid black;">Purpose</th> </tr> </thead> <tbody> <tr> <td>DL-Camphor 34.10mg</td> <td>Topical Analgesic</td> </tr> <tr> <td>L-Menthol 90.90mg</td> <td>Topical Analgesic</td> </tr> <tr> <td>Mentha Oil 45.46mg</td> <td>Topical Analgesic</td> </tr> <tr> <td colspan="2" style="text-align: center;">Mentha Oil, Zinc Oxide</td> </tr> </tbody> </table> <p>Uses For temporary relief of minor aches and pains of muscles and joints associated with : ■ Arthritis ■ Simple backache ■ Strains ■ Bruises ■ Sprains</p> <p>Warnings</p> <p>For external use only</p> <p>Do not use</p> <ul style="list-style-type: none"> ■ On wounds or damaged skin ■ If you are allergic to aspirin or salicylates ■ With a heating pad ■ With, or at the same time as other external analgesic products <p>Ask a doctor before use if you are allergic to any ingredients in this product.</p> <p>When using this product</p> <ul style="list-style-type: none"> ■ Do not use other than directed ■ Avoid contact with eyes, mucous membranes, and rashes 	Active ingredients	Purpose	DL-Camphor 34.10mg	Topical Analgesic	L-Menthol 90.90mg	Topical Analgesic	Mentha Oil 45.46mg	Topical Analgesic	Mentha Oil, Zinc Oxide		<p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> ■ Rash, itching, or excessive skin irritation develops ■ Condition worsens ■ Symptoms persist for longer than 7 days ■ Symptoms clear up and reoccur within a few days <p>If pregnant or breast-feeding, ask a health professional before use</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <p>Adults and children 12 years of age and over:</p> <ul style="list-style-type: none"> ■ Clean and dry affected area ■ Remove patch from film ■ Apply to affected area no more than 3 to 4 times daily for 7 days ■ Remove patch from skin after at most 8 hours of application <p>■ Children under 12 years of age: Consult a doctor</p> <p>Other information</p> <ul style="list-style-type: none"> ■ Avoid storing product in direct sunlight ■ Protect from excessive moisture <p>Inactive ingredients Benzyl Nicotinate, Butylated Hydroxytoluene, Calcium Carbonate, Glycerol Rosinate, Natural Rubber, Polyisobutylene, Polybutene, Quintone, Vanillyl Nonylamide, YS Resin, Mentha Oil, Zinc Oxide</p>
Active ingredients	Purpose										
DL-Camphor 34.10mg	Topical Analgesic										
L-Menthol 90.90mg	Topical Analgesic										
Mentha Oil 45.46mg	Topical Analgesic										
Mentha Oil, Zinc Oxide											

Distributed by: SINSIN PHARM AMERICA
Brea, CA 92821
www.sinsinpas.us
Made in Korea

FDA NDC No. :
55264-021-06
KGMP
usa0129pp / CN250908



SINSINPAS AREX PATCH LARGE

camphor, menthol, methyl salicylate patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55264-024
Route of Administration	TOPICAL, TRANSDERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	90.9 mg
LEVOMENTHOL (UNII: BZ1R15MTK7) (LEVOMENTHOL - UNII:BZ1R15MTK7)	LEVOMENTHOL	90.9 mg
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET)	CAMPHOR (SYNTHETIC)	34.1 mg

Inactive Ingredients

Ingredient Name	Strength
POLYISOBUTYLENE (200000 MW) (UNII: Z6Y02I0591)	
ROSIN (UNII: 88S87KL877)	
POLYBUTENE (1400 MW) (UNII: 1NA5AO9GH7)	
GLYCERIN (UNII: PDC6A3C0OX)	
BENZYL NICOTINAMIDE (UNII: HF1W0213QP)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
CALCIUM CARBONATE (UNII: H0G9379FGK)	
NATURAL LATEX RUBBER (UNII: 2LQ0UUW8IN)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55264-024-06	1 in 1 CARTON	01/06/2026	
1		6 in 1 POUCH; Type 0: Not a Combination Product		



LOT : _____
 EXP : _____

Drug Facts	
Active ingredients	Purpose
Camphor 34.10mg	Topical Analgesic
Menthol 90.90mg	Topical Analgesic
Methyl Salicylate 90.90mg	Topical Analgesic
Uses For temporary relief of minor aches and pains of muscles and joints associated with: #Arthritis #Simple backache #Sprains #Bruises #Strains	
Warnings For external use only Do not use <ul style="list-style-type: none"> On wounds or damaged skin If you are allergic to aspirin or salicylates With a heating pad With, or at the same time as other external analgesic products Ask a doctor before use if you are allergic to any ingredients in this product.	
When using this product <ul style="list-style-type: none"> Do not use other than directed Avoid contact with eyes, mucous membranes, and rashes 	
Directions Adults and children 12 years of age and over: <ul style="list-style-type: none"> Clean and dry affected area Remove patch from film Apply to affected area no more than 3 to 4 times daily for 7 days Remove patch from skin after at most 8 hours of application Children under 12 years of age: Consult a doctor 	
Other information <ul style="list-style-type: none"> Avoid storing product in direct sunlight Protect from excessive moisture 	
Inactive ingredients Benzyl Nicotinate, Butylated Hydroxytoluene, Calcium Carbonate, Glycerol Rosinate, Natural Rubber, Mentha Oil, Polyisobutylene, Polyethylene, Quinone, Vanillyl Nonylamide, VS Resin, Zinc Oxide	
Distributed by: SINSIN PHARM AMERICA Brea, CA 92821 www.sinsinpasus Made in Korea	
FDA NDC No.: 55284-024-05 	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/06/2026	

Labeler - Sinsin Pharmaceutical Co., Ltd. (823149161)

Revised: 3/2026

Sinsin Pharmaceutical Co., Ltd.